# **Phase One Environmental Site Assessment**

12156 Chinguacousy Road Caledon, Ontario

TOWN OF CALEDON PLANNING RECEIVED Dec 19, 2024

# **Prepared For:**

Mayfield West III 4900 Palladium Way, Unit 105 Burlington, Ontario L7M 0W7



DS CONSULTANTS LTD. 6221 Highway 7, Unit 16 Vaughan, Ontario, L4H 0K8 Telephone: (905) 264-9393 www.dsconsultants.ca

**DS Project No :** 23-266-100 **Date:** 2023-09-22

# **Executive Summary**

DS Consultants Ltd. (DS) was retained by Mayfield West III (the "Client") to conduct a Phase One Environmental Site Assessment (ESA) of the Property located at 12156 Chinguacousy Road, Caledon, Ontario, herein referred to as the "Phase One Property" or "Site". DS understands that this Phase One ESA was requested for due diligence purposes associated with the proposed redevelopment of the Site for residential purposes. It is further understood that the proposed development will consist of a low-rise subdivision.

The Phase One Property is an irregular shaped parcel of land approximately 5.787-hectare (14.299 acres) in an area situated within a rural neighbourhood in the Town of Caledon, Ontario. The Phase One Property is located approximately 490 m northwest of the intersection of Chinguacousy Road and Mayfield Road.

It is understood that the intended future property use (residential) is not considered to be a more sensitive property use as defined under O.Reg. 153/04 (as amended); therefore the filing of a Record of Site Condition (RSC) with the Ontario Ministry of Environment, Conservation and Parks (MECP) is not mandated under O.Reg. 153/04.

The Phase One ESA was completed to satisfy the intent of the requirements, methodology and practices for a Phase One ESA as described in Ontario Regulation 153/04 (as amended). The objectives of the Phase One ESA is to identify the presence or absence of potentially contaminating activities (PCAs) on the Phase One Property and/or within the Phase One Study Area, and to determine if the PCAs identified within the Phase One Study Area are likely to result in an Area of Potential Environmental Concern (APEC) on the Phase One Property.

The scope of work completed as part of the Phase One ESA included a review of reasonably ascertainable records and reports regarding historical and current use, regulatory information, occupancy, and activities for the Phase One Property, interviews with available individuals with knowledge of the current and former site activities, an inspection of the Phase One Property and activities on the adjacent properties and an evaluation of the information obtained with respect to potential concerns associated with the activities identified. The information obtained by the Phase One ESA will be used to assess whether further investigation in the form of a Phase Two ESA is merited. It should be noted that this Phase One ESA does not include any sampling testing and is based solely on a review of readily available data, and observations made during the Phase One Site Reconnaissance.

Based on the records reviewed as part of the Phase One ESA, DS presents the following findings:

The Phase One Property was used for agricultural fields. An orchard was depicted on the property in the 1880 County Atlas, however, it appears to have been removed by 1946. The Phase One Property was subsequently used for agricultural and residential purposes. The

Phase One Property is currently occupied by agricultural fields and a residential house, and is used for agricultural and residential purposes. The property includes one (1) domestic well and a septic system.

- The topography of the Phase One Property is generally flat, with a surface elevation of 258 metres above sea level (masl). The topography within the Phase One Study Area generally slopes to the southeast, towards a tributary of Fletchers Creek, located approximately 210 m southeast of the Phase One Property. The nearest body of water is a tributary of Fletchers Creek. Based on a review of the MECP well records, the depth to groundwater is approximately 0.6 1.5 m below ground surface (mbgs). Long term groundwater monitoring would be required in order to confirm the direction of groundwater flow on the Phase One Property;
- The Site is situated within a drumlinized till plains physiographic region. The surficial geology within the majority of the Phase One Property is described as "clay to silt-textured till derived from glaciolacustrine deposits or shale" and as "Fine-textured glaciolacustrine deposits consisting of silt and clay, minor sand and gravel Interbedded silt and clay and gritty, pebbly flow till and rainout deposit" along the water bodies intersecting across the Property. The bedrock is described as "Shale, limestone, dolostone, siltstone and Queenston Formation". Based on a review of "Bedrock Topography and Overburden Thickness Mapping, Southern Ontario, prepared by Ontario Geological Survey, published 2006," the bedrock in the vicinity of the Site is anticipated to be encountered at a depth of approximately 20 to 25 mbgs;
- The potentially contaminating activities identified on the Phase One Property include:
  - The former presence of an orchard which was potentially subject to application of environmentally persistent pesticides;
  - Fill material was likely used for grading purposes for the laneway; and
  - The laneway is likely subject to seasonal de-icing activities.
- The neighbouring properties within the Phase One Study Area appear to have been used for agricultural and residential purposes since the 1880s.

Based on a review of the information available at this time it is concluded that PCAs were identified on the Phase One Property and within the Phase One Study Area which are considered to be contributing to three (3) APECs in, on, or under the Phase One Property. A summary of the PCAs identified and the associated APECs is provided in Table 1-1 below. Note that the PCA numbers used below are per Table 2, Schedule D of O.Reg. 153/04.

Area of Potential Environment al Concern	Location of Area of Potential Environment al Concern on Phase One Property	Potentially Contaminating Activity	Location of PCA (on-site or off-site)	Contaminant s of Potential Concern	Media Potentially Impacted (Ground water, soil and/or sediment)
APEC-1	North portion of Site	#40 – Pesticides Manufacturing, Processing, Bulk Storage and Large-Scale Applications	On Site PCA-1	OCPs, Metals, As, Sb, Se, CN-	Soil
APEC-2A	North portion of Site	#N/S – Application of De- icing Agents	On Site PCA-2	EC, SAR	Soil
APEC-2B		#30 – Importation of Fill Material of Unknown Quality	On Site PCA-3	PHCs, VOCs, BTEX, Metals, As, Sb, Se, B- HWS, CN-, electrical conductivity, Cr (VI), Hg, low or high pH, SAR, PAHs	Soil
APEC-3	Entire Property	#40 – Pesticides Manufacturing, Processing, Bulk Storage and Large-Scale Applications	On Site PCA-4	OCPs, Metals, As, Sb, Se, CN-	Soil

N/S - not specified in Table 2, Schedule D, of 0.Reg. 153/04

The PCAs identified in Table E-1 above are considered by the Qualified Person (QP) to be contributing to Areas of Potential Environmental Concern on the Phase One Property. The Potential Contaminants of Concern (PCOCs) identified by the QP include PHCs, VOCs, BTEX, Metals, As, Sb, Se, B-HWS, CN-, Na, Cl-, electrical conductivity, Cr (VI), Hg, low or high pH, SAR, PAHs, and OCPs. Based on the findings of this Phase One ESA, it is concluded that a Phase Two ESA would be required in order to investigate the aforementioned APECs and to assess the environmental soil and groundwater conditions on the Phase One Property. A Record of Site Condition cannot be filed based on the findings of the Phase One ESA.

# **Table of Contents**

1.0	INTRODUCTION	1
1.1	PHASE ONE PROPERTY INFORMATION	
1.2	SITE DESCRIPTION	2
2.0	SCOPE OF INVESTIGATION	2
3.0	RECORDS REVIEW	4
3.1	GENERAL	
	3.1.1 Phase One Study Area Determination	
	3.1.2 First Developed Use Determination	5
	3.1.3 Fire Insurance Plans	5
	3.1.4 Chain of Title	5
	3.1.5 Environmental Reports	5
	3.1.6 City Directories	6
3.2	ENVIRONMENTAL SOURCE INFORMATION	6
	3.2.1 Eris Report	6
	3.2.2 Ministry of the Environment- Freedom of Information	7
	3.2.3 Technical Standards and Safety Authority	
	3.2.4 Areas of Natural and Scientific Interest	
	3.2.5 Credit Valley Conservation Authority (CVCA)	
3.3	Physical Setting Sources	9
	3.3.1 Aerial Photographs and Historical Mapping	9
	3.3.2 Topography, Hydrology, Geology	
	3.3.3 Fill Materials	
	3.3.4 Water Bodies and Areas of Natural Significance	
	3.3.5 Well Records	
3.4	SITE OPERATING RECORDS	11
4.0	INTERVIEWS	11
4.1	Personnel Interviewed	11
4.2	INTERVIEWEE RATIONALE	
4.3	Results of Interview	
5.0	SITE RECONNAISSANCE	12
5.1	GENERAL REQUIREMENTS	
5.2	SPECIFIC OBSERVATIONS AT PHASE ONE PROPERTY	
5.3	WRITTEN DESCRIPTION OF INVESTIGATION	
6.0	REVIEW AND EVALUATION OF INFORMATION	
6.1	CURRENT AND PAST USES	
6.2	POTENTIALLY CONTAMINATING ACTIVITY	
6.3 6.4	AREAS OF POTENTIAL ENVIRONMENTAL CONCERN Phase One Conceptual Site Model	
0.4	6.4.1 Potentially Contaminating Activity Affecting the Phase One Property	
	6.4.2 Contaminants of Potential Concern	
	6.4.3 Underground Utilities and Contaminant Distribution and Transport	
	of his of her ground of hitror and of her hitroritation and transport	

	6.4.4 Geological and Hydrogeological Information	
	6.4.5 Uncertainty and Absence of Information	
7.0	CONCLUSIONS	20
7.1	PHASE TWO ENVIRONMENTAL SITE ASSESSMENT REQUIREMENT	
7.2	RSC BASED ON PHASE ONE ENVIRONMENTAL SITE ASSESSMENT	
7.3	LIMITATIONS	
7.4	QUALIFICATIONS OF THE ASSESSORS	
7.5	SIGNATURES	
8.0	REFERENCES	23

#### TABLES

Table E-1: Summary of APECs Identified on Phase One Property	iii
Table 1-1: Phase One Property Information	1
Table 3-1: Summary of Environmental Databases Reviewed	6
Table 3-2: Summary of ERIS Report Findings within Phase One Study Area	7
Table 3-3: Summary of Aerial Photographs	9
Table 4-1: Summary of Personnel Interviewed	11
Table 5-1: Site Reconnaissance Notes	12
Table 5-2: Summary of Site Reconnaissance Observations	12
Table 5-3: Summary of Site Reconnaissance Observations within Phase One Study Area	15
Table 6-1: Summary of PCAs	16
Table 6-2: Summary of APECs	17
Table 6-3: Summary of PCAs Contributing to APECs	18

# **Enclosures**

#### FIGURES

- Figure 1 Site Location Plan
- Figure 2 Phase One Property Site Plan
- Figure 3 Phase One Study Area
- Figure 4 PCA within Phase One Study Area
- Figure 5 APEC Location

#### **APPENDICES**

- Appendix A Plan of Survey
- Appendix B City Directory Search
- Appendix C ERIS Report
- Appendix D Regulatory Requests
- Appendix E Aerial Photographs
- Appendix F Site Photographs
- Appendix G Table of Current and Past Uses

# **1.0 Introduction**

DS Consultants Ltd. (DS) was retained by Mayfield West III to complete a Phase One ESA of the Property located at 12156 Chinguacousy Road, Caledon, Ontario, herein referred to as the "Phase One Property" or "Site". DS understands that this Phase One ESA was requested for due diligence purposes associated with the proposed redevelopment of the Site for residential purposes. It is further understood that the proposed development will consist of a low-rise subdivision.

The intended future residential property use is not considered to be a more sensitive property use as defined under O.Reg. 153/04 (as amended); therefore the filing of a Record of Site Condition (RSC) with the Ontario Ministry of Environment, Conservation and Parks (MECP) is not mandated under O.Reg. 153/04.

The Phase One ESA was completed to satisfy the intent of the requirements, methodology and practices for a Phase One ESA as described in Ontario Regulation 153/04 (as amended). The objectives of the Phase One ESA is to identify the presence or absence of potentially contaminating activities (PCAs) on the Phase One Property and/or within the Phase One Study Area, and to determine if the PCAs identified within the Phase One Study Area are likely to result in an Area of Potential Environmental Concern (APEC) on the Phase One Property. The information obtained by the Phase One ESA will be used to assess whether further investigation in the form of a Phase Two ESA is merited. It should be noted that this Phase One ESA does not include any sampling or testing and is based solely on a review of readily available data, and observations made during the Phase One Site Reconnaissance.

# **1.1 Phase One Property Information**

The information for the Phase One Property is provided in the following Table.

Criteria	Information	Source
Legal Description	Part of Lot 18 Concession 3 West of Hurontario Street Chinguacousy, Part 1 on 43R40488, Town of Caledon, Regional Municpality of Peel	Land Registry Office
Property Identification Number (PIN)	14252-1960	Land Registry Office
Municipal Address	12156 Chinguacousy Road, Caledon, Ontario	Town of Caledon Mapping
Zoning	Agricultural	Town of Caledon
Property Owner	Argo Mayfield West III Ltd.	Client
Property Owner Contact Information	Argo Development Corporation Justin Marr 4900 Palladium Way, Unit 105	Client

#### Table 1-1: Phase One Property Information

Criteria	Information	Source
	Burlington, ON, L7M 0W7 Phone: 647 389 3326 Email: justin@argoland.com	
Current Site Occupants	Dave McClure (Farmer)	Questionnaire
Site Area	5.787 hectares (14.299 acres)	Land Registry Office
Centroid UTM Coordinates	Northing: 4840825.8 Easting: 592388.9 Zone: 17T	Google Earth

# **1.2 Site Description**

The Phase One Property is a 5.787-hectare (14.299 acres) parcel of land situated within a rural neighbourhood in the Town of Caledon, Ontario. The Phase One Property is located approximately 490 m northwest of the intersection of Chinguacousy Road and Mayfield Road and was occupied by agricultural land and a residential house at the time of this investigation. A Site Location Plan is provided in Figure 1.

For the purposes of this report, Chinguacousy Road is assumed to be aligned in a southeastnorthwest orientation, and Mayfield Road in a northeast-southwest orientation. A Plan of Survey for the Phase One Property dated March 11, 2022 and prepared by R-PE Surveying Ltd., an Ontario Land Surveyor, has been provided under Appendix A.

The Phase One Property currently includes a two-storey, brick house with a metal clad barn. The residential building contains one level of basement and was constructed around the 1990s. The house is approximately 275 m<sup>2</sup> in area. The house is serviced with a domestic water supply well and septic system. The septic system was located southeast of the house and the domestic well was observed south of the house.

The steel barn is approximately 220 m<sup>2</sup> in area with a concrete floor and is used for storage of farming equipment.

Access to the Site is through an asphalt driveway which enters the Site from Chinguacousy Road. The remaining balance of the Site is primarily compromised of agricultural fields. A Site Plan depicting the orientation of the buildings on-site is provided in Figure 2.

# 2.0 Scope of Investigation

The Phase One ESA was completed to satisfy the intent of the requirements, methodology and practices for a Phase One ESA as described in Ontario Regulation 153/04, as amended (Phase One ESA requirements). This included:

• A review of reasonably ascertainable records and reports regarding historical and current use, regulatory information, occupancy, and activities for the Phase One Property, including:

- Physical setting information such as aerial photographs, topographic mapping, available historical maps and drawings;
- Company records (e.g., site plans, building plans, permit records, production and maintenance records, asbestos surveys, site utility drawings, emergency response and contingency plans, spill reporting plans and records, inventories of chemicals and their usage (e.g. WHMIS), environmental monitoring data, waste management records, inventory of underground and aboveground tanks, environmental audit reports) provided to DS;
- Geological and hydrogeological information in published government maps and/or reports;
- A review of information on file with Ecolog ERIS, a commercial database that provides information from numerous private, provincial, and federal environmental databases/registries;
- Review of fire insurance plans, municipal directory documentation and available environmental reports that are pertinent to the Phase One Property;
- Regulatory Information, including such as Permits or Certificates of Approval (pertaining to activities that may impact the condition of the property, orders, control orders, or complaints related to environmental compliance that may impact the condition of the property, and violations of environmental statutes, regulations, by-laws, and permits that may impact the condition of the property;
- Environmental source information including published and online records from Ministry of Environment, Conservation and Parks (MECP), Environment Canada, Technical Standards and Safety Authority (TSSA), and the City of Toronto; and
- The Ontario Ministry of Natural Resources (MNR) Natural Heritage Information Centre database and the Conservation Authority website for information specific to natural areas, such as locations of environmentally sensitive areas or species.
- Interviews with available individuals having knowledge of current and/or past site activities;
- An inspection of the Phase One Property, and the activities on the adjacent properties, including and assessment of the following:
  - The site operations, processes, and waste management currently carried out on the Phase One Property.
  - The neighbouring land uses (i.e. identification of environmentally sensitive neighbours, as well as an assessment of potential off-site sources of contamination);
  - The source of potable water for the Phase One Property and properties within the Phase One Study Area;
  - The potential presence of existing or former above-ground or underground fuel storage tanks (ASTs or USTs);

- Possible cut and fill operations that may resulted in the importation of fill material of unknown quality;
- The presence/absence of floor cracks, hydraulic hoists, elevators, sumps and drains;
- Areas suspected to contain evidence of surficial and sub-surface impacts (e.g. areas of staining);
- The potential presence of various Designated Substances and building materials including:
  - Friable and non-friable asbestos
  - Urea formaldehyde foam insulation (UFFI)
  - Chlorofluorocarbons (CFCs) in air conditioning and refrigeration equipment
  - o PCB-containing materials and electrical equipment
  - Lead-based paint
  - o Mould
- The presence/absence of wells, pits and lagoons, drainage sumps and floor drains, sewage and wastewater disposal pipelines; and
- General site conditions, including topography and drainage, standing water, right-ofways, presence of underground utilities, evidence of stained or odorous soils, and stressed vegetation.
- Evaluation of the information and documentation of the results in the form of a Phase One ESA Report.

The objectives of the Phase One ESA are:

- 1. To assess the environmental condition of the Phase One Property to develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in, or under the Phase One Property;
- 2. To identify potentially contaminating activities within the Study Area (i.e., areas within 250 m of the Property), and to assess if Areas of Potential Environmental Concern (APECs) exist on the Phase One Property;
- 3. To identify the Potential Contaminants of Concern associated with the PCAs identified; and
- 4. To provide a basis for subsequent investigation, if required, based on the findings of the Phase One ESA.

# 3.0 Records Review

#### 3.1 General

#### **3.1.1** Phase One Study Area Determination

Based on a review of the available historical records and the observations made during the Phase One Site Reconnaissance, no heavy industrial properties or other relevant potentially contaminating activities were observed which were considered to merit expanding the Phase One Study Area. As such the Phase One Study Area was defined by a 250-metre radius around the Phase One Property boundary, in accordance with O.Reg. 153/04 (as amended).

The properties within 250 m of the Phase One Property generally consist of residential and agricultural land uses. An assessment of the historical and current use of all properties within the Phase One Study Area was conducted in order to assess for the presence/absence of potentially contaminating activities. A summary of the potentially contaminating activities identified within the Phase One Study Area is provided under Section 6.2. A plan depicting the Phase One Study Area limits as well as the current land uses is presented in Figure 3.

# 3.1.2 First Developed Use Determination

The first developed use of the Phase One Property is considered under O.Reg. 153/04 (as amended) to be either the first use of the Phase One Property in or after 1875 that resulted in the development of a building or structure on the property, or the first potentially contaminating use or activity on the Phase One Property.

The determination of the first developed use of the Phase One Property was based on a review of available aerial photographs, historical maps, city directories, and interviews. Based on the information obtained, the first developed use of the Phase One Property was for residential purposes, and occurred between 1989 and 1993.

# **3.1.3** Fire Insurance Plans

Fire insurance plans were prepared between 1875 and 1923 and revised in some areas until the 1970s. DS requested a search of Fire Insurance Plans (FIPs) from the Opta Historical Environmental Services database. No FIPs were registered for the Phase One Study Area.

# **3.1.4** Chain of Title

A Chain of Title search was not provided by the Client at the time of the investigation. The Chain of Title will need to be obtained prior to the submission of a Record of Site Condition (if applicable).

Information pertaining to the historical use of the Site was obtained from alternate sources including the Peel County Atlas, aerial photographs, site inspection and interviews. The information indicated that Phase One Property has mainly been used for agricultural purposes with a residential building on north portion of the Site. The building was constructed between 1989 and 1993.

# 3.1.5 Environmental Reports

No previous environmental reports ere provided for review.

# 3.1.6 City Directories

The Environmental Risk Information Services (ERIS) was requested to perform a City Directory search for the Site and all the properties within the Phase One Study area. ERIS conducted a search of the Polk's Halton Peel Regions Ont., Ontario Criss Cross Directory from 1960 to 2001.

Based on the city directory listings, the Phase One Property appears to have been used for residential purposes as of 1995. The adjacent properties generally appear to have been used for residential and commercial purposes between 1995 and 2001. No listings in the City Directories were noted by DS to be of potential environmental concern.

A complete summary of the City Directory listings reviewed has been included under Appendix B.

# 3.2 Environmental Source Information

### 3.2.1 Eris Report

Environmental Risk Information Services Ltd. (ERIS) is an organization that maintains and searches various government and private databases for property-related environmental information.

DS contacted Environmental Risk Information Services Ltd. (ERIS), an environmental database and information service company, to request a search of government and private records for information pertaining to the Phase One Property and Phase One Study Area. ERIS searched 15 Federal databases, 37 Provincial databases and 10 private databases. A summary of the databases provide by ERIS is provided in the Table below:

Federal Government Source Databases	Private Source Databases
Contaminated Sites on Federal Land;	Anderson's Storage Tanks;
Environmental Effects Monitoring;	Anderson's Waste Disposal Sites;
Environmental Issues Inventory System;	Automobile Wrecking & Supplies;
Federal Convictions;	Canadian Mine Locations;
Fisheries & Oceans Fuel Tanks;	Canadian Pulp and Paper;
Indian & Northern Affairs Fuel Tanks;	Chemical Register;
National Analysis of Trends in Emergencies	ERIS Historical Searches;
System (NATES);	Oil and Gas Wells;
National Defense & Canadian Forces Fuel Tanks;	Retail Fuel Storage Tanks; and
National Defense & Canadian Forces Spills;	Scott's Manufacturing Directory.
National Defense & Canadian Forces Waste	
Disposal Sites;	
National Environmental Emergencies System	
(NEES);	
National PCB Inventory;	
National Pollutant Release Inventory;	
Parks Canada Fuel Storage Tanks; and	
Transport Canada Fuel Storage Tanks.	
Provincial Government Source Databases	
Abandoned Aggregate Inventory;	Inventory of PCB Storage Sites;

#### Table 3-1: Summary of Environmental Databases Reviewed

Abandoned Mine Information System;	Landfill Inventory Management Ontario;	
Aggregate Inventory;	List of TSSA Expired Facilities;	
Borehole;	Mineral Occurrences;	
Certificates of Approval;	Non-Compliance Reports;	
Certificates of Property Use;	Ontario Oil and Gas Wells;	
Commercial Fuel Oil Tanks;	Ontario Regulation 347 waste Generators	
Compliance and Convictions;	Summary;	
Drill Hole Database;	Ontario Regulation 347 Waste Receivers	
Environmental Activity and Sector Registry;	Summary;	
Environmental Compliance Approval;	Ontario Spills;	
Environmental Registry;	Orders;	
Fuel Storage Tank;	Permit to Take Water;	
Fuel Storage Tank – Historic;	Pesticide Register;	
Inventory of Coal Gasification Plants and Coal Tar	Private and Retail Fuel Storage Tanks;	
Sites;	Record of Site Condition;	
TSSA Historic Incidents;	Waste Disposal Sites – MECP 1991 Historical	
TSSA Incidents;	Approval Inventory;	
TSSA Pipeline Incidents;	Waste Disposal Sites – MECP CA Inventory;	
TSSA Variances for Abandonment of Underground	Wastewater Discharger Registration Database;	
Storage Tanks;	and	
	Water Well Information System	

The ERIS report indicated that there were no listings for the Phase One Property, and 17 listings for the remaining properties within the Phase One Study Area. A copy of the ERIS report has been provided under Appendix C. A summary of the ERIS report and other pertinent information is provided in the Table below:

Database/Date	Entry Details	PCA ID No.
ERIS Historical Searches (EHS)	Two (2) ERIS Historical Searches were conducted in the Phase One Study Area.	No PCA
Water Well Information System (WWIS)	<ul> <li>A total of 15 wells are located in the Phase One Study Area:</li> <li>4 monitoring wells</li> <li>9 domestic water wells</li> <li>2 abandoned wells</li> </ul>	No PCA

#### 3.2.2 Ministry of the Environment- Freedom of Information

A request was submitted to the MECP Freedom of Information and Protection of Privacy Office (Appendix D) to determine if there were any environmental incidents or violations associated with the Phase One Property; whether any Control Orders have been issued; whether there have been any other environmental concerns associated with the property such as complaints, inspections, etc.; whether any environmental investigations have been carried out regarding the subject property; and, to determine if the Ministry's Spills Action Centre's (SAC's) files contain any reported spills that had occurred in the site vicinity. Note that the SAC's database dates back only to 1988 and many of the occurrences on file have only been reported voluntarily. In addition, the MECP was requested to

search their files (all years) regarding the following parameters: air emissions, water, sewage, wastewater and pesticides.

Files pertinent to this investigation would include, though are not limited to: regulatory permits, records; material safety data sheets; underground utility drawings; inventories of chemicals, chemical usage and chemical storage areas; inventory of aboveground storage tanks and underground storage tanks; monitoring data, including that done at the request of the MECP; historical and current waste management, receiver and generator records; process, production and maintenance documents related to areas of potential environmental concern; spills/discharge records; emergency and contingency plans; environmental audit reports; site plan of facility showing areas of production and manufacturing.

A response issued by Josephine DeSouze of the MECP dated July 28, 2023 indicated that the file was closed was no records were identified by the MECP file search for the Phase One Property or Phase One Study Area.

### 3.2.3 Technical Standards and Safety Authority

The Technical Standards and Safety Authority (TSSA) maintain records related to storage tanks for petroleum related products. The TSSA was contacted to review records related to the Property and Study Area. According to the response received on July 17, 2023 from Ms. Kimberly Gage of TSSA, no records for the Phase One Property and properties located in the Study Area at following inquired addresses:

• Chinguacousy Road: 12156, 12192, 12140, 12116, 12197, 12175, 12157

A copy of the correspondence with the TSSA has been appended under Appendix D.

#### 3.2.4 Areas of Natural and Scientific Interest

The Natural Heritage Areas database published by the Ministry of Natural Resources (MNR) was reviewed in order to identify the presence/absence of areas of natural significance including provincial parks, conservation reserves, areas of natural and scientific interest, wetlands, environmentally significant areas, habitats of threatened or endangered species, and wilderness areas. The regional and municipal Official Plans (Town of Caledon, and Peel Region Official Plans) were also reviewed as part of this assessment.

No areas of natural or scientific interest were identified within the Phase One Study Area.

# **3.2.5** Credit Valley Conservation Authority (CVCA)

According to the CVCA online mapping system, there is a tributary of Fletchers Creek traversing the Phase One Property flowing southwardly into a network of tributaries to f Fletchers Creek, however no watercourse was observed during the Phase One Site Reconnaissance. The Phase One Property is located in the Mary Fix Creek – Credit River Watershed.

### 3.3 Physical Setting Sources

#### **3.3.1** Aerial Photographs and Historical Mapping

The County Atlas of Peel was reviewed in order to provide a more historical image from the years 1860 and 1880. Aerial Photographs for the years 1974, 1980, 1989, and 1993 were obtained from the Region of Peel and reviewed as part of this assessment. Aerial photographs for the years 2001, 2009 and 2022 were obtained from the Town of Caledon Interactive Mapping application and reviewed as part of this assessment. A summary of pertinent information obtained from the aerial photographs reviewed is presented in the Table below. The supporting documents have been appended under Appendix E.

#### Table 3-3: Summary of Aerial Photographs

Location	Observations	PCA ID No.	
1860			
	According to the Peel County Atlas from 1860, the Phase One		
Phase One Property	Property is owned by Mr. John McLean. The property appears to be	No PCA	
	used for agricultural purposes.		
Phase One Study	The adjacent properties appear to be used for agricultural purposes.	No PCA	
Area	A road is located to the north of the Site.	itte i dir	
	1880	1	
	According to the Peel County Atlas from 1880, the Phase One		
Phase One Property	Property is owned by Mr. Alphen Clarridge. The property contains	PCA-1	
	an orchard on the north portion of the Site.		
Phase One Study	The adjacent properties appear to be used for agricultural purposes.	PCA-5	
Area	An orchard is 245 m southeast of the Site.	1 011 0	
	1946, 1974, 1980	1	
Phase One Property	The Phase One Property appears to be used for agricultural	No PCA	
	purposes.		
	The north adjacent properties appear to be used for agricultural		
North of the Site	purposes. A residential dwelling appears the northeast of the Site	No PCA	
	and possibly a barn is located further north.		
South, East, West of	The surrounding area appeared to be undeveloped and used for	No PCA	
the Site	agricultural purposes. Several rural residential houses are present.		
	1989 (only north portion of Study area visible)		
Phase One Property	No significant changes.	No PCA	
North, East and	The north and west adjacent properties all appear to have rural	No PCA	
West of the Site	residential dwellings present.		
West of the Site	A building, possibly commercial, is located to the west of the Site.	No PCA	
South of the Site	Not shown.	No PCA	
1993			
Phase One Property	A residential dwelling appears on the north portion of the Site.	No PCA	
North, South, East,	No significant changes.	No PCA	
West of the Site			
2001, 2009, 2022			
Phase One Property	A barn appears in the area south of the north portion of the Site.	No PCA	
North, South, East, West of the Site	No significant changes.	No PCA	

# 3.3.2 Topography, Hydrology, Geology

The topography of the Phase One Property is generally flat, with a surface elevation of 258 metres above sea level (masl). The topography within the Phase One Study Area generally slopes to the southeast, towards a tributary of Fletchers Creek, located approximately 210 m southeast of the Phase One Property. The nearest body of water is a tributary of Fletchers Creek. Based on a review of the MECP well records, the depth to groundwater is approximately 0.6 – 1.5 mbgs.

The Site is situated within a drumlinized till plains physiographic region. The surficial geology within the majority of the Phase One Property is described as "clay to silt-textured till derived from glaciolacustrine deposits or shale" and as "Fine-textured glaciolacustrine deposits consisting of silt and clay, minor sand and gravel Interbedded silt and clay and gritty, pebbly flow till and rainout deposit" along the water bodies intersecting across the Property. The bedrock is described as "Shale, limestone, dolostone, siltstone and Queenston Formation". Based on a review of "Bedrock Topography and Overburden Thickness Mapping, Southern Ontario, prepared by Ontario Geological Survey, published 2006," the bedrock in the vicinity of the Site is anticipated to be encountered at a depth of approximately 20 to 25 metres below ground surface (mbgs).

### 3.3.3 Fill Materials

Fill material may have been used for grading purposes under the asphalt driveway (PCA-3).

### **3.3.4** Water Bodies and Areas of Natural Significance

During the site visit, standing water was not observed on the Phase One Property. The nearest body of water to the Phase One Property is a tributary of Fletchers Creek, located approximately 210 m southeast of the Site. Environmentally Significant Areas are natural areas that have been identified as significant and worthy of protection on three criteria – ecology, hydrology and geology. Municipalities have developed policies to protect natural heritage features. The Region uses Environmentally Significant Areas as a means to protect natural areas like wetlands, fish habitat, woodlands, habitat of rare species, groundwater recharge and discharge areas, and Areas of Natural and Scientific Interest.

The Phase One Property includes no Areas of Natural Significance. Additional details are provided in Section 3.2.4 above.

#### 3.3.5 Well Records

Water well records were also searched as part of the ERIS database query. No records were available for the Phase One Property. A total of 15 wells were located within the Phase One Study Area including 4 monitoring wells, 9 domestic wells, and 2 abandoned wells.

Additional detail regarding the well construction, lithology encountered, and well purpose is included in the ERIS report provided under Appendix C.

# 3.4 Site Operating Records

The Phase One Property includes a residential building and a barn and has mainly been used for agricultural purposes. No operating records were available.

# 4.0 Interviews

### 4.1 Personnel Interviewed

The following persons with the knowledge of the Property were interviewed or provided the required information.

#### Table 4-1: Summary of Personnel Interviewed

Date	Name	Affiliation	Position	Method of Interview
July 24, 2023	Dave McClure	Farmer	Previous Owner	Questionnaire

#### 4.2 Interviewee Rationale

Mr. Dave McClure is the current occupant of the Site, and have been responsible for site operations prior to 2018. Mr. McClure is considered to be the most knowledgeable person regarding the historical site operations. The Phase One Interview was conducted by Megan Bender, B.E.S., EPt, under the supervision of Mr. Patrick Fioravanti, B.Sc., P.Geo.,  $QP_{ESA}$ .

#### 4.3 Results of Interview

The following summarizes the information that was provided by the site representative, based on their knowledge of site activities.

- The Phase One Property has been owned by Argo Development Corp., since 2017.
- According to Mr. McClure the Site has been used for agricultural purposes and as a rural residence.
- Mr. McClure was unaware of any use of aboveground or underground storage tank on the Property.
- Mr. McClure was not aware of fill materials brought on the Phase One Property.
- Pesticides were used on the agricultural fields including: Round Up, Classic Herbicides, Option (corn), Pixxaro (barley), and Barricade MCPA (wheat). The use of contemporary pesticides is considered unlikely to accumulate due to relatively short half-life of the compounds. However, it is possible that persistent pesticides were applied in the past (PCA-4).
- No fires or chemicals spills have occurred on the Site to Mr. McClure's knowledge.

DS compared the information obtained through the Phase One Interview with the information obtained from the historical records for the Site. The information provided by the interviewee was

corroborated by the historical records, as such DS has no concern regarding the accuracy of the information provided.

# 5.0 Site Reconnaissance

# 5.1 General Requirements

#### Table 5-1: Site Reconnaissance Notes

Information	Details
Date of Investigation:	July 26, 2023
Time of Investigation:	10:15AM
Weather Conditions:	30°C, partly cloudy
Duration of Investigation:	1hr
Facility Operation:	Not applicable
Name and Qualification of Person(s) conducting the assessment	Megan Bender, B.E.S., EPt, under the supervision of Mr. Patrick Fioravanti, B.Sc., P.Geo., QP <sub>ESA</sub>
Limitations	No limitations

# 5.2 Specific Observations at Phase One Property

The Site Reconnaissance involved a visual assessment of the Phase One Property for the purpose of identifying potential PCAs, and associated APECs. Photographs of the Phase One Property were taken at the time of the Site Reconnaissance, and have been included under Appendix F.

able 5-2: Summary of Site Reconnaissance Observations
---

General		
i.	Description of structures and other improvements, including the number and age of buildings	The Phase One Property currently includes a two- storey brick residential building with a metal clad barn. The residential dwelling contains one level of basement and was constructed around the 1990s. The residential building is approximately 275 m <sup>2</sup> in area. The building is serviced with a domestic well and septic system. The septic system is located southeast of the building and the domestic well was observed south of the building. The metal clad barn is approximately 220 m <sup>2</sup> in area with a concrete floor and is used for storage of farming equipment.
ii.	Description of the number, age and depth of below-ground structures	The site building contains a basement and there is septic system in the area southeast of the building.
iii.	Details of all tanks, above and below ground at the Phase One Property, including the material and method of construction of the tank, tank age, tank contents, tank volume, and whether in use or not	None observed.

iv.	Potable and non-potable water sources	A drinking water supply well was located east of the house on Site.
Undergrou	und Utilities and Corridors	
i.	Type and location of underground utility and service corridors, such as sewer, water, electrical or gas lines located on, in or under the Phase One Property.	The Site contains a septic system on the southeast portion of the Site. Underground utilities such as gas may be present but was not observed.
Features of	of Structures and Buildings at the Phase	One Property
i.	Entry and exit points	Access to the site is provided through a driveway off Chinguacousy Road, on the north corner of the Site. The house contains 3 garage doors and a man-door on the front (east side) of the house, a door on the rear (west side) of the house, and a door on the side (north side) of the house. The Barn has a door on the west and south faces.
ii.	Details of existing and former heating systems, including type and fuel source	The house is heated with a natural gas furnace.
iii.	Details of cooling systems, including type and fuel source, if any	The house contains an A/C unit at the rear (west side) of the building.
iv.	Details of any drains, pits and sumps, including their current use, if any, and former use	A sump pit was observed in the basement of the residential building.
v.	Details of any unidentified substances	None observed.
vi.	Details, including locations of stains or corrosion on floors other than from water, where located near a drain, pit, sump, crack or other potential discharge location	None observed.
vii.	Details, including locations, of current and former wells, including all wells described or defined in or under the Ontario Water Resources Act and the Oil, Gas and Salt Resources Act	A drinking water supply well was located west of the house.
viii.	Details of sewage works, including their location	A septic system is located southwest of the house.
ix.	Details of ground surface, including type of ground cover, such as grass, gravel, soil or pavement	The Site contained a wheat crop, grass around the house, and an asphalt driveway.
х.	Details of current or former railway lines or spurs and their locations	None observed.
xi.	Areas of stained soil, vegetation or pavement	None observed.
xii.	Stressed vegetation	None observed.
xiii.	Areas where fill and debris materials appear to have been placed or graded	None observed.
xiv.	Potentially contaminating activity	De-icing activities inferred along the driveway and roadway ( <b>PCA-2</b> ). Possible fill material for grading under the asphalt driveway ( <b>PCA-3</b> ).
XV.	Details of any unidentified substances found at the Phase One Property	A residential water treatment system is in the basement of the residential building.

Enhanced	Investigation Property	
Where subsection 13(3) applies to the Phase One Property, provide the documentation referred to in subsection 13(3)		In order to be classified as an enhanced investigation property, the Phase One Property must be used or have been used in whole or in part for any of the following uses:
Hazardou	s Materials	
i.	Asbestos containing materials	Asbestos and asbestos-containing materials were used as insulation and construction materials until being phased out in the late 1970s. Based on the age of the site building, which was constructed around the 1990s, it is unlikely for asbestos insulation and asbestos-containing construction materials to be present in the site building.
ii.	Lead containing materials	The use of lead as a base in paints and plumbing solder was phased out in the late 1970s. Based on the age of the building built around the 1990s, it is unlikely for lead solder and paint to be present in the site building.
iii.	PCB materials and equipment	Prior to the mid- to late-1970s, PCBs were used in the manufacture of electrical equipment, including fluorescent light ballasts. The Property was constructed around 1990s.
iv.	Urea Formaldehyde Foam Insulation (UFFI)	Urea-Formaldehyde Foam Insulation (UFFI) was introduced in Canada during the 1970s and was banned in 1980. As the house was built around the 1990s, it is unlikely that the building contains UFFI and no record of UFFI was available for the subject building.
v.	Ozone Depleting Substances (ODS)	Equipment containing ODS was limited to the air- condition units observed on the west side of the house.
vi.	Herbicides and Pesticides	During the site inspection no material containing herbicides or pesticides were observed to be stored at the building.
vii.	Mould	None observed.
viii.	Mercury	Based on the age of the building, there is potential for mercury to be present in fluorescent lights observed in the building. Mercury with small quantity could be present inside the electrical switches or thermostats observed in the units of the building.

ix.	acrylonitrile, arsenic, benzene, coke oven emissions, ethylene oxide, isocyanates, silica, vinyl chloride	These items were not observed at the Property. The presence of the special attention items in building/construction materials were investigated through observations made by DS and does not necessarily imply adverse impact to the environmental condition of the property.
х.	Pits and Lagoons	None observed.
xi.	Air Emissions	None observed.
xii.	Radioactive Materials & Radon Gas	Based on local geological formations in the area, it is unlikely the site is exposed to natural sources of radiation such as radon or uranium. Manmade sources of radioactive materials were not observed during the site inspection. A radiometric survey was not conducted during this investigation.

# 5.3 Written Description of Investigation

The site reconnaissance included a visual inspection of the Phase One Property to confirm current conditions and identify any current land uses or activities, which may have or may cause environmental impacts. The adjoining and neighbouring properties were observed from the Phase One Property and publicly accessible areas.

At the time of the Site Reconnaissance the land use within the Phase One Study Area was primarily residential and agricultural, as described in the table below:

Observation	Details	
Phase One Property	The Phase One Property currently includes a two-storey brick residential building with a metal clad barn. The residential dwelling contains one level of basement and was constructed around the 1990s. The residential building is approximately 275 m <sup>2</sup> in area. The building is serviced with a domestic well and septic system. The septic system is located southeast of the building and the domestic well was observed south of the building.	
	The metal clad barn is approximately 220 m <sup>2</sup> in area with a concrete floor and is used for storage of farming equipment.	
	The orientation of the Site Building is depicted on Figure 2.	
North Adjacent Property	The north adjacent Property was occupied by a farm with horses and agricultural fields at the time of the site reconnaissance, and was used for agricultural purposes.	
East Adjacent Property	The east adjacent Property was occupied by residential dwellings at the time of the site reconnaissance, and was used for residential purposes.	
South Adjacent Property	The south adjacent Property was occupied by a residential dwelling and agricultural fields at the time of the site reconnaissance, and was used for residential and agricultural purposes.	
West Adjacent Property	The west adjacent Property was occupied by agricultural fields at the time of the site reconnaissance, and was used for agricultural purposes.	

Table 5-3: Summary of Site Reconnaissance Observations within Phase One Study Area

Observation	Details	
Water Bodies	The nearest body of water to the Phase One Property is a tributary of Fletchers Creek, approximately 210 m southeast of the Site.	
Areas of Natural Significance	Refer to Section 3.2.4.	

Photographs illustrating the Phase One Property and adjacent properties are provided under Appendix F. A summary of the potentially contaminating activities observed is provided in Section 6.2. A visual depiction of the PCAs identified within the Phase One Study Area is provided under Figure 4.

# 6.0 Review and Evaluation of Information

# 6.1 Current and Past Uses

Current and past uses of the Phase One Property have been inferred based on the information provided in the aerial photographs, chain of title, city directories and conversations with the site representative. Summary of Current and Past Uses of the Phase One Property is presented in the Appendix G.

# 6.2 Potentially Contaminating Activity

According to the Table 2, Schedule D, O. Reg. 153/04 as amended, potentially contaminating activities are activities that may be contributing to areas of potential environmental concern on the Phase One Property. The PCAs identified on the Phase One Property and within the Phase One Study Area are summarized in the table below and are illustrated on Figure 4.

PCA ID No.	PCA Description (Per. Table 2, Schedule D of O.Reg. 153/04)	Description	Contributing to APEC (Y/N)
PCA-1	#40 – Pesticides Manufacturing, Processing, Bulk Storage and Large- Scale Applications	The Peel County Atlas shows an orchard on the north portion of the Site.	Yes – APEC-1
PCA-2	#N/S – Application of De-icing Agents	De-icing activities inferred along the driveway and roadway.	Yes – APEC-2A
PCA-3	#30 – Importation of Fill Material of Unknown Quality	Possible fill material for grading under the asphalt driveway.	Yes – APEC-2B
PCA-4	#40 – Pesticides Manufacturing, Processing, Bulk Storage and Large- Scale Applications	Pesticides are used on the agricultural fields on Site.	Yes – APEC-3
PCA-5	#40 – Pesticides Manufacturing, Processing, Bulk Storage and Large- Scale Applications	1880 historic map shows an orchard situated approximately 245 m southeast of the Site	No – PCA is not in close proximity to the Site

#### Table 6-1: Summary of PCAs

N/S - not specified in Table 2, Schedule D, of O.Reg. 153/04

# 6.3 Areas of Potential Environmental Concern

The table of APECs presented in the form as approved by the Director is provided below, in accordance with clause 16(2)(a), Schedule D, O.Reg. 153/04.

#### Table 6-2: Summary of APECs

Area of Potential Environment al Concern	Location of Area of Potential Environment al Concern on Phase One Property	Potentially Contaminating Activity	Location of PCA (on-site or off-site)	Contaminant s of Potential Concern	Media Potentially Impacted (Ground water, soil and/or sediment)
APEC-1	North portion of Site	#40 – Pesticides Manufacturing, Processing, Bulk Storage and Large-Scale Applications	On Site PCA-1	OCPs, Metals, As, Sb, Se, CN-	Soil
APEC-2A		#N/S – Application of De- icing Agents	On Site PCA-2	EC, SAR	Soil
APEC-2B	North portion of Site	#30 – Importation of Fill Material of Unknown Quality	On Site PCA-3	PHCs, VOCs, BTEX, Metals, As, Sb, Se, B- HWS, CN-, electrical conductivity, Cr (VI), Hg, low or high pH, SAR, PAHs	Soil
APEC-3	Entire Property	#40 – Pesticides Manufacturing, Processing, Bulk Storage and Large-Scale Applications	On Site <b>PCA-4</b>	OCPs, Metals, As, Sb, Se, CN-	Soil

N/S - not specified in Table 2, Schedule D, of O.Reg. 153/04

The rationale used by the QP in assessing the information obtained through the course of this investigation to determine whether PCAs exist and/or are contributing to an APEC on the Phase One Property has been provided in the proceeding sections. In general the potential for a PCA to be contributing to an APEC on the Phase One Property was assessed using the likelihood of the source to contaminate the Phase One Property, the possibility of the contaminants to migrate to the Phase One Property based on the hydraulic and geologic conditions, and the inherent properties of the contaminants of concern.

The contaminants of potential concern were determined based on the professional experience of the QP, common industry standards, literature reviews, and the inherent properties of the contaminant.

This investigation was conducted based on the assumption that all information provided to DS was factual and accurate. DS is not aware of any uncertainty factors which would affect the conclusions of this investigation.

# 6.4 Phase One Conceptual Site Model

A Conceptual Site Model was developed for the Phase One Property, located at 12156 Chinguacousy Road, Caledon, Ontario. The Phase One Conceptual Site Model is presented in Figure 2, 3, 4, and 5 and visually depict the following:

- Any existing buildings and structures
- Water bodies located in whole, or in part, on the Phase One Study Area
- Areas of natural significance located in whole, or in part, on the Phase One Study Area
- Water wells at the Phase One Property or within the Phase One Study Area
- Roads, including names, within the Phase One Study Area
- Uses of properties adjacent to the Phase One Property
- Areas where any PCAs have occurred, including location of any tanks
- Areas of Potential Environmental Concern

# 6.4.1 Potentially Contaminating Activity Affecting the Phase One Property

All PCAs identified within the Phase One Study Area are presented on Figure 4, and discussed in Section 6.2 above. The PCAs which are considered to contribute to APECs on, in or under the Phase One Property are summarized in the table below:

PCA Item.	PCA Description (Per. Table 2, Schedule D of O.Reg. 153/04)	Description	Rationale
PCA-1	#40 – Pesticides Manufacturing, Processing, Bulk Storage and Large-Scale Applications	The Peel County Atlas shows an orchard on the north portion of the Site.	Yes – APEC-1
PCA-2	#N/S – Application of De-icing Agents	De-icing activities inferred along the driveway and roadway.	Yes – APEC-2A
PCA-3	#30 – Importation of Fill Material of Unknown Quality	Possible fill material for grading under the asphalt driveway.	Yes – APEC-2B
PCA-4	#40 – Pesticides Manufacturing, Processing, Bulk Storage and Large-Scale Applications	Pesticides are used on the agricultural fields on Site.	Yes – APEC-3

Table 6-3: Summary of PCAs Contributing to APECs

N/S - not specified in Table 2, Schedule D, of O.Reg. 153/04

# 6.4.2 Contaminants of Potential Concern

A summary of the contaminants of potential concern identified for each respective APEC is presented in Table 6-1 above. The following contaminants of potential concern were identified for the Phase One Property: PHCs, VOCs, BTEX, Metals, As, Sb, Se, B-HWS, CN-, Na, Cl-, electrical conductivity, Cr (VI), Hg, low or high pH, SAR, PAHs, and OCPs.

# 6.4.3 Underground Utilities and Contaminant Distribution and Transport

Underground utilities can affect contaminant distribution and transport. Trenches excavated to install utility services, and the associated granular backfill may provide preferential pathways for horizontal contaminant migration in the shallow subsurface.

The depth to groundwater at the Phase One Property is inferred to be approximately 0.6 to 1.5 metres below ground surface, however, no underground utilities were identified on the Phase One Property, therefore utility trenches would not act as preferential pathways for contaminant distribution and transport in the event that shallow subsurface contaminants exist at the Phase One Property.

# 6.4.4 Geological and Hydrogeological Information

The topography of the Phase One Property is generally flat, with a surface elevation of 258 metres above sea level (masl). The topography within the Phase One Study Area generally slopes to the southeast, towards a tributary of Fletchers Creek, located approximately 210 m southeast of the Phase One Property. The nearest body of water is a tributary of Fletchers Creek. Based on a review of the MECP well records, the depth to groundwater is approximately 0.6 – 1.5 mbgs.

The Site is situated within a drumlinized till plains physiographic region. The surficial geology within the majority of the Phase One Property is described as "clay to silt-textured till derived from glaciolacustrine deposits or shale" and as "Fine-textured glaciolacustrine deposits consisting of silt and clay, minor sand and gravel Interbedded silt and clay and gritty, pebbly flow till and rainout deposit" along the water bodies intersecting across the Property. The bedrock is described as "Shale, limestone, dolostone, siltstone and Queenston Formation". Based on a review of "Bedrock Topography and Overburden Thickness Mapping, Southern Ontario, prepared by Ontario Geological Survey, published 2006," the bedrock in the vicinity of the Site is anticipated to be encountered at a depth of approximately 20 to 25 metres below ground surface (mbgs).

# 6.4.5 Uncertainty and Absence of Information

DS has relied upon information obtained from federal, provincial, municipal, and private databases, in addition to records and summaries provided by ERIS. All information obtained was reviewed and assessed for consistency, however the conclusions drawn by DS are subject to the nature and accuracy of the records reviewed.

All reasonable inquiries were made to obtain reasonably accessible information, as mandated by O.Reg.153/04 (as amended). All responses to database requests were received prior to completion of this report. This report reflects the best judgement of DS based on the information available at the time of the investigation.

Information used in this report was evaluated based on proximity to the Phase One Property, anticipated direction of local groundwater flow, and the potential environmental impact on the Phase One Property as a result of potentially contaminating activities.

The QP has determined that the uncertainty does not affect the validity of the Phase One ESA Conceptual Site Model or the conclusions of this report.

# 7.0 Conclusions

DS conducted a Phase One ESA for the property located at 12156 Chinguacousy Road, Caledon, Ontario. The Phase One ESA was completed to satisfy the intent of the requirements, methodology and practices for a Phase One ESA as described in Ontario Regulation 153/04 (as amended). The objectives of the Phase One ESA was to identify the presence or absence of potentially contaminating activities (PCAs) on the Phase One Property and/or within the Phase One Study Area, and to determine if the PCAs identified within the Phase One Study Area are likely to result in an Area of Potential Environmental Concern (APEC) on the Phase One Property.

Based on the information obtained as part of this investigation, it is concluded that five (5) PCAs were identified within the Phase One Study Area which are considered to be contributing to three (3) APECs on, in or under the Phase One Property. Further investigation in the form of a Phase Two ESA will be required in order to meet the requirements of 0.Reg.153/04 (as amended).

# 7.1 Phase Two Environmental Site Assessment Requirement

Further investigation in the form of a Phase Two ESA will be required in order to meet the requirements of 0.Reg.153/04 (as amended).

# 7.2 RSC Based on Phase One Environmental Site Assessment

Record of Site Condition cannot be filed on the basis of the Phase One ESA due to the identification of Areas of Potential Environmental Concern on the Phase One Property.

# 7.3 Limitations

This report was prepared for the sole use of Mayfield West III and is intended to provide an assessment of the environmental condition on the property located at 12156 Chinguacousy Road, Caledon, Ontario. The information presented in this report is based on information collected during the completion of the Phase One Environmental Site Assessment by DS Consultants Ltd. The material in this report reflects DS' judgment in light of the information available at the time of report preparation. This report may not be relied upon by any other person or entity without the written authorization of DS Consultants Ltd. The scope of services performed in the execution of this investigation may not be appropriate to satisfy the needs of other users, and any use or reuse of this documents or findings, conclusions and recommendations represented herein, is at the sole risk of said users.

The information and conclusions presented in this report are professional opinions in accordance with generally accepted engineering and scientific practices based on a cursory historical search,

visual observations and limited information provided by persons knowledgeable about past and current activities on this site. The work completed as per the scope of work is considered sufficient in detail to form a reasonable basis for the findings presented in this report. As such, DS Consultants Ltd. cannot be held responsible for environmental conditions at the site that was not apparent from the available information.

# 7.4 Qualifications of the Assessors

### <u>Megan Bender, B.E.S, EPt</u>

Ms. Bender is an Environmental Specialist with DS Consultants Ltd. Megan holds a Bachelor's degree in Environmental Studies, specializing in environmental assessments, a minor in geography from the University of Waterloo and a Post Graduate Certificate in Environmental Engineering Applications from Conestoga College. Megan is registered as an Environmental Professional in training (EPt) with ECO Canada. Megan has been involved with Phase One and Phase Two Environmental Site Assessments, data interpretation and reporting, and geotechnical projects.

### Efuange Khumbah, M.Sc., P.Eng, QP<sub>ESA</sub>

Efuange is a Senior Project Manager, providing environmental services at DS Consultants Ltd. He is the line of communication between clients, customers, and businesses to get projects done. With over 12 years working for the public and private sectors, Efuange has experience serving clients in constructional, financial institutions, insurance companies, legal firms, manufacturing industries, oil/gas/petrochemical as well as municipal, provincial and federal agencies. In Canada he has managed projects in British Columbia, Alberta, Ontario, Quebec, New Brunswick, Nova Scotia, Prince Edward Island, and Newfound land. His area of expertise includes, environmental site assessment, soil and groundwater remediation, litigation support, excess soil management, senior review of environmental reports, and air quality monitoring. Reports prepared by Efuange have been published by the Town of Newmarket, City of Mississauga, and the Ontario Ministry of Environment Conservation and Parks. Efuange hold a M.Sc. degree in Environmental Science and Resource management.

# Mr. Patrick (Rick) Fioravanti, B.Sc., P.Geo., QP<sub>ESA</sub>

Mr. Patrick (Rick) Fioravanti is an Environmental Geoscientist specializing in Environmental Site Assessments, Brownfields Remediation Projects and Excess Soil Management. He holds an Honours Bachelor of Science with distinction in Toxicology from the University of Guelph and is a practicing member of the Association of Professional Geoscientists of Ontario (APGO). Rick is the Manager of Environmental Services with DS, responsible for the supervision and management of Phase One and Two Environmental Site Assessments, assessment of soil/fill management for import/export of soils, soil vapour and indoor air quality assessments, and remediation.

Rick has over ten years of environmental consulting experience and has conducted and/or managed hundreds of projects in his professional experience. Rick has extensive experience conducting Phase One and Phase Two Environmental Site Assessments in support of brownfields redevelopment in urban settings, and been involved in numerous remediation and risk assessments projects. Rick specializes in utilizing emerging technologies such as high-resolution site characterization and contaminant forensics to help Clients achieve their development objectives. Rick is a Qualified Person (QP) to conduct Environmental Site Assessments as defined by Ontario Regulation 153/04 (as amended) and Ontario Regulation 406/19 and has successfully filed numerous Records of Site Condition with the Ministry of Environment, Conservation and Parks.

# 7.5 Signatures

DS Consultants Ltd. conducted this Phase One Environmental Site Assessment and confirms the findings and conclusions contained within this report.

Yours truly,

DS Consultants Ltd.

Prepared By:

march

Megan Bender, B.E.S., EPt Environmental Specialist

**Reviewed By:** 

Efuange Khumbah, M.Sc., P.Eng., QP<sub>ESA</sub> Senior Project Manager-Environmental Services

Patrick Fioravanti, B.Sc., P.Geo., QP<sub>ESA</sub> Manager – Environmental Services


# 8.0 References


- Ontario Regulation 153/04 Records of Site Condition Part Xv.1 of The Act
- Natural Resources Canada Toporama <u>http://atlas.gc.ca/toporama/en/index.html</u>
- Environment Canada, National Pollutant Release Inventory
- Ontario Ministry of the Environment Hazardous Waste Information Network
   <u>https://www.hwin.ca/hwin/</u>
- Ontario Ministry of the Environment, Certificate of Approval search
- Ontario Ministry of the Environment, Brownfields Environmental Site Registry <u>https://www.ontario.ca/page/ministry-environment-and-climate-change</u>
- Ontario Ministry of the Environment, Inventory of Coal Gasification Plan Waste Sites in Ontario, 1987
- Ontario Ministry of the Environment, Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario, 1998
- Ontario Ministry of the Environment, Inventory of PCB Storage Sites, 1994-2004
- Waste Disposal Site Inventory, 1991
- Ministry of Environment, Conservation and Parks-Freedom of Information
- Technical Standards and Safety Authority Fuel Safety Division inquiry
- Ontario Geological Survey, 2013. Quaternary Geology of Ontario. Ontario Geological Survey, scale 1:100,000.
- Ontario Ministry of Northern Development and Ontario Geological Survey, 1991. Bedrock Geology of Ontario, Southern Sheet; Ontario Geological Survey, Map 2544, scale 1:1,000,000.
- Ontario Ministry of Natural Resources. Quaternary Geology of Toronto and Surrounding Area. Scale 1:100,000. Map number 2204.
- City Directories from 2001 back to 1900
- City of Toronto online-services
- Environmental Risk Information Services (ERIS Report)
- Caledon Interactive Mapping <u>https://maps.caledon.ca/</u>
- Credit Valley Conservation <u>https://cvc.ca/</u>
- Town of Caledon Official Plans <u>https://www.caledon.ca/en/town-services/official-plan.aspx</u>
- Peel Region Official Plan <u>https://www.peelregion.ca/officialplan/</u>
- Ontario Bedrock Topography <u>https://www.geologyontario.mndm.gov.on.ca/ogsearth.html</u>
- Peel County Atlas <u>https://digital.library.mcgill.ca/countyatlas/peel.htm</u>





# **Figures**


J:\-GIS\2023 PROJECTS\23-266-100 - 12156 Chinguacousy, Caledon, ON\1-QGIS\Phase Two\Figure 1 - Site Location Plan.qgs Sep-06 11:06














# Appendix A



Contario ServiceOntario			LAND	PARCEL REGISTER (ABBREVIATED) FOR PROPERTY IDEN	RCEL REGISTER (ABBREVIATED) FOR PROPERTY IDENTIFIER PAGE 1 OF 1		
0.	Ontaric	ServiceO	ntario REGIS	TRY	PREPARED FOR DS	ONLAND	
•	Oricorio		OFFIC	E #43 14252-1960 (LT)	ON 2023/09/07 AT 08:55:00		
			* CER	TIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESE	ERVATIONS IN CROWN GRANT *		
PROPERTY DE	SCRIPTION:	PART OF LOT 18 CON	NCESSION 3 WEST OF H	URONTARIO STREET CHINGUACOUSY, PART 1 ON 43R40488, TOWN OF CALE	EDON, REGIONAL MUNICIPALITY OF PEEL		
PROPERTY REI	MARKS:	FOR THE PURPOSE OF	F THE QUALIFIER, THE	DATE OF REGISTRATION FOR ABSOLUTE TITLE IS SEPT 16-22.			
ESTATE/QUAL	IFIER:		RECENTLY:		PIN CREATION DATE:		
FEE SIMPLE LT ABSOLUTE	PLUS		RE-ENTRY FRO	DM 14252-0036	2022/09/16		
<u>OWNERS' NAM</u> ARGO MAYFIEI	<u>es</u> Ld west III L	IMITED	<u>CAPACITY</u> <u>S</u>	HARE			
						CERT/	
REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CHKD	
** PRINTOUT	INCLUDES AL	L DOCUMENT TYPES (DE	LETED INSTRUMENTS N	PT INCLUDED) **			
**SUBJECT 1	O SUBSECTION	44(1) OF THE LAND T	TTLES ACT, EXCEPT P.	ARAGRAPHS 3 AND 14 AND *			
* *	PROVINCIAL S	UCCESSION DUTIES AND	EXCEPT PARAGRAPH 1.	AND ESCHEATS OR FORFEITURE **			
* *	TO THE CROWN	UP TO THE DATE OF R	EGISTRATION WITH AN	ABSOLUTE TITLE. **			
PR3347065	2018/07/06	TRANSFER	\$4,300,000	CORDEIRO, MOISES	ARGO MAYFIELD WEST III LIMITED	С	
				CORDEIRO, MARIA A.			
RE	MARKS: PLANNI	NG ACT STATEMENTS.					
PR3347066	2018/07/06	CHARGE	\$2,580,000	ARGO MAYFIELD WEST III LIMITED	CORDEIRO, MOISES	С	
					CORDEIRO, MARIA		
43R40488	2022/09/16	PLAN REFERENCE				С	
PR4116657	2022/09/16	APL ABSOLUTE TITLE		ARGO MAYFIELD WEST III LIMITED	ARGO MAYFIELD WEST III LIMITED	С	



# **Appendix B**



**Project Property:** 

Project No: Requested By: Order No: Date Completed: 12156 Chinguacousy Rd 12156 Chinguacousy Rd Caledon,ON L7C 3H1 23-266-100 DS Consultants Ltd. 23071300429 July 25, 2023 July 25, 2023 RE: CITY DIRECTORY RESEARCH 12156 Chinguacousy Rd Caledon,ON L7C 3H1

Thank you for contacting ERIS regarding our City Directory Search services. Our staff has conducted a reverse listing City Directory search to determine prior occupants of the subject site and adjacent properties. When searching a range of addresses, all civic addresses within that range found in the Directory are included.

Note: Reverse Listing Directories generally are focused on highly developed areas, while newly developed areas may be covered in the more recent years, older directories tend to cover only "central" parts of the city. To complete the search, we have either utilized the Toronto Reference Library, Library & Archives Canada and multiple digitized directories. While these do not claim to be a complete collection of all reverse listing city directories produced, ERIS has made every effort to provide accurate and complete information. ERIS shall not be held liable for missing, incomplete, or inaccurate information. If you believe there are additional addresses or streets that require searching, please contact us.

#### Search Criteria:

12156 of Chinguacousy Road 12192 of Chinguacousy Road 12140 of Chinguacousy Road 12197 of Chinguacousy Road 12175 of Chinguacousy Road 12157 of Chinguacousy Road 12116 of Chinguacousy Road 1890 of Mayfield Road 1850 of Mayfield Road 1770 of Mayfield Road 1760 of Mayfield Road **Search Notes:** 

## Search Results Summary

Date	Source	Comment
2021	DIGITAL BUSINESS DIRECTORY	
2017	DIGITAL BUSINESS DIRECTORY	
2012	DIGITAL BUSINESS DIRECTORY	
2001	POLKS	
1995	MIGHTS	
1989	MIGHTS	
1985	MIGHTS	
1979	MIGHTS	
1975	MIGHTS	
1969-70	MIGHTS	
1966	MIGHTS	
1958	MIGHTS	

Environmental Risk Information Services A division of Glacier Media Inc. 1.866.517.5204 | info@erisinfo.com | erisinfo.com



SOURCE: DIGITAL BUSINESS DIRECTORY

NO LISTING FOUND

NO LISTING FOUND

SOURCE: DIGITAL BUSINESS DIRECTORY

NO LISTING FOUND

2017 MAYFIELD ROAD

SOURCE: DIGITAL BUSINESS DIRECTORY

1760 FLORAGARDENS GREENHOUSES INC...NURSERY, GARDEN, & FARM SUPPLY STORES

SOURCE: DIGITAL BUSINESS DIRECTORY

NO LISTING FOUND

2012 MAYFIELD ROAD

SOURCE: DIGITAL BUSINESS DIRECTORY

1760 FLORAGARDENS GREENHOUSES INC...NURSERY, GARDEN, & FARM SUPPLY STORES

## 2001 CHINGUACOUSY ROAD

SOURCE: POLKS

- 12116 CONCORD CONSTRUCTION INC
- 12140 ADDRESS NOT LISTED
- 12156 RESIDENTIAL
- 12157ADDRESS NOT LISTED12175RESIDENTIAL
- 12192 RESIDENTIAL
- 12197 RESIDENTIAL

# 2001 MAYFIELD ROAD

- 1760 VAN GOOL'S NURSERIES AND GARDEN CENTRE
- 1770**RESIDENTIAL**1850**RESIDENTIAL**
- 1890 RESIDENTIAL

#### **CHINGUACOUSY ROAD** 1995

#### SOURCE: MIGHTS

- CONCORD CONSTRUCTION INC 12116
- 12140 ADDRESS NOT LISTED
- 12156 RESIDENTIAL 12157 ADDRESS NOT LISTED
- 12175 RESIDENTIAL
- 12192 RESIDENTIAL
- RESIDENTIAL 12197

#### MAYFIELD ROAD 1995 SOURCE: MIGHTS

- 1760 VAN GOOL'S NURSERIES AND GARDEN CENTRE
- 1770 ADDRESS NOT LISTED RESIDENTIAL
- 1850 1890 RESIDENTIAL

	1989 SOURCE:	CHINGUACOUSY ROAD	<b>1989</b> MAYFIELD ROAD SOURCE: MIGHTS	
	12116 12140	STREET NOT LISTED STREET NOT LISTED	1760STREET NOT LISTED1770STREET NOT LISTED	
	12156	STREET NOT LISTED	1850 STREET NOT LISTED	
	12157	STREET NOT LISTED	1890 STREET NOT LISTED	
1	12175	STREET NOT LISTED		
1	12192	STREET NOT LISTED		
1	12197	STREET NOT LISTED		

1985 CHINGUACOUSY ROL SOURCE: MIGHTS		MAYFIELD ROAD
12116STREET NOT LISTED12140STREET NOT LISTED12156STREET NOT LISTED12157STREET NOT LISTED12175STREET NOT LISTED12192STREET NOT LISTED12197STREET NOT LISTED	1760 1770 1850 1890	STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED

<b>1979</b> <i>SOURCE:</i> 1	CHINGUACOUSY ROAD	1979 SOURCE:	
12116 12140 12156 12157 12175 12192 12192	STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED	1760 1770 1850 1890	STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED

1975 SOURCE:		<b>1975</b> MAYFIELD ROAD SOURCE: MIGHTS
12116	STREET NOT LISTED	1760 STREET NOT LISTED
12140	STREET NOT LISTED	1770 STREET NOT LISTED
12156	STREET NOT LISTED	1850 STREET NOT LISTED
12157	STREET NOT LISTED	1890 STREET NOT LISTED
12175	STREET NOT LISTED	
12192	STREET NOT LISTED	

Report ID: 23071300429 - 07/25/2023 www.erisinfo.com

1

12197

STREET NOT LISTED

### **1969-70** CHINGUACOUSY ROAD SOURCE: MIGHTS

# 12116 STREET NOT LISTED 12140 STREET NOT LISTED 12156 STREET NOT LISTED 12157 STREET NOT LISTED 12157 STREET NOT LISTED 12175 STREET NOT LISTED 12192 STREET NOT LISTED 12192 STREET NOT LISTED 12197 STREET NOT LISTED

## 1969-70 MAYFIELD ROAD source: mights

1760	STREET NOT LISTED
1770	STREET NOT LISTED
1850	STREET NOT LISTED
1890	STREET NOT LISTED

<b>1966</b> CHINGUACOUSY ROAD SOURCE: MIGHTS	<b>196</b> <i>sour</i>	6 MAYFIELD ROAD
12116STREET NOT LISTED12140STREET NOT LISTED12156STREET NOT LISTED12157STREET NOT LISTED12175STREET NOT LISTED12192STREET NOT LISTED12197STREET NOT LISTED	1760 1770 1850 1890	STREET NOT LISTED

1958 SOURCE: I	CHINGUACOUSY ROAD	-	L958 MAYFIELD ROAD
12116 12140 12156 12157 12175 12192 12192	STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED STREET NOT LISTED	177 185	<ul> <li>760 STREET NOT LISTED</li> <li>770 STREET NOT LISTED</li> <li>850 STREET NOT LISTED</li> <li>890 STREET NOT LISTED</li> </ul>



# **Appendix C**



# DATABASE REPORT

**Project Property:** 

Project No: Report Type: Order No: Requested by: Date Completed: 12156 Chinguacousy Rd 12156 Chinguacousy Rd Caledon ON L7C 3H1 23-266-100 Quote - Custom-Build Your Own Report 23071300429 DS Consultants Ltd. July 17, 2023

Environmental Risk Information Services A division of Glacier Media Inc. 1.866.517.5204 | info@erisinfo.com | erisinfo.com

# Table of Contents

Table of Contents	2
Executive Summary	3
Executive Summary: Report Summary	
Executive Summary: Site Report Summary - Project Property	6
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	9
Мар	
Aerial	12
Topographic Map	13
Detail Report	
Unplottable Summary	62
Unplottable Report	63
Appendix: Database Descriptions	100
Definitions	109

#### Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# **Executive Summary**

#### Property Information:

**Project Property:** 

**Project No:** 

12156 Chinguacousy Rd 12156 Chinguacousy Rd Caledon ON L7C 3H1

23-266-100

#### Order Information:

Order No: Date Requested: Requested by: Report Type: 23071300429 July 13, 2023 DS Consultants Ltd. Quote - Custom-Build Your Own Report

#### Historical/Products:

City Directory Search ERIS Xplorer CD - Subject Site plus 10 Adjacent Properties <u>ERIS Xplorer</u>

# Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	0	0
CA	Certificates of Approval	Y	0	0	0
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
СНМ	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	0	0	0
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	2	2
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	0	0
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System	Y	0	0	0
NCPL	(NATES) Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Y	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Ŷ	0	0	0
NEES	National Environmental Emergencies System (NEES)	Ŷ	0	0	0
NPCB	National PCB Inventory	Ŷ	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PINC	Pipeline Incidents	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	0	0	0
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	15	15
	-	Total:	0	17	17

\_

## Executive Summary: Site Report Summary - Project Property

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number

No records found in the selected databases for the project property.

# Executive Summary: Site Report Summary - Surrounding Properties

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>1</u>	WWIS		ON <i>Well ID:</i> 7358559	NE/13.6	0.89	<u>14</u>
2	WWIS		ON <i>Well ID:</i> 7358558	ENE/18.4	0.89	<u>15</u>
<u>3</u>	WWIS		ON <i>Well ID:</i> 7358557	ENE/21.1	0.89	<u>16</u>
<u>4</u>	WWIS		lot 18 con 3 ON <i>Well ID:</i> 4905741	NNE/26.7	0.89	<u>17</u>
<u>5</u>	WWIS		lot 18 con 3 ON <i>Well ID:</i> 4907003	NE/32.3	0.89	<u>20</u>
<u>6</u>	WWIS		lot 18 con 3 ON <i>Well ID:</i> 4907220	NE/39.1	0.89	<u>26</u>
<u>7</u>	WWIS		lot 19 con 2 ON <i>Well ID:</i> 4907105	NE/49.2	0.89	<u>30</u>
<u>8</u>	WWIS		lot 18 con 3 ON <i>Well ID:</i> 4908803	NNE/66.9	0.89	<u>34</u>
<u>9</u>	WWIS		lot 18 con 3 ON <i>Well ID:</i> 4907178	NNE/79.3	0.89	<u>38</u>
<u>10</u>	WWIS		lot 18 con 2 ON <i>Well ID:</i> 4905551	NE/102.1	0.89	<u>42</u>
<u>11</u>	WWIS		12259 CHINGUACOUSY RD lot 19 con 2 Caledon ON Well ID: 7318206	NNE/115.3	-0.11	<u>45</u>
<u>12</u>	WWIS		12259 CHINGUACOUSY RD lot 19 con 2 Caledon ON	NNE/121.0	-0.11	<u>48</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7318205			
<u>13</u>	WWIS		lot 18 con 2 ON	NNE/133.5	-0.11	<u>50</u>
			Well ID: 4908031			
<u>14</u>	WWIS		ON	E/150.5	-0.11	<u>55</u>
			Well ID: 7308420			
<u>15</u>	WWIS		lot 18 con 2 ON	NE/170.3	0.89	<u>56</u>
			Well ID: 4905550			
<u>16</u>	EHS		1760 Mayfield Rd Caledon ON L7C0Y8	S/225.2	-1.11	<u>61</u>
<u>17</u>	EHS		1890 Mayfield Rd Caledon ON L7C0Y8	ESE/228.1	-1.36	<u>61</u>

# Executive Summary: Summary By Data Source

#### **EHS** - ERIS Historical Searches

A search of the EHS database, dated 1999-Mar 31, 2023 has found that there are 2 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	Address	<u>Distance (m)</u>	<u>Map Key</u>
	1760 Mayfield Rd Caledon ON L7C0Y8	225.2	<u>16</u>
	1890 Mayfield Rd Caledon ON L7C0Y8	228.1	<u>17</u>


#### WWIS - Water Well Information System

A search of the WWIS database, dated Mar 31 2023 has found that there are 15 WWIS site(s) within approximately 0.25 kilometers of the project property.

Address	<u>Distance (m)</u>	<u>Map Key</u>
ON	13.6	<u>1</u>
Well ID: 7358559		
ON	18.4	<u>2</u>
Well ID: 7358558		
ON	21.1	<u>3</u>
Well ID: 7358557		
lot 18 con 3 ON	26.7	<u>4</u>
<b>Well ID:</b> 4905741		
lot 18 con 3 ON	32.3	<u>5</u>
Well ID: 4907003		
lot 18 con 3 ON	39.1	<u>6</u>

<u>Site</u>

Address	<u>Distance (m)</u>	<u>Map Key</u>
Well ID: 4907220		
lot 19 con 2 ON	49.2	<u>7</u>
Well ID: 4907105		
lot 18 con 3 ON	66.9	<u>8</u>
Well ID: 4908803		
lot 18 con 3 ON	79.3	<u>9</u>
<b>Well ID:</b> 4907178		
lot 18 con 2 ON	102.1	<u>10</u>
<b>Well ID:</b> 4905551		
12259 CHINGUACOUSY RD lot 19 con 2 Caledon ON	115.3	<u>11</u>
Well ID: 7318206		
12259 CHINGUACOUSY RD lot 19 con 2 Caledon ON	121.0	<u>12</u>
Well ID: 7318205		
lot 18 con 2 ON	133.5	<u>13</u>
<b>Well ID:</b> 4908031		
ON	150.5	<u>14</u>
<b>Well ID:</b> 7308420		
lot 18 con 2 ON	170.3	<u>15</u>
<b>Well ID:</b> 4905550		



Source: © 2021 ESRI StreetMap Premium.

© ERIS Information Limited Partnership

1:10000 m 0 125 250 250 Earthstar Geographics, and the GIS User Community Max

Aerial Year: 2022

Address: 12156 Chinguacousy Rd, Caledon, ON


Source: ESRI World Imagery

Order Number: 23071300429

© ERIS Information Limited Partnership



43°43'30"N



79°51'W

# **Topographic Map**

79°52'30"W

## Address: 12156 Chinguacousy Rd, ON

Source: ESRI World Topographic Map

Order Number: 23071300429

© ERIS Information Limited Partnership



79°49'30"W

# Detail Report

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DI
<u>1</u>	1 of 1		NE/13.6	259.9 / 0.89	ON		WWI
Well ID:		7358559			Flowing (Y/N):		
Construction	Date:				Flow Rate:		
Use 1st:					Data Entry Status:	Yes	
Use 2nd:					Data Src:	05/00/0000	
Final Well Sta	itus:				Date Received:	05/20/2020	
Water Type:	ial.				Selected Flag: Abandonment Rec:	TRUE	
Casing Materi Audit No:	di.	Z330418			Contractor:	7241	
Tag:		A115008			Form Version:	7	
Constructn M	lethod:	/1110000			Owner:	,	
Elevation (m):					County:	PEEL	
Elevatn Relial					Lot:		
Depth to Bedr					Concession:		
Well Depth:					Concession Name:		
Overburden/B	Bedrock:				Easting NAD83:		
Pump Rate:					Northing NAD83:		
Static Water L					Zone:		
Clear/Cloudy: Municipality:			BRAMPTON CITY		UTM Reliability:		
<i>Municipality:</i> Site Info:				CHINGUACOUS	r)		
PDF URL (Maj	p):						
Additional De	tail(s) (Ma	<u>p)</u>					
Well Complete	ed Date:		03/03/2020				
Year Complet	ed:		2020				
Depth (m):							
Latitude:			43.7165011541661				
Longitude:			-79.8505139442314	1			
Path:							
Bore Hole Info	ormation						
Bore Hole ID:		10082795	60		Elevation:		
DP2BR:					Elevrc:		
Spatial Status	5 <i>:</i>				Zone:	17	
Code OB:					East83:	592597.00	
Code OB Des Open Hole:	с:				North83:	4841028.00 UTM83	
Cluster Kind:					Org CS: UTMRC:	4	
Date Complet	ed.	03/03/202	0		UTMRC Desc:	margin of error : 30 m - 100 m	
Remarks:		30,00,20Z	~		Location Method:	wwr	
Loc Method D	Desc:		on Water Well Reco	ord			
Elevrc Desc:							
Location Sou	rce Date:						
Improvement							
Improvement							
Source Revisi	ion Comm	ent:					

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
<u>Links</u>							
Bore Hole ID:		100827956	50		Tag No:	A115008	
Depth M:		100021000			Contractor:	7241	
Year Complete	od.	2020			Latitude:	43.7165011541661	
Well Complete		03/03/2020	۱		Longitude:	-79.8505139442314	
Audit No:	eu Di.	Z330418	)		Y:	43.71650115246166	
Path:		735\73585	59.pdf		Υ. Χ:	-79.85051379374558	
<u>2</u>	1 of 1		ENE/18.4	259.9 / 0.89	<b>0</b> 11		wwis
					ON		
Well ID: Construction	Date <sup>.</sup>	7358558			Flowing (Y/N): Flow Rate:		
Use 1st:	Date.				Data Entry Status:	Yes	
Use 2nd:					Data Entry Status. Data Src:	165	
Final Well Sta	tue.				Date Received:	05/20/2020	
	itus.				Selected Flag:	TRUE	
Water Type:	ial.				5	IRUE	
Casing Materia	al.	7000447			Abandonment Rec:	70.44	
Audit No:		Z330417 A115007			Contractor:	7241 7	
Tag: Comotinuotin Mi		AT15007			Form Version: Owner:	1	
Constructn Me						PEEL	
Elevation (m):					County:	PEEL	
Elevatn Reliab					Lot:		
Depth to Bedr	rock:				Concession:		
Well Depth:					Concession Name:		
Overburden/B	sedrock:				Easting NAD83:		
Pump Rate:					Northing NAD83:		
Static Water L					Zone:		
Clear/Cloudy:		_			UTM Reliability:		
Municipality: Site Info:		E	BRAMPTON CITY (	CHINGUACOUSY	)		
PDF URL (Maµ	p):						
Additional Det	tail(s) (Map	<u>)</u>					
Well Complete	ed Date:	(	03/03/2020				
Year Complete	ed:	2	2020				
Depth (m):							
Latitude:		2	43.7165002803199				
Longitude:			79.8504270644718				
Path:			-				
Bore Hole Info	ormation						
Bore Hole ID:		100827955	57		Elevation:		
DP2BR:					Elevrc:		
Spatial Status	s:				Zone:	17	
Code OB:					East83:	592604.00	
Code OB Desc	c:				North83:	4841028.00	
					Org CS:	UTM83	
Open Hole:					UTMRC:	4	
Cluster Kind:		03/03/2020	)		UTMRC Desc:	margin of error : 30 m - 100 m	
Cluster Kind:	ed:				Location Method:	wwr	
Cluster Kind: Date Complete	ed:						
Cluster Kind: Date Complete Remarks:		c	on Water Well Reco	rd			
Cluster Kind: Date Complete Remarks: Loc Method D		c	on Water Well Reco	rd			
Open Hole: Cluster Kind: Date Complete Remarks: Loc Method D Elevrc Desc: Location Sour	Desc:	C	on Water Well Reco	rd			
Cluster Kind: Date Complete Remarks: Loc Method D Elevrc Desc: Location Sour	Desc: rce Date:		on Water Well Reco	rd			
Cluster Kind: Date Complete Remarks: Loc Method D Elevrc Desc: Location Sour Improvement	Desc: rce Date: Location S	Source:	on Water Well Reco	rd			
Cluster Kind: Date Complete Remarks: Loc Method D Elevrc Desc:	Desc: rce Date: Location S Location N	Source: Method:	on Water Well Reco	rd			

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		Di
Links							
Bore Hole ID: Depth M:		100827955	57		Tag No: Contractor:	A115007 7241	
Year Complete	d:	2020			Latitude:	43.7165002803199	
Well Complete		03/03/2020	)		Longitude:	-79.8504270644718	
Audit No:		Z330417			Y:	43.716500278535484	
Path:					Х:	-79.85042691410891	
<u>3</u> 1	l of 1		ENE/21.1	259.9 / 0.89	ON		wwi:
Well ID:		7358557			Flowing (Y/N):		
Construction D	Date:				Flow Rate:		
Use 1st:					Data Entry Status:	Yes	
Use 2nd:					Data Src:		
Final Well State	us:				Date Received:	05/20/2020	
Water Type:					Selected Flag:	TRUE	
Casing Materia Audit No:	11:	Z330419			Abandonment Rec: Contractor:	7241	
Tag:		A115006			Form Version:	7	
Constructn Me	thod:				Owner:		
Elevation (m):					County:	PEEL	
Elevatn Reliabi					Lot:		
Depth to Bedro	ock:				Concession:		
Well Depth:	draak				Concession Name:		
Overburden/Be Pump Rate:	earock:				Easting NAD83: Northing NAD83:		
Static Water Le	vel				Zone:		
Clear/Cloudy:					UTM Reliability:		
Municipality:		E	BRAMPTON CITY (	CHINGUACOUS			
Site Info:			·				
PDF URL (Map,	):						
Additional Deta	ail(s) (Map	)					
Well Complete	d Date:	(	)3/03/2020				
Year Complete	d:	2	2020				
Depth (m):							
Latitude:			13.7164635226865 79.8503532846284				
Longitude: Path:		-	79.00000002040204				
Bore Hole Info	r <u>mation</u>						
Bore Hole ID:		100827955	54		Elevation:		
DP2BR:					Elevrc:	17	
Spatial Status: Code OB:					Zone: East83:	17 592610.00	
Code OB: Code OB Desc.					North83:	4841024.00	
Open Hole:	-				Org CS:	UTM83	
Cluster Kind:					UTMRC:	4	
Date Complete	d:	03/03/2020	)		UTMRC Desc:	margin of error : 30 m - 100 m	
Remarks:					Location Method:	wwr	
Loc Method De	esc:	C	on Water Well Reco	ra			
Elevrc Desc: Location Sourc	ne Date:						
Improvement L		ource:					
Improvement L							
Source Revisio							
	nent:						

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		Ľ
<u>Links</u>							
Bore Hole ID:		100827955	54		Tag No:	A115006	
Depth M:					Contractor:	7241	
Year Complete	ed:	2020			Latitude:	43.7164635226865	
Well Complete		03/03/2020	)		Longitude:	-79.8503532846284	
Audit No:		Z330419			Y:	43.71646352120169	
Path:					Х:	-79.85035313460307	
<u>4</u>	1 of 1		NNE/26.7	259.9/0.89	lot 18 con 3 ON		ww
Well ID:	_	4905741			Flowing (Y/N):		
Construction	Date:	<b>D</b> (1			Flow Rate:		
Use 1st:		Domestic 0			Data Entry Status:	1	
Use 2nd: Final Well Stat	tus	Water Sup	olv		Data Src: Date Received:	1 02/06/1981	
Water Type:	<i>lus.</i>	Water Oup	рту		Selected Flag:	TRUE	
Casing Materia	al:				Abandonment Rec:	into L	
Audit No:					Contractor:	4919	
Tag:					Form Version:	1	
Constructn Me					Owner:		
Elevation (m):					County:	PEEL	
Elevatn Reliab Domth to Body	•				Lot:	018	
Depth to Bedr Well Depth:	оск:				Concession:	03 HS W	
overburden/B	edrock.				Concession Name: Easting NAD83:	H3 W	
Pump Rate:	eurock.				Northing NAD83:		
Static Water L	.evel:				Zone:		
Clear/Cloudy:					UTM Reliability:		
Municipality:		C	CALEDON TOWN (	CHINGUACOUS	SY)		
Site Info:							
PDF URL (Map	o):	h	https://d2khazk8e83	Brdv.cloudfront.ne	et/moe_mapping/downloads	s/2Water/Wells_pdfs/490\4905741.pdf	
Additional Det	tail(s) (Map	) J					
Well Complete	ed Date:	0	07/12/1980				
Year Complete			980				
Depth (m):			8.288				
Latitude:			3.7160287950114				
Longitude: Path:			79.8527884721053 190\4905741.pdf	5			
raun.		-	19014909741.pui				
Bore Hole Info	ormation						
Bore Hole ID:		10320435			Elevation:		
DP2BR:					Elevrc:	47	
Spatial Status					Zone: East83:	17 592414.50	
Code OB: Code OB Desc	c.				Last83: North83:	4840973.00	
Open Hole:					Org CS:	10+0070.00	
Cluster Kind:					UTMRC:	5	
Date Complete	ed:	07/12/1980	)		UTMRC Desc:	margin of error : 100 m - 300 m	
Remarks:					Location Method:	p5	
Loc Method D	esc:	C	Driginal Pre1985 UT	FM Rel Code 5: n	nargin of error : 100 m - 300	) m	
Elevrc Desc:	<b>-</b> ·						
	rce Date:						
Location Sour	I another O						

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	D
Supplier Comi	ment:				
Overburden ar Materials Inter					
Formation ID:		932051107			
Layer:		3			
Color:		2			
General Color. Mat1:	:	GREY 05			
Most Common	Material	CLAY			
Mat2:	i material.	73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top	Depth:	20.0			
Formation End Formation End		50.0 ft			
Formation End	Depth OOM.	n			
Overburden al Materials Inter					
Formation ID:		932051108			
Layer:		4			
Color: General Color.		2 GREY			
General Color. Mat1:		28			
Most Common	Material:	SAND			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:		79			
Mat3 Desc:	- Daw di	PACKED			
Formation Top Formation End		50.0 60.0			
Formation End		ft			
Overburden ar Materials Inter					
Formation ID:		932051105			
Layer:		1			
Color: General Color.	_	6 BROWN			
General Color. Mat1:	:	02			
Most Common	n Material:	TOPSOIL			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:	. D //	0.0			
Formation Top Formation End		0.0 1.0			
Formation End		ft			
<u>Overburden ai</u> Materials Inter					
Formation ID:		932051106			
Layer:		2			
Color:		6			
General Color.	:	BROWN			
Mat1: Most Common	Matariat	05			
	ı waterial:	CLAY			

	umber of ecords	Direction/ Distance (m)	Elev/Diff (m)	Site	
Mat2: Mat2 Desc:		73 HARD			
Mat3:					
Mat3 Desc:					
Formation Top D	epth:	1.0			
Formation End D	epth:	20.0			
Formation End D	epth UOM:	ft			
<u>Method of Consti Use</u>	ruction & Well				
Method Construc	tion ID:	964905741			
Method Construc		6			
Method Construc		Boring			
Other Method Co	nstruction:				
Pipe Information					
Pipe ID:		10869005			
Casing No: Comment:		1			
Alt Name:					
Construction Red	cord - Casing				
Casing ID:		930528720			
Layer:		2			
Material:		2			
Open Hole or Ma	terial:	GALVANIZED			
Depth From:		00.0			
Depth To:	-	60.0 30.0			
Casing Diameter. Casing Diameter		inch			
Casing Depth UC		ft			
Construction Red	cord - Casing				
Casing ID:		930528719			
Layer:		1			
Material:		3			
Open Hole or Ma	terial:	CONCRETE			
Depth From: Depth To:		40.0			
Casing Diameter:		30.0			
Casing Diameter		inch			
Casing Depth UC		ft			
<u>Results of Well Y</u>	<u>íield Testing</u>				
Pumping Test Me	ethod Desc:	BAILER			
Pump Test ID:		994905741			
Pump Set At:					
Static Level:		10.0			
Final Level After		55.0			
Recommended P Pumping Rate:	ump Depth:	40.0			
Flowing Rate:					
Recommended P	ump Rate:	3.0			
Levels UOM:		ft			
Rate UOM: Water State After	Tost Code:	GPM 2			
Water State After Water State After		CLOUDY			
			mation Orm i		Order Net 000740004
19 eris	<u>sinito.com</u>   Env	ironmental Risk Info	mation Service	5	Order No: 230713004

Мар Кеу	Number Record		Elev/Diff (m)	Site		DB
Pumping Tes Pumping Du Pumping Du Flowing:	ration HR:	2 0 30 No				
<u>Draw Down a</u>	& Recovery					
Pump Test D Test Type: Test Duratio Test Level: Test Level U	n:	935046748 Recovery 60 25.0 ft				
Draw Down a	& Recovery					
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	934261891 Recovery 15 50.0 ft				
<u>Draw Down a</u>	& Recovery					
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	934527212 Recovery 30 40.0 ft				
Draw Down a	& Recovery					
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	934781735 Recovery 45 30.0 ft				
Water Details	<u>S</u>					
Water ID: Layer: Kind Code: Kind: Water Found Water Found		933793752 1 5 Not stated 60.0 <b><i>M:</i></b> ft				
<u>Links</u>						
Bore Hole ID Depth M: Year Comple Well Comple Audit No: Path:	ted:	10320435 18.288 1980 07/12/1980 490\4905741.pdf		Tag No: Contractor: Latitude: Longitude: Y: X:	4919 43.7160287950114 -79.8527884721053 43.71602879322544 -79.85278832197363	
<u>5</u>	1 of 1	NE/32.3	259.9 / 0.89	lot 18 con 3 ON		WWIS
Well ID: Constructior	n Date:	4907003		Flowing (Y/N): Flow Rate:		
		m   Environmontal Dick Inf			Order No: 2	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Use 1st:	Domes	stic		Data Entry Status:		
Use 2nd:				Data Src:	1	
Final Well Sta	atus: Water	Supply		Date Received:	02/07/1989	
Water Type:				Selected Flag:	TRUE	
Casing Mater	rial:			Abandonment Rec:		
Audit No:	43011			Contractor:	1660	
Tag:				Form Version:	1	
Constructn M	Method:			Owner:		
Elevation (m)	):			County:	PEEL	
Elevatn Relia	abilty:			Lot:	018	
Depth to Bea	lrock:			Concession:	03	
Well Depth:				Concession Name:	HS W	
Overburden/	Bedrock:			Easting NAD83:		
Pump Rate:				Northing NAD83:		
Static Water	Level:			Zone:		
Clear/Cloudy	<i>'</i> :			UTM Reliability:		
Municipality:	•	CALEDON TOWN (	CALEDON TWP)	-		
Site Info:						

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/490\4907003.pdf

#### Additional Detail(s) (Map)

Well Completed Date:	10/19/1988
Year Completed:	1988
Depth (m):	19.812
Latitude:	43.716726145319
Longitude:	-79.8505034358437
Path:	490\4907003.pdf

#### Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks:	10321564 10/19/1988	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 592597.50 4841053.00 3 margin of error : 10 - 30 m gps
Loc Method Desc: Elevrc Desc: Location Source Date: Improvement Location Improvement Location Source Revision Com	n Source: n Method:		

#### Overburden and Bedrock Materials Interval

Supplier Comment:

Formation ID:	932056241
Layer:	5
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	81
Mat2 Desc:	SANDY
Mat3:	11

• •	lumber of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	D
Formation End D Formation End D		50.0 ft			
Overburden and Materials Interva					
Formation ID:		932056243			
Layer:		7			
Color:		6			
General Color:		BROWN			
Mat1: Maat Common N	lata via la	05 CLAY			
Most Common N Mat2:	laterial:	11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top D	Depth:	58.0			
Formation End D		60.0			
Formation End D	Depth UOM:	ft			
Overburden and Materials Interva					
Formation ID:		932056245			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common N Mat2:	laterial:	CLAY 11			
Mat2: Mat2 Desc:		GRAVEL			
Mat2 Dest. Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top D		62.0			
Formation End D	Depth:	63.0			
Formation End D	Depth UOM:	ft			
Overburden and Materials Interva					
Formation ID:		932056242			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1: Maat Common N	latarial	05			
Most Common N Mat2:	lateriai:	CLAY 84			
Mat2 Desc:		SILTY			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top D		50.0			
Formation End D Formation End D	Depth: Depth UOM:	58.0 ft			
	-				
<u>Overburden and</u> Materials Interva					
Formation ID:		932056238			
Layer:		2			
Color:		2			
General Color: Mat1:		GREY 05			
		LIP			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Commo Mat2: Mat2 Desc: Mat3 Mat3 Desc: Formation To Formation En	op Depth:	CLAY 81 SANDY 77 LOOSE 4.0 17.0 ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation En	or: on Material: op Depth:	932056244 8 29 FINE GRAVEL 28 SAND 77 LOOSE 60.0 62.0 ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation En	or: on Material: op Depth:	932056239 3 2 GREY 05 CLAY 11 GRAVEL 77 LOOSE 17.0 37.0 ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation En Formation En	or: on Material: op Depth:	932056240 4 6 BROWN 28 SAND 11 GRAVEL 77 LOOSE 37.0 46.0 ft			
<u>Overburden a</u> <u>Materials Inte</u>					
23	erisinfo.com   En	vironmental Risk Info	rmation Service	s	Order No: 23071300429

Map Key Numbe Record		Elev/Diff (m)	Site	DB
Formation ID:	932056237			
Layer:	1			
Color: General Color:	6 BROWN			
Mat1:	05			
Most Common Material				
Mat2:	77			
Mat2 Desc:	LOOSE			
Mat3:				
Mat3 Desc:				
Formation Top Depth:	0.0 4.0			
Formation End Depth: Formation End Depth U				
<u>Overburden and Bedro Materials Interval</u>	<u>ck</u>			
Formation ID:	932056246			
Layer:	10			
Color:	2			
General Color:	GREY			
Mat1:	11			
Most Common Material				
Mat2: Mat2 Deces	77 LOOSE			
Mat2 Desc: Mat3:	LOOSE			
Mat3 Desc:				
Formation Top Depth:	63.0			
Formation End Depth:	65.0			
Formation End Depth U	<b>IOM:</b> ft			
<u>Method of Constructior</u> <u>Use</u>	<u>a &amp; Well</u>			
Method Construction IL	<b>):</b> 964907003			
Method Construction C	ode: 2			
Method Construction: Other Method Construc	Rotary (Convent.)			
Pipe Information				
Pipe ID:	10870134			
Casing No:	1			
Comment:				
Alt Name:				
Construction Record -	Casing			
Casing ID:	930530590			
Layer:	1			
Material: Open Hole or Material:	1 STEEL			
Depth From:	SILLE			
Depth To:	65.0			
Casing Diameter:				
Casing Diameter UOM: Casing Depth UOM:	inch ft			
Results of Well Yield Te	esting			
Pumping Test Method I	Desc: PUMP			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	D
Pump Test ID:		994907003			
Pump Set At:					
Static Level:		11.0			
Final Level Aft		18.0			
	l Pump Depth:				
Pumping Rate:		30.0			
Flowing Rate:					
Recommended	l Pump Rate:	<i>6</i> .			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State Af		2			
Water State Af		CLOUDY			
Pumping Test		1			
Pumping Dura		5			
Pumping Dura		0 No			
Flowing:		NO			
Draw Down & I	<u>Recovery</u>				
Pump Test Det	ail ID:	935050042			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		18.0			
Test Level UOI	И:	ft			
Draw Down & I	Recovery				
Pump Test Det	ail ID:	934784548			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		18.0			
Test Level UOI	И:	ft			
Draw Down & I	Recovery				
Pump Test Det	ail ID:	934255912			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		18.0			
Test Level UOI	И:	ft			
Draw Down & I	Recovery				
Pump Test Det	ail ID:	934530468			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		18.0			
Test Level UOI	И:	ft			
Water Details					
Water ID:		933795049			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found D	Depth:	65.0			
Water Found D		ft			
<u>Links</u>					
Bore Hole ID:	10321	564		Tag No:	

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Depth M: Year Comple Well Comple Audit No: Path:		19.812 1988 10/19/1988 43011 490\49070			Contractor: Latitude: Longitude: Y: X:	1660 43.716726145319 -79.8505034358437 43.71672614347324 -79.85050328613487	
<u>6</u>	1 of 1		NE/39.1	259.9 / 0.89	lot 18 con 3 ON		WWIS
Well ID: Construction Use 1st: Use 2nd: Final Well Si Water Type: Casing Mate Audit No: Tag: Construct n Elevation (m Elevation (m Elevatn Relii Depth to Bee Well Depth: Overburden, Pump Rate: Static Water Clear/Cloud Municipality Site Info: PDF URL (M	tatus: erial: Method: ): abilty: drock: /Bedrock: /Bedrock: y: y:		CALEDON TOWN	(CHINGUACOUSY Brdv.cloudfront.net/		1 12/27/1989 TRUE 1660 1 PEEL 018 03 HS W	
Additional D	)etail(s) (Ma	<u>ip)</u>					
Well Comple Year Comple Depth (m): Latitude: Longitude: Path:		1 3 -	11/03/1989 1989 36.576 43.7168414253823 79.8503274379223 490\4907220.pdf				
<u>Bore Hole In</u>	nformation						
Bore Hole IL DP2BR: Spatial Statu Code OB: Code OB De Open Hole: Cluster Kind Date Comple	ıs: esc: I:	10321780			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC:	17 592611.50 4841066.00 3 margin of error : 10 - 30 m	

Open Hole: Cluster Kind: Date Completed: 11/03/1989 Remarks: Loc Method Desc: from gps Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

gps

margin of error : 10 - 30 m

UTMRC Desc:

Location Method:

• •	umber of ecords	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932057351			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05 CLAY			
Most Common M Mat2:	aterial:	CLAY			
Mat2 Desc:					
Mata:					
Mat3 Desc:					
Formation Top D	epth:	1.0			
Formation End D	epth:	17.0			
Formation End D	epth UOM:	ft			
Overburden and Materials Interva	<u>Bedrock</u> !				
Formation ID:		932057352			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1: Maat Common M	atorial	05 CLAY			
Most Common M Mat2:	ateriai:	28			
Mat2 Desc:		SAND			
Mat2 Dese. Mat3:		O, WE			
Mat3 Desc:					
Formation Top D	epth:	17.0			
Formation End D		42.0			
Formation End D	epth UOM:	ft			
Overburden and Materials Interva					
Formation ID:		932057354			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common M	aterial:	SAND			
Mat2:					
Mat2 Desc: Mat3:					
Mat3 Desc:					
Formation Top D	epth:	66.0			
Formation End D	epth:	87.0			
Formation End D	epth UOM:	ft			
<u>Overburden and</u> Materials Interva					
Formation ID:		932057353			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common M	aterial:	SAND			
Mat2:					
Mat2 Desc:		GRAVEL			
Mat3: Mat3 Doso:					
Mat3 Desc: Formation Top D	enth:	42.0			
· ormation rop D	opun.	72.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DE
Formation End Formation End	d Depth: d Depth UOM:	66.0 ft			
<u>Overburden al</u> Materials Inter					
Formation ID:		932057356			
Formation ID: Layer:		932057356 7			
Color:		7			
General Color	:	RED			
Mat1:		28			
Most Commor	n Material:	SAND			
Mat2:		11 CDAVEL			
Mat2 Desc: Mat3:		GRAVEL			
Mat3 Desc:					
Formation Top	o Depth:	95.0			
Formation End	d Depth:	106.0			
Formation End	d Depth UOM:	ft			
<u>Overburden al</u> Materials Inter					
		022057250			
Formation ID: Layer:		932057350 1			
Color:		8			
General Color	:	BLACK			
Mat1:		02			
Most Commor	n Material:	TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3: Mat3 Desc:					
Formation Top	o Denth:	0.0			
Formation En		1.0			
Formation End	d Depth UOM:	ft			
<u>Overburden al</u> Materials Inter					
		022057255			
Formation ID: Layer:		932057355 6			
Color:		2			
General Color	:	GREY			
Mat1:		28			
Most Commor	n Material:	SAND			
Mat2:		05 CLAY			
Mat2 Desc: Mat3:		CLAY			
Mat3 Desc:					
Formation Top	o Depth:	87.0			
Formation En		95.0			
Formation End	d Depth UOM:	ft			
<u>Overburden al</u> Materials Inter					
Formation ID:		932057357			
Layer:		8			
Color:		2			
General Color	:	GREY			
Mat1:		11			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Comme Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation E Formation E	op Depth:	GRAVEL 31 COARSE GRAVEL 106.0 120.0 ft			
<u>Method of Co Use</u>	onstruction & Well				
Method Con	struction Code:	964907220 1 Cable Tool			
<u>Pipe Informa</u>	<u>ation</u>	40070250			
Pipe ID: Casing No: Comment: Alt Name:		10870350 1			
<u>Constructior</u>	n Record - Casing				
Casing ID: Layer: Material: Open Hole o Depth From: Depth To: Casing Diam Casing Dept	neter: neter UOM:	930530918 1 STEEL 120.0 6.0 inch ft			
<u>Results of W</u>	/ell Yield Testing				
Pump Test II Pump Set At Static Level: Final Level A Recommend Pumping Rat Flowing Rate Recommend Levels UOM: Rate UOM:	:: After Pumping: led Pump Depth: te: 9: led Pump Rate: : After Test Code: After Test: st Method: ration HR:	PUMP 994907220 16.0 27.0 70.0 10.0 19.0 ft GPM 1 CLEAR 1 3 0 No			
<u>Draw Down a</u>	& Recovery				
Pump Test D Test Type: Test Duration Test Level:		934531024 Draw Down 30 27.0			

Мар Кеу	Number of Records	<i>Direction/ Distance (m)</i>	Elev/Diff (m)	Site		DB
Test Level UC	ОМ:	ft				
<u>Draw Down &amp;</u>	Recovery					
Pump Test De Test Type: Test Duration Test Level: Test Level UC	1:	934785102 Draw Down 45 27.0 ft				
Draw Down &	Recoverv					
Pump Test De	-	935050608				
Test Type: Test Duration Test Level: Test Level UC		Draw Down 60 27.0 ft				
<u>Draw Down &amp;</u>	-	004050400				
Pump Test De Test Type: Test Duration Test Level: Test Level UC	1:	934256488 Draw Down 15 27.0 ft				
Water Details						
Water ID: Layer: Kind Code: Kind: Water Found Water Found		933795287 1 1 FRESH 120.0 ft				
<u>Links</u>						
Bore Hole ID: Depth M: Year Complet Well Complet Audit No: Path:	30 ted: 19 ted Dt: 1 43	0321780 6.576 989 1/03/1989 3828 90\4907220.pdf		Tag No: Contractor: Latitude: Longitude: Y: X:	1660 43.7168414253823 -79.8503274379223 43.716841423372315 -79.85032728825007	
<u>7</u>	1 of 1	NE/49.2	259.9 / 0.89	lot 19 con 2 ON		WWIS
Well ID:		907105		Flowing (Y/N):		
Construction Use 1st: Use 2nd:		omestic		Flow Rate: Data Entry Status: Data Src:	1	
Final Well Sta Water Type: Casing Mater		ater Supply		Data Src. Date Received: Selected Flag: Abandonment Rec:	05/29/1989 TRUE	
Audit No: Tag: Constructn M	4	7117		Contractor: Form Version: Owner:	4919 1	
Elevation (m) Elevatn Relia Depth to Bed Well Depth:	: bilty:			County: Lot: Concession: Concession Name:	PEEL 019 02 HS W	

	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site	
Overburden/B Pump Rate: Static Water L					Easting NAD83: Northing NAD83: Zone:	
Clear/Cloudy:					UTM Reliability:	
Municipality:			CALEDON TOWN (			
Site Info:			CALEDON TOWN (		")	
PDF URL (Maµ	p):		https://d2khazk8e83	rdv.cloudfront.ne	t/moe_mapping/downloads	s/2Water/Wells_pdfs/490\4907105.pdf
Additional De	tail(s) (Map)	)				
Well Complete			03/10/1989			
Year Complete	ea:		1989			
Depth (m): Latitude:			30.48 43.7178436591833			
Longitude:			-79.8506062104777			
Path:			490\4907105.pdf			
Bore Hole Info	ormation					
Bore Hole ID:		1032166	6		Elevation:	
DP2BR:					Elevrc:	
Spatial Status	s:				Zone:	17
Code OB:					East83:	592587.50
Code OB Desc	с:				North83:	4841177.00
Open Hole:					Org CS:	
Cluster Kind:					UTMRC:	3
Date Complete	ed:	03/10/19	989		UTMRC Desc:	margin of error : 10 - 30 m
						-
Remarks:					Location Method:	gps
Remarks: Loc Method D Elevrc Desc: Location Sour	rce Date:		from gps		Location Method:	gps
oc Method D Elevrc Desc: ocation Sour mprovement mprovement Source Revisi	rce Date: Location So Location M ion Comme	ethod:	from gps		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour Improvement Source Revisi Supplier Com	rce Date: Location So Location M ion Comme iment: and Bedrock	ethod: nt:	from gps		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour mprovement Source Revisi Supplier Com Overburden au Materials Inter	rce Date: Location So Location M ion Commen iment: and Bedrock rval	ethod: nt:	from gps 932056798		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour mprovement Source Revisi Supplier Com <u>Overburden an</u> <u>Materials Inter</u> Formation ID: Layer:	rce Date: Location So Location M ion Commen iment: and Bedrock rval	ethod: nt:	932056798 2		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour mprovement Source Revisi Supplier Com <u>Overburden an</u> <u>Materials Inter</u> Formation ID: Layer: Color:	rce Date: Location So Location M ion Comme iment: iment: ind Bedrock	ethod: nt:	932056798 2 2		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour mprovement Source Revisi Supplier Com <u>Overburden au</u> <u>Materials Inter</u> Formation ID: Layer: Color: General Color	rce Date: Location So Location M ion Comme iment: iment: ind Bedrock	ethod: nt:	932056798 2 2 GREY		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour mprovement Source Revisi Supplier Com <u>Overburden au</u> <u>Aaterials Inter</u> Formation ID: Layer: Color: General Color Mat1:	rce Date: Location So Location M ion Comment iment: ind Bedrock rval	ethod: nt:	932056798 2 2 GREY 05		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour Improvement Source Revisi Supplier Com <u>Overburden al</u> <u>Overburden al</u> <u>Overburden al</u> <u>Source Revisi</u> Source Revisi Source Revision <u>Overburden al</u> <u>Source Revision</u> <u>Source Revision</u> <u>Source Revision</u> <u>Source Revision</u> <u>Source Revision</u> <u>Source Revision</u> <u>Source Revision</u> <u>Source Revision</u> <u>Source Revision</u>	rce Date: Location So Location M ion Comment iment: ind Bedrock rval	ethod: nt:	932056798 2 2 GREY 05 CLAY		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour Improvement Source Revisi Supplier Com <u>Overburden al</u> <u>Overburden al</u> <u>Overburden al</u> <u>Source Revisi</u> Source Revisi Source Revision <u>Overburden al</u> <u>Overburden al</u> <u>Source Revision</u> Seneral Color Mat1: Most Common Mat2:	rce Date: Location So Location M ion Comment iment: ind Bedrock rval	ethod: nt:	932056798 2 2 GREY 05 CLAY 73		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour Improvement Source Revisi Supplier Com <u>Overburden al</u> <u>Overburden al</u> <u>Overburden al</u> <u>Source Revisi</u> Source Revisi Source Revisi Seneral Color Mat1: Most Common Mat2: Mat2 Desc:	rce Date: Location So Location M ion Comment iment: ind Bedrock rval	ethod: nt:	932056798 2 2 GREY 05 CLAY		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour Improvement Source Revisi Supplier Com <u>Overburden al</u> <u>Overburden al</u> <u>Overburden al</u> <u>Source Revisi</u> Source Revisi Source Revisi Seneral Color Mat1: Most Common Mat2: Mat2 Desc: Mat3:	rce Date: Location So Location M ion Comment iment: ind Bedrock rval	ethod: nt:	932056798 2 2 GREY 05 CLAY 73		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour Improvement Source Revisi Supplier Com <u>Overburden al</u> <u>Overburden al</u> <u>Overburden al</u> <u>Source Revisi</u> Supplier Com <u>Dverburden al</u> <u>Source Revisi</u> <u>Source Revisi</u> <u>Source Revisi</u> <u>Source Revisi</u> <u>Source Revision</u> <u>Source Re</u>	rce Date: Location So Location M ion Comment iment: <u>and Bedrock</u> <u>rval</u> r: n Material:	ethod: nt:	932056798 2 2 GREY 05 CLAY 73 HARD		Location Method:	gps
oc Method D Elevrc Desc: Location Sour mprovement Source Revisi Supplier Com <u>Overburden au</u> <u>Materials Inter</u> Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Mat3 Desc: Mat3 Desc: Formation Top	rce Date: Location Se Location M ion Comment ment: and Bedrock rval r: n Material: p Depth:	ethod: nt:	932056798 2 2 GREY 05 CLAY 73 HARD 1.0		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour mprovement Source Revisi Supplier Com <u>Overburden au</u> <u>Materials Inter</u> Color: Layer: Color: General Color Mat1: Most Commor Mat2 Desc: Mat3 Desc: Formation Top Formation Top	rce Date: Location So Location M ion Comment ment: and Bedrock rval r: n Material: p Depth: d Depth:	ethod: nt: <u>C</u>	932056798 2 2 GREY 05 CLAY 73 HARD		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour mprovement Source Revisi Supplier Com <u>Overburden au</u> <u>Materials Inter</u> Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation End Formation End Formation End	rce Date: Location So Location M ion Comment iment: and Bedrock rval r: n Material: p Depth: d Depth: d Depth: d Depth UO	lethod: nt: C	932056798 2 2 GREY 05 CLAY 73 HARD 1.0 90.0		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour Improvement Source Revisi Supplier Com <u>Overburden au</u> <u>Materials Inter</u> Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Mat3 Desc: Formation Enter Formation Enter Formation Enter <u>Overburden au</u> <u>Materials Inter</u> Formation ID:	rce Date: Location So Location Mi ion Comment ment: and Bedrock rval r: n Material: p Depth: d Depth: d Depth: d Depth UO and Bedrock rval	lethod: nt: C	932056798 2 2 GREY 05 CLAY 73 HARD 1.0 90.0 ft		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour Improvement Source Revisi Supplier Com <u>Overburden au</u> <u>Materials Inter</u> Formation ID: Layer: Color: General Color Mat1: Most Commor Mat2: Mat3 Desc: Mat3 Desc: Formation Ent Formation Ent Formation Ent Formation ID: Layer:	rce Date: Location So Location Mi ion Comment ment: and Bedrock rval r: n Material: p Depth: d Depth: d Depth: d Depth UO and Bedrock rval	lethod: nt: C	932056798 2 2 GREY 05 CLAY 73 HARD 1.0 90.0 ft 932056799 3		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour Improvement Source Revisi Supplier Com <u>Overburden au</u> <u>Materials Inter</u> Formation ID: Layer: Color: General Color Mat2: Mat2 Desc: Mat3: Mat3 Desc: Mat3 Desc: Mat3 Desc: Mat3 Desc: Mat3 Desc: Formation End Formation End Formation ID: Layer: Color:	rce Date: Location So Location Mi ion Comment ment: and Bedrock rval r: n Material: d Depth: d Depth: d Depth d Depth UO and Bedrock rval	lethod: nt: C	932056798 2 2 GREY 05 CLAY 73 HARD 1.0 90.0 ft 932056799 3 2		Location Method:	gps
Loc Method D Elevrc Desc: Location Sour Improvement Source Revisi Supplier Com <u>Overburden au</u> <u>Materials Inter</u> Formation ID: Layer: Color: General Color Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Enter Formation Enter Formation Enter Coverburden au <u>Materials Inter</u> Formation ID: Layer:	rce Date: Location So Location Mi ion Comment ment: and Bedrock rval r: n Material: d Depth: d Depth: d Depth d Depth UO and Bedrock rval	lethod: nt: C	932056798 2 2 GREY 05 CLAY 73 HARD 1.0 90.0 ft 932056799 3		Location Method:	gps

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Formation End	Depth: Depth:	SAND 77 LOOSE 90.0 100.0 ft			
<u>Overburden an</u> <u>Materials Inter</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Formation End	Material: Depth:	932056797 1 6 BROWN 05 CLAY 73 HARD 0.0 1.0			
Formation End		ft			
<u>Use</u>	<u>struction &amp; men</u>				
Method Constr Method Constr Method Constr Other Method (	ruction Code: ruction:	964907105 6 Boring			
Pipe Information	<u>on</u>				
Pipe ID: Casing No: Comment: Alt Name:		10870236 1			
Construction F	Record - Casing				
Casing ID: Layer: Material: Open Hole or M Depth From: Depth To: Casing Diamet Casing Diamet Casing Depth (	er: er UOM:	930530743 2 GALVANIZED 9.0 30.0 inch ft			
Construction F	Record - Casing				
Casing ID: Layer: Material: Open Hole or N Depth From: Depth To: Casing Diamet		930530742 1 3 CONCRETE 20.0 30.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DE
Casing Diame Casing Depth		inch ft			
Results of We	ell Yield Testing				
Pumpina Tes	t Method Desc:	BAILER			
Pump Test ID	):	994907105			
Pump Set At:					
Static Level:		20.0			
Final Level A	fter Pumping:	40.0			
	ed Pump Depth:	80.0			
Pumping Rat		5.0			
Flowing Rate	: ed Pump Rate:	10.0			
Levels UOM:	ed Pump Rate:	ft			
Rate UOM:		GPM			
	After Test Code:	1			
Water State A		CLEAR			
Pumping Tes		2			
Pumping Dur		1			
Pumping Dur	ation MIN:	0			
Flowing:		No			
Draw Down 8	Recovery				
Pump Test D	otail ID:	935050097			
Test Type:		Recovery			
Test Duration	,.	60			
Test Level:		32.0			
Test Level UC	ОМ:	ft			
Draw Down &	Recovery				
Pump Test D	etail ID:	934784602			
Test Type:		Recovery			
Test Duration	n:	45			
Test Level:		34.0			
Test Level UC	ОМ:	ft			
Draw Down &	Recovery				
Pump Test D	etail ID:	934255975			
Test Type:		Recovery			
Test Duration	1:	15			
Test Level:		38.0			
Test Level UC	DM:	ft			
Draw Down &	Recovery				
Pump Test D	etail ID:	934530524			
Test Type:		Recovery			
Test Duration	n:	30			
Test Level:		36.0			
Test Level UC	ОМ:	ft			
Water Details	i				
Water ID:		933795153			
		1			
Layer:					
Layer: Kind Code: Kind:		5 Not stated			

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Water Found L Water Found L			90.0 ft				
<u>Links</u>							
Bore Hole ID: Depth M: Year Complete Well Complete Audit No: Path:		10321666 30.48 1989 03/10/1989 47117 490\49071	9		Tag No: Contractor: Latitude: Longitude: Y: X:	4919 43.7178436591833 -79.8506062104777 43.717843657046636 -79.85060605955866	
<u>8</u>	1 of 1		NNE/66.9	259.9 / 0.89	lot 18 con 3 ON		wwi
Well ID: Construction I Use 1st: Use 2nd: Final Well Stat Water Type: Casing Materia Audit No: Tag: Constructn Me Elevation (m): Elevatn Reliab Depth to Bedri Well Depth: Diverburden; Static Water Li Clear/Cloudy: Site Info: PDF URL (Map Additional Det Well Complete Year Complete Year Complete Depth (m):	tus: al: ethod: bilty: ock: eedrock: evel: b): tail(s) (Map	) (	CALEDON TOWN			1 07/30/2001 TRUE 6300 1 PEEL 018 03 HS W	
Latitude: Longitude: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status. Code OB: Code OB Desc	:	-	43.7178783397088 79.851369012499 490\4908803.pdf		Elevation: Elevrc: Zone: East83: North83:	17 592526.00 4841180.00	
Open Hole: Cluster Kind: Date Complete Remarks: Loc Method De Elevrc Desc: Location Sour Improvement I	esc: ·ce Date:		1 from gps		Org CS: UTMRC: UTMRC Desc: Location Method:	3 margin of error : 10 - 30 m gps	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Source Revisi Supplier Com					
<u>Overburden a</u> Materials Inter	<u>nd Bedrock</u> rval				
Formation ID:		932845825			
Layer:		5			
Color: General Color		3 BLUE			
Mat1:		28			
Most Common	n Material:	SAND			
Mat2:		62 CLEAN			
Mat2 Desc: Mat3:		GLEAN			
Mat3 Desc:					
Formation To		73.0			
Formation En		79.0 ft			
Formation En	d Depth UOM:	ц			
<u>Overburden a</u> Materials Inter					
Formation ID:		932845821			
Layer:		1			
Color:		6			
General Color Mat1:	2	BROWN 05			
Most Commo	n Material:	CLAY			
Mat2:					
Mat2 Desc:					
Mat3: Mat3 Desc:					
Formation To	p Depth:	0.0			
Formation En		12.0			
Formation En	d Depth UOM:	ft			
<u>Overburden a</u> Materials Intel					
Formation ID:		932845826			
Layer:		6			
Color: General Color		3 BLUE			
Mat1:	•	05			
Most Commo	n Material:	CLAY			
Mat2:					
Mat2 Desc: Mat3:					
Mat3 Desc:					
Formation To		79.0			
Formation En		86.0			
Formation En	d Depth UOM:	ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID:		932845822			
Layer:		2			
Color: General Color		3 BLUE			
General Color	•	DLUL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1: Most Common Mat2: Mat2 Desc: Mat3:	Material:	05 CLAY			
Mat3 Desc: Formation Top Formation End Formation End	I Depth:	12.0 37.0 ft			
Overburden an Materials Inter					
Formation ID:		932845823			
Layer:		3			
Color:		6 BROWN			
General Color: Mat1:		28			
Most Common	Material:	SAND			
Mat2:	material.	05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top		37.0			
Formation End		51.0			
Formation End	I Depth UOM:	ft			
<u>Overburden an</u> Materials Inter					
Formation ID:		932845824			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common	Material:	CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3: Mat3 Desc:					
Formation Top	Denth:	51.0			
Formation End		73.0			
Formation End		ft			
<u>Annular Space</u> Sealing Record	/Abandonment				
-	<u>-</u>	02222700			
Plug ID:		933222708 1			
Layer: Plug From:		0.0			
Plug To:		55.0			
Plug Depth UO	М:	ft			
<u>Method of Con</u> <u>Use</u>	struction & Well				
Method Constr	ruction ID:	964908803			
	uction Code:	2			
method const					
Method Constr Method Constr		Rotary (Convent.)			

# Pipe Information

• •	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	Ĺ
Pipe ID:		11069293			
asing No:		1			
comment:					
Alt Name:					
Construction R	ecord - Casing				
Casing ID:		930533009			
.ayer: /aterial:		1			
pen Hole or M	latorial:	STEEL			
Depth From:	laterial.	OTELL			
Depth To:					
Casing Diamete	er:	6.0			
Casing Diamete		inch			
Casing Depth U	JOM:	ft			
Construction R	ecord - Casing				
Casing ID:		930533010 2			
.ayer: //aterial:		2			
Open Hole or M	laterial:	STEEL			
Depth From:		01222			
Depth To:					
Casing Diamete		5.0			
Casing Diamete		inch			
Casing Depth L	JOM:	ft			
Construction R	ecord - Screen				
Screen ID:		933401230			
.ayer: Slot:		1 006			
Soreen Top Dej	nth.	74.0			
Screen End De		78.0			
Screen Materia					
Screen Depth L		ft			
Screen Diamete		inch			
Screen Diamete	er:	6.0			
Results of Well	Yield Testing				
Pumping Test I	Method Desc:	PUMP			
Pump Test ID:		994908803			
Pump Set At: Static Level:		41.0			
Final Level Afte	er Pumpina:	-1.V			
Recommended					
Pumping Rate:		4.0			
lowing Rate:					
Recommended	Pump Rate:				
evels UOM:		ft			
ate UOM: Vater State Aft	or Tost Code	GPM			
vater State Aft Vater State Aft					
Pumping Test I		1			
Pumping Durat		10			
Pumping Durat		0			
lowing:		No			
		vironmental Risk Info			Order No: 2307130042

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Water Details						
Water ID: Layer: Kind Code: Kind: Water Found D Water Found D		934012943 1 FRESH 73.0 ft				
<u>Links</u>						
Bore Hole ID: Depth M: Year Complete Well Complete Audit No: Path:	26.2 200 d Dt: 05/1 219	20723 2128 11 18/2001 347 \\4908803.pdf		Tag No: Contractor: Latitude: Longitude: Y: X:	6300 43.7178783397088 -79.8513690124991 43.71787833853611 -79.8513688619397	
<u>9</u>	1 of 1	NNE/79.3	259.9 / 0.89	lot 18 con 3 ON		www
Well ID: Construction I Use 1st: Use 2nd: Final Well Statt Water Type: Casing Materia Audit No: Tag: Constructn Me Elevation (m): Elevatin Reliab Depth to Bedro Well Depth: Overburden/Be Pump Rate: Static Water Le Clear/Cloudy: Municipality: Site Info: PDF URL (Map	Date: Don 0 us: Wat al: 624 ethod: ilty: pock: edrock: evel:	CALEDON TOWN			1 10/20/1989 TRUE 4919 1 PEEL 018 03 HS W	
Additional Deta	-					
Well Complete Year Complete Depth (m): Latitude: Longitude: Path:	d Date:	07/20/1989 1989 18.288 43.717542057164 -79.85195268794 490\4907178.pdf				
Bore Hole Info	rmation					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc Open Hole: Cluster Kind:		21738		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC:	17 592479.50 4841142.00 3	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Date Complete Remarks:	d: 07/20/*	1989		UTMRC Desc: Location Method:	margin of error : 10 - 30 m gps	
Loc Method De	sc.	from gps		Location method.	gps	
Elevrc Desc:	.30.	nom gpo				
Location Source	ce Date:					
	ocation Source:					
	ocation Method:					
Source Revisio						
Supplier Com	nent:					
<u>Overburden an</u> Materials Inter						
Formation ID:		932057166				
Layer:		2				
Color:		6				
General Color:		BROWN				
Mat1:		05				
Most Common	Material:	CLAY				
Mat2:						
Mat2 Desc:						
Mat3:		73				
Mat3 Desc:	Dawth	HARD				
Formation Top		1.0				
Formation End Formation End	Depth:	20.0 ft				
Formation End	Depth UOM:	it.				
<u>Overburden an</u> Materials Inter						
Formation ID:		932057168				
Layer:		4				
Color:		2				
General Color:		GREY				
Mat1:		11				
Most Common	Material:	GRAVEL				
Mat2:						
Mat2 Desc:						
Mat3:		77				
Mat3 Desc:		LOOSE				
Formation Top	Depth:	55.0				
Formation End		60.0 ft				
Formation End	Depth UOM:	it.				
<u>Overburden an</u> <u>Materials Inter</u>	<u>nd Bedrock</u> val					
Formation ID:		932057167				
Layer:		3				
Color:		2				
General Color:		GREY				
Mat1:		05				
Most Common	waterial:	CLAY				
Mat2:						
Mat2 Desc: Mat3:		73				
		73 HARD				
Mat3 Desc:	Donth:	10.0				
Formation Top Formation End	Depth.	20.0 55.0				
Formation End		55.0 ft				
		it				

## Overburden and Bedrock

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Materials Inter	rval				
Formation ID: Layer: Color: General Color Mat1: Most Commol Mat2: Mat2 Desc:	:	932057165 1 6 BROWN 02 TOPSOIL			
<i>Mat3: Mat3 Desc: Formation Toj Formation End Formation End</i>	d Depth:	73 HARD 0.0 1.0 ft			
<u>Method of Col Use</u>	nstruction & Well				
Method Const Method Const Method Const Other Method	truction Code:	964907178 6 Boring			
<u>Pipe Informati</u>	i <u>on</u>				
Pipe ID: Casing No: Comment: Alt Name:		10870308 1			
<u>Construction</u>	<u> Record - Casing</u>				
Casing ID: Layer: Material: Open Hole or Depth From: Depth To: Casing Diame Casing Diame Casing Depth	ter: ter UOM:	930530850 1 3 CONCRETE 30.0 30.0 inch ft			
<u>Construction</u>	Record - Casing				
Casing ID: Layer: Material: Open Hole or Depth From: Depth To: Casing Diame Casing Diame Casing Depth	ter: ter UOM:	930530851 2 2 GALVANIZED 60.0 30.0 inch ft			
Results of We	ll Yield Testing				
Pumping Test Pump Test ID Pump Set At: Static Level: Final Level Af		BAILER 994907178 10.0 20.0			

Мар Кеу	Number Records		ion/ Elev ce (m) (m)	ı/Diff Site	DB
Recommende					
Pumping Rate		10.0			
Flowing Rate					
Recommende Levels UOM:	ed Pump Ra				
Rate UOM:		ft GPM			
Water State A	ftor Tost Co				
Water State A		ue.			
Pumping Tes		2			
Pumping Dur		-			
Pumping Dur		0			
Flowing:		No			
<u>Draw Down &amp;</u>	Recovery				
Pump Test De	etail ID:	93505056	9		
Test Type:		Recovery	-		
Test Duration	n:	60			
Test Level:		12.0			
Test Level UC	ОМ:	ft			
<u>Draw Down 8</u>	Recovery				
Pump Test D	atail ID:	93453057	n		
Test Type:		Recovery	0		
Test Duration	,.	30			
Test Level:		16.0			
Test Level UC	ОМ:	ft			
	-				
<u>Draw Down &amp;</u>	Recovery				
Pump Test D	etail ID:	93478464	6		
Test Type:		Recovery			
Test Duration	n:	45			
Test Level:		14.0			
Test Level UC	OM:	ft			
Draw Down &	Recovery				
Pump Test D	etail ID:	93425645	1		
Test Type:		Recovery			
Test Duration	n:	15			
Test Level:		18.0			
Test Level UC	OM:	ft			
<u>Water Details</u>	I				
Water ID:		93379524	0		
Layer:		1	-		
Kind Code:		5			
Kind:		Not stated			
Water Found Water Found		55.0 : ft			
<u>Links</u>					
Bore Hole ID:		10321738		Tag No:	
Depth M:		18.288		Contracto	<b>r:</b> 4919
Year Complet		1989		Latitude:	43.7175420571644
Well Complet		07/20/1989		Longitude	
		62476		Y:	43.71754205545755

Order No: 23071300429

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Path:		490\4907	178.pdf		Х:	-79.85195253764839	
<u>10</u>	1 of 1		NE/102.1	259.9 / 0.89	lot 18 con 2 ON		WWIS
Well ID: Construction Use 1st: Use 2nd: Final Well Sta Water Type: Casing Mater Audit No: Tag: Constructn M Elevation (m) Elevatn Relia Depth to Bed	atus: rial: Method: ): abilty:	4905551 Domestic 0 Water Su			Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession:	1 11/23/1979 TRUE 3637 1 PEEL 018 02	
Well To Bea Well Depth: Overburden/I Pump Rate: Static Water I Clear/Cloudy Municipality: Site Info:	Bedrock: Level: /:		CALEDON TOWN	I (CHINGUACOUS	Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	HS W	
PDF URL (Ma	ap):		https://d2khazk8e	83rdv.cloudfront.ne	t/moe_mapping/downloads	s/2Water/Wells_pdfs/490\4905551.pdf	f
Additional De Well Complet Year Comple Depth (m): Latitude: Longitude: Path:	ted Date:	-	07/20/1978 1978 20.4216 43.718254386885 -79.85026317637 490\4905551.pdf				
Bore Hole Inf Bore Hole ID: DP2BR: Spatial Statu: Code OB: Code OB Des Open Hole:	: is: sc:	10320279	9		Elevation: Elevrc: Zone: East83: North83: Org CS:	17 592614.50 4841223.00	
Cluster Kind: Date Comple Remarks: Loc Method I Elevrc Desc: Location Sou Improvement Improvement Source Revis Supplier Con	eted: Desc: urce Date: t Location t Location sion Comm	Method:		UTM Rel Code 5: n	UTMRC: UTMRC Desc: Location Method: nargin of error : 100 m - 300	5 margin of error : 100 m - 300 m p5 ) m	
<u>Overburden a</u> Materials Inte		<u>ck</u>					
Formation ID Layer: Color:			932050402 1 6				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DE
General Color	:	BROWN			
Mat1: Most Commor	n Material:	02 TOPSOIL			
Mat2:					
Mat2 Desc: Mat3:					
Mat3 Desc:					
Formation Top	o Depth:	0.0			
Formation End		1.0			
Formation End	a Depth UOM:	ft			
<u>Overburden al</u> Materials Inter					
Formation ID:		932050403			
Layer:		2			
Color:	_	6 RROW(N			
General Color. Mat1:	:	BROWN 05			
Most Commor	n Material:	CLAY			
Mat2:		73			
Mat2 Desc: Mat3:		HARD			
Mat3 Desc:					
Formation Top	o Depth:	1.0			
Formation End		10.0			
Formation End	a Depth UOM:	ft			
<u>Overburden al</u> <u>Materials Inter</u>					
Formation ID:		932050405			
Layer:		4			
Color: General Color	_	2 GREY			
Mat1:	•	05			
Most Commor	n Material:	CLAY			
Mat2:		28			
Mat2 Desc: Mat3:		SAND 74			
Mat3 Desc:		LAYERED			
Formation Top		45.0			
Formation End	d Depth:	67.0			
Formation End	a Depth UOM:	ft			
<u>Overburden al</u> Materials Inter					
Formation ID:		932050404			
Layer: Color:		3 3			
General Color	:	BLUE			
Mat1:	-	05			
Most Common	n Material:	CLAY			
Mat2: Mat2 Desc:		06 SILT			
Mat2 Desc. Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top		10.0			
Formation End Formation End	a Depth: d Depth LIOM·	45.0 ft			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Method of Co Use	nstruction & Well					
Method Cons	truction Code:	964905551 6 Boring				
<u>Pipe Informat</u>	ion					
Pipe ID: Casing No: Comment: Alt Name:		10868849 1				
<u>Construction</u>	Record - Casing					
Casing ID: Layer: Material: Open Hole or Depth From: Depth To: Casing Diame Casing Diame Casing Depth	eter: eter UOM:	930528468 1 3 CONCRETE 67.0 30.0 inch ft				
<u>Results of We</u>	ell Yield Testing					
Pump Test ID Pump Set At: Static Level: Final Level At Recommende Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Water State A Pumping Tes Pumping Dur Flowing:	fter Pumping: ad Pump Depth: a: ad Pump Rate: fter Test Code: fter Test: t Method: ation HR: ation MIN:	BAILER 994905551 12.0 29.0 64.0 14.0 ft GPM 2 1 0 No				
<u>Draw Down &amp;</u>	-	004507445				
Pump Test De Test Type: Test Duration Test Level: Test Level UC	:	934527115 Draw Down 30 21.0 ft				
<u>Draw Down &amp;</u>	Recovery					
Pump Test De Test Type: Test Duration Test Level: Test Level UC	:	934781227 Draw Down 45 25.0 ft				
44	erisinfo.com   Env	ironmental Risk Info	rmation Service	9S	Or	der No: 23071300429

### Draw Down & Recovery

Pump Test Detail ID:	935046212
Test Type:	Draw Down
Test Duration:	60
Test Level:	29.0
Test Level UOM:	ft

### Draw Down & Recovery

Pump Test Detail ID:	934261375
Test Type:	Draw Down
Test Duration:	15
Test Level:	17.0
Test Level UOM:	ft

#### Water Details

Water ID:	933793582
Layer:	2
Kind Code:	1
Kind:	FRESH
Water Found Depth:	67.0
Water Found Depth UOM:	ft

### Water Details

Water ID:	933793581
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	45.0
Water Found Depth UOM:	ft

### <u>Links</u>

Bore Hole ID:	10320279	Tag No:	
Depth M:	20.4216	Contractor:	3637
Year Completed:	1978	Latitude:	43.7182543868853
Well Completed Dt:	07/20/1978	Longitude:	-79.8502631763743
Audit No:		Y:	43.71825438525335
Path:	490\4905551.pdf	<b>X</b> :	-79.85026302626166

<u>11</u>	1 of 1	NNE/115.3	258.9 / -0.11	12259 CHINGUACOU Caledon ON	ISY RD lot 19 con 2	WWIS
Well ID:		7318206		Flowing (Y/N):		
Constructi	on Date:			Flow Rate:		
Use 1st:		Monitoring		Data Entry Status:		
Use 2nd:				Data Src:		
Final Well	Status:	Abandoned-Other		Date Received:	09/10/2018	
Water Type	e:			Selected Flag:	TRUE	
Casing Ma	terial:			Abandonment Rec:	Yes	
Audit No:		Z271360		Contractor:	7147	
Tag:				Form Version:	7	
Constructr	n Method:			Owner:		
Elevation (	m):			County:	PEEL	
Elevatn Re	liabilty:			Lot:	019	
Depth to B	edrock:			Concession:	02	
Well Depth				Concession Name:	HS W	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		Ľ
Overburden/Bo Pump Rate: Static Water Lo Clear/Cloudy: Municipality: Site Info:		CALEDON TOWN ((	CHINGUACOUSY)	Easting NAD83: Northing NAD83: Zone: UTM Reliability:		
PDF URL (Map	):					
Additional Det	ail(s) (Map)					
Well Complete Year Complete Depth (m): Latitude: Longitude: Path:		43.7184259734182 -79.8512095796644				
<u>Bore Hole Info</u>	<u>rmation</u>					
	:: ed: esc: ce Date: coation Source: coation Method: on Comment: nent: nent: n <u>d Bedrock</u> <u>val</u>	on Water Well Recort	rd	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 592538.00 4841241.00 UTM83 4 margin of error : 30 m - 100 m wwr	
Mat3: Mat3 Desc: Formation Top Formation Enc Formation Enc Annular Space	l Depth: l Depth UOM: :/Abandonment	m				
Sealing Record		1007460600				
Plug ID: Layer:		1007469603 1 0.0 6.099999904632568	2			

Method of Construction & Well Use	
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	1007469602
Pipe Information	
Pipe ID: Casing No: Comment: Alt Name:	1007469595 0
Construction Record - Casing	
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	1007469599 1 5 PLASTIC 0.0 6.0999999904632568 5.0 cm m
Construction Record - Screen	
Screen ID:	1007469600

Screen ID:	1007469600
Layer:	
Slot:	
Screen Top Depth:	
Screen End Depth:	
Screen Material:	
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	

### Water Details

Water ID:	1007469598
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m
-	

## Hole Diameter

Hole ID:	1007469597
Diameter:	
Depth From:	
Depth To:	
Hole Depth UOM:	m
Hole Diameter UOM:	cm

### <u>Links</u>

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Bore Hole ID:		100728731	17		Tag No:	74.47	
Depth M:					Contractor:	7147	
Year Complete					Latitude:	43.7184259734182	
Well Complete	ed Dt:	7074000			Longitude:	-79.8512095796644	
Audit No:		Z271360 731\73182	06 ndf		Y:	43.718425971320976	
Path:		731\73162	06.pui		X:	-79.85120942984301	
<u>12</u>	1 of 1		NNE/121.0	258.9/-0.11	12259 CHINGUACOU Caledon ON	JSY RD lot 19 con 2	WWIS
Well ID:		7318205			Flowing (Y/N):		
Construction L	Date:				Flow Rate:		
Use 1st:		Domestic			Data Entry Status:		
Use 2nd:					Data Src:		
Final Well Stat	tus:	Abandoneo	d-Other		Date Received:	09/10/2018	
Water Type:					Selected Flag:	TRUE	
Casing Materia	al:				Abandonment Rec:	Yes	
Audit No:		Z271376			Contractor:	7147	
Tag:					Form Version:	7	
Constructn Me					Owner:		
Elevation (m):					County:	PEEL	
Elevatn Reliab					Lot:	019	
Depth to Bedro	ock:				Concession:	02	
Nell Depth:					Concession Name:	HS W	
Overburden/B	edrock:				Easting NAD83:		
Pump Rate:					Northing NAD83:		
Static Water Lo	evel:				Zone:		
Clear/Cloudy:					UTM Reliability:		
<i>Municipality:</i> Site Info:		(	CALEDON TOWN (	CHINGUACOUSY)			
PDF URL (Map	<i>)):</i>						
Additional Det	tail(s) (Map	لل ال					
Well Complete Year Complete							
Depth (m):			10 7404544000040				
Latitude:			13.7184541026242				
Longitude: Path:		-	79.8513207698315				
Bore Hole Info	ormation						
Bore Hole ID:		100728731	14		Elevation:		
DP2BR:					Elevrc:		
Spatial Status:	:				Zone:	17	
Code OB:					East83:	592529.00	
Code OB Desc	):				North83:	4841244.00	
Open Hole:					Org CS:	UTM83	
Cluster Kind:	- <i>d</i> -				UTMRC:	4 margin of arror : 20 m 100 m	
Data Commit- 1-	ed:				UTMRC Desc:	margin of error : 30 m - 100 m	
•			on Water Well Reco	rd	Location Method:	wwr	
Remarks:		C	on water well Reco	ra			
Remarks: Loc Method De Elevrc Desc:							
Remarks: Loc Method De Elevrc Desc: Location Sourc	ce Date:						
Date Complete Remarks: Loc Method De Elevrc Desc: Location Sour Improvement I	ce Date: Location S						
Remarks: Loc Method De Elevrc Desc: Location Sourc	ce Date: Location S Location M	lethod:					

### Overburden and Bedrock

	nber of cords	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Materials Interval					
Formation ID: Layer:		1007469584			
Color:					
General Color:					
Mat1:					
Most Common Mate Mat2:	erial:				
Matz: Mat2 Desc:					
Mat2 Desc. Mat3:					
Mat3 Desc:					
Formation Top Dep	th:				
Formation End Dep	oth:				
Formation End Dep	oth UOM:	m			
Annular Space/Aba	ndonment				
Sealing Record	moonment				
Plug ID:		1007469594			
Layer:		4			
Plug From:		29.0			
Plug To:		29.79999923706054	7		
Plug Depth UOM:		m			
<u>Annular Space/Aba</u> <u>Sealing Record</u>	ndonment				
Plug ID:		1007469591			
Layer:		1			
Plug From:		0.0			
Plug To: Plug Depth UOM:		2.200000047683716 m			
<u>Annular Space/Aba</u> <u>Sealing Record</u>	ndonment				
-					
Plug ID:		1007469593			
Layer:		3	4		
Plug From: Plug To:		2.599999904632568 29.0	4		
Plug Depth UOM:		m			
<u>Annular Space/Aba</u> <u>Sealing Record</u>	ndonment				
		1007100500			
Plug ID:		1007469592			
Layer: Plug From:		2 2.200000047683716			
Plug To:		2.599999904632568			
Plug Depth UOM:		m			
<u>Method of Construc</u> <u>Use</u>	ction & Well				
Method Construction Method Construction Method Construction Other Method Construction	on Code: on:	1007469590			
Pipe Information					

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Pipe ID: Casing No: Comment: Alt Name:			1007469583 0				
Construction	Record - C	asing					
Casing ID: Layer: Material: Open Hole or Depth From: Depth To: Casing Diame Casing Diame Casing Depth	eter: eter UOM:		1007469587 1 1 STEEL 0.0 29.799999237060 90.0 cm m	547			
<b>Construction</b>	Record - S	<u>creen</u>					
Screen ID: Layer: Slot: Screen Top D Screen End D Screen Mater Screen Depth Screen Diame Screen Diame	Depth: Depth: ial: n UOM: eter UOM:		1007469588 m cm				
Water Details	I						
Water ID: Layer: Kind Code: Kind: Water Found Water Found			1007469586 m				
Hole Diamete	r						
Hole ID: Diameter: Depth From: Depth To: Hole Depth U	OM:		1007469585 m				
Hole Diamete			cm				
<u>Links</u>							
Bore Hole ID: Depth M: Year Complet Well Complet Audit No: Path:	ted:	10072873 Z271376 731\73182			Tag No: Contractor: Latitude: Longitude: Y: X:	7147 43.7184541026242 -79.8513207698315 43.71845410148733 -79.85132061967771	
<u>13</u>	1 of 1		NNE/133.5	258.9/-0.11	lot 18 con 2 ON		WW

```
50
```

erisinfo.com | Environmental Risk Information Services

Map Key Num Reco	ber of ords	Direction/ Distance (m)	Elev/Diff (m)	Site		
Construction Date:				Flow Rate:		
Use 1st:	Domestic			Data Entry Status:		
Use 2nd:				Data Src:	1	
Final Well Status:	Water Su	pply		Date Received:	09/12/1995	
Nater Type:				Selected Flag:	TRUE	
Casing Material:				Abandonment Rec:		
Audit No:	159776			Contractor:	3132	
Tag:				Form Version:	1	
Constructn Method:				Owner:		
Elevation (m):				County:	PEEL	
Elevatn Reliabilty:				Lot:	018	
Depth to Bedrock:				Concession:	02	
Nell Depth:				Concession Name:	HS W	
Overburden/Bedrock	c:			Easting NAD83:		
Pump Rate:				Northing NAD83:		
Static Water Level:				Zone:		
Clear/Cloudy:				UTM Reliability:		
Municipality:		CALEDON TOWN (	CHINGUACOUS			
Site Info:		(		,		
PDF URL (Map):		https://d2khazk8e83	rdv.cloudfront.ne	et/moe_mapping/downloads	s/2Water/Wells_pdfs/490\4908031.pdf	
Additional Detail(s) (	<u>Map)</u>					
Well Completed Date	):	05/31/1995				
Year Completed:		1995				
Depth (m):		41.4528				
Latitude:		43.7184927929515				
Longitude:		-79.8515869357466	i			
Path:		490\4908031.pdf				
Bore Hole Informatic	<u>on</u>					
Bore Hole ID:	10322590	)		Elevation:		
DP2BR:				Elevrc:		
Spatial Status:				Zone:	17	
Code OB:				East83:	592507.50	
Code OB Desc:				North83:	4841248.00	
Open Hole:				Org CS:		
Cluster Kind:				UTMRC:	3	
Date Completed:	05/31/199	95		UTMRC Desc:	margin of error : 10 - 30 m	
Remarks:	00,01,100	-		Location Method:	gps	
Loc Method Desc:		from gps		Looution motiou.	34.2	
Elevrc Desc:						
Location Source Dat	e.					
mprovement Location						
mprovement Locatio						
Source Revision Cor						
Source Revision Cor Supplier Comment:	innent.					
<u>Overburden and Bea</u> Materials Interval	lrock					
Formatic - 1D		022064522				
Formation ID:		932061529				
Layer:		4				
Color:		7				
General Color:		RED				
Nat1:		05				
Most Common Mater	rial:	CLAY				
Mat2:		12				
		STONES				
		STONES				
Mat2 Desc: Mat3: Mat3 Desc:		66 DENSE				

	Distance (m)	(m)	
Formation Top Depth: Formation End Depth: Formation End Depth UOM:	111.0 118.0 ft		
Overburden and Bedrock			
<u>Materials Interval</u>			
Formation ID:	932061526		
Layer: Color:	1 6		
General Color:	BROWN		
Mat1:	05		
Most Common Material:	CLAY		
Mat2: Mat2 Deces	12 STONES		
Mat2 Desc: Mat3:	510NE5 66		
Mat3. Mat3 Desc:	DENSE		
Formation Top Depth:	0.0		
Formation End Depth:	5.0		
Formation End Depth UOM:	ft		
<u>Overburden and Bedrock</u> Materials Interval			
Formation ID:	932061528		
Layer:	3		
Color:	3		
General Color:	BLUE		
Mat1: Most Common Material:	05 CLAY		
Mat2:	12		
Mat2 Desc:	STONES		
Mat3:	66		
Mat3 Desc:	DENSE		
Formation Top Depth: Formation End Depth:	14.0 111.0		
Formation End Depth UOM:	ft		
<u>Overburden and Bedrock</u> Materials Interval			
Formation ID:	932061527		
Layer:	2		
Color:	2		
General Color:	GREY		
Mat1: Most Common Material:	05 CLAY		
Mat2:	12		
Mat2 Desc:	STONES		
Mat3:	66		
Mat3 Desc:	DENSE		
Formation Top Depth:	5.0 14.0		
Formation End Depth: Formation End Depth UOM:	ft		
<u>Overburden and Bedrock</u> Materials Interval			
Formation ID:	932061530		
Layer:	5		
Color:	7		
General Color:	RED		
	nvironmental Risk Info		Order No: 23071300429

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		17			
Most Commo	on Material:	SHALE			
Mat2: Mat2 Desc:		85 SOFT			
Mat2 Desc. Mat3:		3011			
Mat3 Desc:					
Formation To		118.0			
Formation Er	nd Depth:	126.0			
Formation Er	nd Depth UOM:	ft			
<u>Overburden a</u> Materials Inte					
Formation ID	):	932061531			
Layer:		6			
Color:		7			
General Colo	or:	RED			
Mat1: Most Commo	n Mətorial:	17 SHALE			
Mat2:	ni malellal.	73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation To	op Depth:	126.0			
Formation E		136.0			
Formation El	nd Depth UOM:	ft			
<u>Annular Spaces Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID:		933170721			
Layer:		1			
Plug From:		0.0			
Plug To:		16.0			
Plug Depth U	IOM:	ft			
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons	struction ID:	964908031			
	struction Code:	1			
Method Cons Other Method	struction: d Construction:	Cable Tool			
<u>Pipe Informa</u>	<u>tion</u>				
Pipe ID:		10871160			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction</u>	Record - Casing				
Casing ID:		930532039			
Layer:		1			
Material:		1			
Open Hole of		STEEL			
Depth From:		126.0			
Depth To: Casing Diam	eter.	126.0 6.0			
Casing Diam	eter UOM:	inch			
Casing Dept	h UOM:	ft			
5 1/1					

# Construction Record - Casing

Casing ID:	930532040
Layer:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	136.0
Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Results of Well Yield Testing

Pumping Test Method Desc:	PUMP
Pump Test ID:	994908031
Pump Set At:	
Static Level:	24.0
Final Level After Pumping:	65.0
Recommended Pump Depth:	75.0
Pumping Rate:	10.0
Flowing Rate:	
Recommended Pump Rate:	10.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	4
Pumping Duration MIN:	0
Flowing:	No

# Draw Down & Recovery

Pump Test Detail ID:	934533230		
Test Type:	Draw Down		
Test Duration:	30		
Test Level:	65.0		
Test Level UOM:	ft		

### Draw Down & Recovery

Pump Test Detail ID:	935044066
Test Type:	Draw Down
Test Duration:	60
Test Level:	65.0
Test Level UOM:	ft

# Draw Down & Recovery

Pump Test Detail ID:	934786888
Test Type:	Draw Down
Test Duration:	45
Test Level:	65.0
Test Level UOM:	ft

# Draw Down & Recovery

Pump Test Detail ID:	
Test Type:	

934258710 Draw Down

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DI
Test Duration: Test Level: Test Level UO			15 49.0 ft				
Water Details							
Water ID: Layer: Kind Code: Kind: Water Found I Water Found I			933796151 1 1 FRESH 129.0 ft				
Links							
Bore Hole ID: Depth M: Year Complete Well Complete Audit No: Path:		10322590 41.4528 1995 05/31/199 159776 490\49080	5		Tag No: Contractor: Latitude: Longitude: Y: X:	3132 43.7184927929515 -79.8515869357466 43.71849279108129 -79.85158678591665	
<u>14</u>	1 of 1		E/150.5	258.9/-0.11	ON		WWI.
Well ID: Construction I Use 1st: Use 2nd: Final Well Star Water Type: Casing Materi Audit No: Tag: Constructn Me Elevatin (m): Elevatn Reliak Depth to Bedr Well Depth: Overburden/B Pump Rate: Static Water L Clear/Cloudy: Municipality: Site Info: PDF URL (Mag	tus: ial: ethod: bilty: rock: Bedrock: .evel:	7308420 C41603 A239967	CALEDON TOWN	(CHINGUACOUSY	Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	Yes 03/22/2018 TRUE 7230 8 PEEL	
Additional Det	<u>tail(s) (Map</u>	)					
Well Complete Year Complete Depth (m): Latitude: Longitude: Path:			12/08/2017 2017 43.7144021565075 -79.850405111155				
Bore Hole Info	ormation						
Bore Hole ID: DP2BR: Spatial Status	::	10070092	66		Elevation: Elevrc: Zone:	17	

55

Map Key	Numbei Record		Direction/ Distance (m	Elev/Diff ) (m)	Site		DI
Code OB: Code OB Des Open Hole: Cluster Kind: Date Complet Remarks: Loc Method I Elevrc Desc: Location Sou Improvement Source Revis Supplier Com	ted: Desc: rce Date: Location I Location I ion Comm	Source: Method:	on Water Well Re	ecord	East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	592609.00 4840795.00 UTM83 4 margin of error : 30 m - 100 m wwr	
<u>Links</u>							
Bore Hole ID: Depth M: Year Complet Well Complet Audit No: Path:	ted:	100700926 2017 12/08/2017 C41603			Tag No: Contractor: Latitude: Longitude: Y: X:	A239967 7230 43.7144021565075 -79.8504051111558 43.71440215548282 -79.85040496127509	
<u>15</u>	1 of 1		NE/170.3	259.9 / 0.89	lot 18 con 2 ON		ww
Well ID: Construction Use 1st: Use 2nd: Final Well Sta Water Type: Casing Mater Audit No: Tag: Constructn M Elevation (m) Elevation (m) Site Info: PDF URL (Ma)	atus: ial: : bilty: rock: Bedrock: Level:		CALEDON TOW	N (CHINGUACOUS 983rdv.cloudfront.ne		1 11/23/1979 TRUE 3637 1 PEEL 018 02 HS W	
Additional De Well Complet Year Complet Depth (m): Latitude: Longitude: Path:	ed Date:	0 1 2 4	07/25/1978 1978 24.0792 13.71869824897 79.84963397627 190\4905550.pdf	782			
Bore Hole Inf	ormation						
Bore Hole ID: DP2BR:		10320278			Elevation: Elevrc:		

Map Key I I	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		D
Spatial Status:				Zone:	17	
Code OB:				East83:	592664.50	
Code OB Desc:				North83:	4841273.00	
Open Hole:				Org CS:		
Cluster Kind:				UTMRC:	5	
		4070				
Date Completed	<b>1:</b> 07/25/*	1978		UTMRC Desc:	margin of error : 100 m - 300 m	
Remarks:				Location Method:	p5	
Loc Method Des	sc:	Original Pre1985 UT	M Rel Code 5:	margin of error : 100 m - 30	00 m	
Elevrc Desc:		5		5		
Location Source	a Data:					
	ocation Source:					
	ocation Method:					
Source Revisio	n Comment:					
Supplier Comm	ent:					
<u>Overburden and</u> Materials Interva						
	-	022050206				
Formation ID:		932050396				
Layer:		1				
Color:		6				
General Color:		BROWN				
Mat1:		02				
Most Common I	Matorial:	TOPSOIL				
	vialei iai.	TOFSOIL				
Mat2:						
Mat2 Desc:						
Mat3:						
Mat3 Desc:						
Formation Top I	Denth:	0.0				
Formation End		1.0				
Formation End	Depth UOM:	ft				
<u>Overburden and</u> Materials Interva						
Formation ID:		932050398				
Layer:		3				
Color:		3				
General Color:		BLUE				
Mat1:		05				
Most Common I	Material:	CLAY				
Mat2:		06				
Mat2 Desc:		SILT				
Mat3:		85				
Mat3 Desc:		SOFT				
Formation Top I	Depth:	14.0				
Formation End I	Depth:	40.0				
Formation End	Depth UOM:	ft				
<u>Overburden and</u> Materials Interva						
	_					
Formation ID:		932050397				
Layer:		2				
Color:		6				
General Color:		BROWN				
Mat1:		15				
	Matarial					
Most Common I	viaterial:	LIMESTONE				
		73				
Mat2:		HARD				
Mat2: Mat2 Desc:						
Mat2: Mat2 Desc: Mat3:						
Mat2: Mat2 Desc:	Donth	1.0				

Formation End Depth: 14.0 Formation End Depth: UDW: 1 Formation End Depth: UDW: 1 Coverburden and Bedrock Materials Interval Formation ID: 932050400 Layer: 2 General Color: 3 Formation End Depth: 0 Formation Top Depth: 63.0 Formation End Depth: 0 Forma	Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DI
Waterials Interval           Formation ID:         932050400           Layer:         5           Color:         2           General Color:         GREY           Watt:         05           Watt:         05           Watt:         05           Watt:         06           Watt:         080           Formation Top Depth:         63.0           Formation Tor         932050399           Layer:         4           Color:         2           General Color:         6           Golor:         12           Watt:         05           Watt:         04           Watt:         05           Watt:         05           Watt:         05           Watt:         05           Watt:         05							
Formation ID: 932050400 Layer: 6 Goreral Color: 0 General Color: 0 Wast Common Material: 0 Material: 0 Material: 0 Material: 0 Material: 0 Formation Top Depth: 0 Formation Top Depth: 0 Material: 1 Coverburden and Bedrock. Waterials Interval Formation ID: 932050399 Augerial Color: 0 General Color: 0 General Color: 0 Material: 1 Coverburden and Bedrock. Waterials Interval Formation Top Depth: 0 Material: 0 Formation Top Depth: 0 Material: 0 Materials Interval Formation End Depth UOM: 1 Materials Interval Formation End Depth: 0 Materials Interval Formation End Depth: 0 Material: 0 Formation End Depth: 0 Material: 0 Materials Interval Formation End Depth: 0 Formation End Depth: 0 Material: 0 Materials Interval Formation End Depth: 0 Formation End Depth							
Layer:         5           General Color:         2           General Color:         GREY           Mat1:         05           Most Common Material:         CLAY           Mat2:         SLAT           Mat3:         28           Mat3:         SLAT           Mat3:         SAND           Formation Top Depth:         63.0           Formation End Depth:         63.0           General Color:         2           General Color:         6           Color:         2           General Color:         GREY           Mat1:         05           Mat2:         12		<u></u>	022050400				
Color:         2           General Color:         GREY           Matt:         05           Matt:         06           Mat2 Desc:         SLT           Mat3:         28           Formation Top Depth:         63.0           Formation End Depth:         63.0           Formation End Depth:         63.0           Formation ID:         932050399           Layer:         4           Color:         2           General Color:         2           General Color:         2           Mat1:         05           Mat2:         12           Mat2:         2           Mat2:         73           Mat2:         73           Mat2:         63.0           Formation To Depth:         63.0           Formation End Depth:         63.0							
Wat:         05           Wat:         06           Wat:         06           Wat:         06           Wat:         08           Wat:         28           Wat:         28           Wat:         00           Formation Top Depth:         63.0           Formation Top Depth:         63.0           Formation End Depth:         63.0           Formation End Depth:         63.0           Formation ID:         932050399           Layer:         4           Color:         2           General Color:         6           Seneral Color:         2           General Color:         6           Wat:         05           Wat:         05           Wat:         05           Wat:         12           Wat:         12           Wat:         12           Wat:         12           Wat:         13           Wat:         13           Wat:         14           Wat:         14           Wat:         15           Wat:         14           Wat:							
Wasi:CLAYWasi:06Wasi:28Wasi:28Wasi:28Wasi:28Wasi:30Formation End Depth:69.0Formation End Depth:69.0Formation End Depth:70Verburden and Bedrock.Wasterials Interval932050399Layer:4Solor:2Solor:2Solor:2Solor:4Otor:05Wast:05Wast:05Wast:05Wast:70Solor:12Verburden and Bedrock.12Wast:05Wast:73Wast:70Desc:310NESWast:70Sormation Daphi:40.0Formation End Depth:63.0Formation End Depth:65Wast:05Solor:2SecenceSoloSolor:2SecenceSoloSolor:2SecenceSoloSolor:2SecenceSoloSolor:2SecenceSoloSolor:2SecenceSoloSolor:2 <td>General Color.</td> <td>:</td> <td></td> <td></td> <td></td> <td></td> <td></td>	General Color.	:					
MarziO6Marzi Desci:SIL TMarzi Casci:SANDFormation Top Depth:63.0Formation End Depth:69.0Formation End Depth:69.0Formation ID:932050399Layre:420/or:2Seneral Color:64.7Marzi:CLAYMarzi:CLAYMarzi:12Seneral Color:64.7Marzi:CLAYMarzi:CLAYMarzi:73Marzi:73Marzi:73Marzi:63.0Formation End Depth:63.0Formation End Depth:63.0Formation End Depth:63.0Formation End Depth:63.0Formation End Depth:63.0Formation ID:932050401Layre:6Color:2Seneral Color:6REYMatzi Enterval5Formation ID:932050401Layre:6Color:2Seneral Color:6REYMatri:05Matri:05Color:2Seneral Color:6REYMatri:05Matri:05Matri:05Matri:05Matri:05Matri:05Matri:05Matri:05Matri:05Matri:05Matri:05Matri:05Matri:05 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>							
War2 Desc:SILTWar3 Desc:28War3 Desc:SANDFormation End Depth:63.0Formation End Depth:63.0Formation End Depth:63.0Formation End Depth:63.0Formation End Depth:83.0Formation End Depth:932050399Javer:4Color:2Seneral Color:G REYWar1:05Katz Desc:STONESWar2:12War2:12War3:73War2:12War3:73War3:73War3:73War3:73War3:73War3:73War3:73War3:73War3:63.0Formation End Depth:63.0Formation End Depth:63.0Formation End Depth:63.0Formation ID:932050401Layer:620or:2Seneral Color:6Color:2Seneral Color:6Verburden and Bedrock.12War1:05War2:12Verburden End Depth:65War3:28War3:28War3:28War3:28War3:28War3:28War3:28War3:28War3:28War3:28War3:28War3:28		n Material:					
Wat3:     28       Wat3 Desc:     SAND       Formation Top Depth:     63.0       Formation End Depth:     69.0       Formation End Depth:     1       Descination End Depth:     1       Descination ID:     32050399       Egymeric     4       20/07:     2       Soneral Color:     GREY       Wat1:     05       Wat2:     CLAY       Wat2:     STONES       Wat2:     STONES       Wat3:     7       Operburden and Bedrock:     STONES       Wat2:     STONES       Wat3:     STONES       Wat3:     STONES       Wat3:     STONES       Wat3:     STONES       Wat3:     STONES       Wat2:     STONES       Wat2: <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>							
Ward Desc:     SAND       Formation End Depth:     63.0       Formation End Depth:     69.0       Formation End Depth:     69.0       Formation End Depth:     80.0       Formation End Depth:     832050399       ayer:     4       Solor:     2       Formation ID:     932050399       ayer:     4       Solor:     2       Solor:     2       Solor:     2       Solor:     32050399       ayer:     4       Solor:     2       Solor:     2       Solor:     32050399       ayer:     4       Solor:     2       Solor:     32050399       ayer:     4       Solor:     3       Solor:     GREY       Matri:     0.5       Kost Common Material:     CLAY       Matri Bosc:     HARD       Formation To:     932050401       Solor:     2       Solor:     2       Solor:     2       Solor:     3       Solor:     3       Solor:     3       Formation To:     932050401       Layer:     6       Solor:     2 <tr< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr<>							
Tormation Top Depth:       63.0         Formation Depth:       63.0         Formation End Depth:       63.0         Formation End Depth UOM:       t         Italerials Interval       932050399         Formation ID:       932050399         ayer:       4         Solor:       2         Seneral Color:       GREY         Matt:       05         Most Common Material:       CLAY         Matz:       12         Matz:       12         Matz:       73         Matz:       73         Matz:       63.0         Formation End Depth:       63.0         Formation End Depth:       63.0         Formation End Depth:       63.0         Formation End Depth:       63.0         Formation ID:       932050401         ayer:       6         Solor:       2         Solo							
Formation End Depth UOM:       t         Overburden and Bedrock.       S32050399         Layer:       4         Color:       2         General Color:       GREY         Watt:       05         Watz:       12         Wat2:       12         Wat2:       73         Wat3:       73         Wat4:       63.0         Formation End Depth:       63.0         Formation End Depth UOM:       t         Verburden and Bedrock.       1         Materials Interval       5         Formation ID:       932050401         Layer:       6         Color:       2         General Color:       GREY         Wat1:       05         Wost Common Material:       CLAY         Wat2:       12         Wat2:       12         Wat2:       80.0         Formation Do Depth:       6.0         Color:       28.0     <		o Depth:	63.0				
Duerburden and Bedrock. Materials Interval Formation ID: 932050399 Layer: 4 Color: 2 General Color: 6 General Color: 6 General Color: 7 Wat1: 05 Wost Common Material: 7 Wat2: 12 Wat2: 12 Wat2: 12 Wat3: 7 Wat3: 7 Wat3: 7 Wat3: 7 Wat3: 7 Formation Top Depth: 40.0 Formation End Depth: 6 3.0 Formation End Depth: 6 3.0 Formation End Depth: 6 3.0 Formation End Depth: 6 3.0 Formation ID: 932050401 Layer: 6 Scolor: 6 Scolor: 6 Scolor: 8 Scolor: 9 Scolor:							
Waterials Interval       Formation ID:     932050399       Layer:     4       Color:     2       General Color:     GREY       Wat1:     05       Vost Common Material:     CLAY       Wat2:     12       Wat2:     STONES       Wat3:     STONES       Wat3:     STONES       Wat3:     A0.0       Formation End Depth:     40.0       Formation End Depth:     6.0       Formation End Depth:     6       Color:     2       Serenal Color:     GREY       Wat2:     STONES       Wat2:     STONES       Wat2:     STONES       Wat2:     STONES       Wat2:     STONES       Wat3:     CLAY       Wat2:     STONES       Wat3:     Stones    <	Formation End	d Depth UOM:	ft				
Formation ID: 932050399 ayer: 4 2000: 2 2 Beneral Color:							
Layer:         4           Color:         2           Seneral Color:         GREY           Seneral Color:         GREY           Watt:         05           Wost Common Material:         CLAY           Wat2         12           Wat2 Desc:         STONES           Wat3         73           Wat3         Desc:           Formation Top Depth:         40.0           Formation Top Depth:         63.0           Formation End Depth UOM:         t           Poreburden and Bedrock         Jayer:           Layer:         6           Color:         2           Seneral Color:         GREY           Wat1:         05           Seneral Color:         GREY           Wat2:         12           Value:         12           Value:         12           Wat2:         12           Wat2:         28           Wat3:         28           Wat3:         28           Wat3 Desc:         SAND           Formation End Depth:         79.0           Formation End Depth:         79.0           Formation End Depth:		<u></u>	022050200				
Color:         2           General Color:         GRE Y           Wat1:         05           Wost Common Material:         CLAY           Wat2:         12           Wat2:         STONES           Wat3 Desc:         HARD           Formation Top Depth:         40.0           Formation Top Depth:         40.0           Formation Top Depth:         63.0           Formation End Depth:         63.0           Formation ID:         932050401           Layer:         6           Color:         2           General Color:         GREY           Watri:         05           Most Common Material:         CLAY           Watri:         05           Most Common Material:         CLAY           Watri:         05           Most Common Material:         CLAY           Watri:         05           Most Common Top Depth:         60.0           Formation End Depth:         79.0           Formation End Depth:         79.0           Formation End Depth:         79.0           Formation End Depth:         79.0           Formation End Depth:         6							
General Color:         GREY           Wat1:         05           Wat2:         12           Wat2:         12           Wat2:         12           Wat2:         12           Wat2:         12           Wat2:         13           Wat2:         73           Wat3:         73           Formation Top Depth:         40.0           Formation Top Depth:         63.0           Formation End Depth UOM:         It           Overburden and Bedrock         ************************************							
Wost Common Material:         CLAY           Wat2:         12           Wat2:         STONES           Wat3:         73           Wat3:         73           Wat3:         KARD           Formation Top Depth:         40.0           Formation Top Depth:         63.0           Formation End Depth UOM:         ft           Overburden and Bedrock.         Waterials Interval           Pormation ID:         932050401           Layer:         6           Color:         2           General Color:         GREY           Wat2:         12           Wat3:         28           Mat3 Desc: <t< td=""><td></td><td>:</td><td></td><td></td><td></td><td></td><td></td></t<>		:					
Wat2:12Wat2 Desc:STONESWat3:73Wat3 Desc:HARDFormation Top Depth:63.0Formation End Depth:63.0Formation End DepthtWatarials IntervalFormation ID:932050401Layer:6Color:2General Color:GREYWat205Vat2:12Wat2:28Wat2:28Wat2:28Wat3:28Formation End Depth:6.0Color:2General Color:6Color:2Seneral Color:6Vat2:12Wat2:05Verburden and Bepth:70.0Formation End Depth:70.0Formation End Depth:70.0Formation End Depth:90.0Formation End Depth:90.0Formation End Depth:70.0Formation End Depth:70.0Formation End Depth:70.0Formation End Depth:90.0Formation End Depth:90.0Formation End Depth:70.0Formation End Depth:90.0Formation End Depth:90.0Formation End Depth:90.0Formation End Depth:70.0Formation End Depth:90.0Formation End Depth:90.0Formation End Depth:90.0Formation End Depth:90.0Formation End Depth:90.0Formation End Depth:	Mat1:						
Wat2 Desc:STONESWat373Wat3 Desc:HARDFormation Top Depth:40.0Formation End Depth:63.0Formation End Depth UOM:ftDverburden and Bedrock Waterials Interval932050401Eneration ID:932050401Layer:6Color:2General Color:GREYWat1:05Wost Common Material:CLAYWat2:12Var2:28Mat3 Desc:SANDFormation End Depth UOM:ftWethod Construction ID:964905550Wethod Construction Code:6Wethod Construction:Boring		n Material:					
Wat373Wat3 Desc:HARDFormation Top Depth:40.0Formation End Depth:63.0Formation End Depth UOM:ftDeverburden and Bedrock.Waterials IntervalFormation ID:932050401Layer:6Color:2General Color:GREYWat1:05Most Common Material:12Var2:12Wat3:28Wat3:28Wat3:28Wat3:28Wat3:90.0Formation End Depth:69.0Formation End Depth:79.0Formation End Depth UOM:ftWethod Construction ID:964905550Wethod Construction Code:6Wethod Construction Code:6Wethod Construction Code:6Wethod Construction ID:96490550Wethod Construction ID:96490550Wethod Construction Code:6							
Mat3 Desc:HARDFormation Top Depth:40.0Formation End Depth:63.0Formation End Depth UOM:ttUverburden and Bedrock Materials IntervalFormation ID:932050401Formation ID:932050401Layer:6Color:2General Color:6Mat2:05West Common Material:CLAYMat2:12Mat2:12Mat3 Desc:STONESMat3 Desc:SANDFormation End Depth:69.0Formation End Depth:79.0Formation End Depth:79.0Formation End Depth:69.0Formation End Depth:79.0Formation End Depth:69.0Formation End Depth:79.0Formation End Depth:69.0Formation End Depth:79.0Formation End Depth:79.0Formation End Depth:79.0Formation End Depth:69.0Formation End Depth:79.0Formation End Depth:79.0Formation End Depth:69.0Formation End Depth:79.0Formation End Depth:79.0Formation End Depth:69.0Formation End Depth:69.0 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>							
Formation Top Depth:       40.0         Formation End Depth:       63.0         Formation End Depth UOM:       ft         Overburden and Bedrock.							
Formation End Depth:       63.0         Formation End Depth UOM:       ft         Overburden and Bedrock.		o Depth:					
Overburden and Bedrock.         Materials Interval         Formation ID:       932050401         Layer:       6         Color:       2         General Color:       GREY         Mat1:       05         Most Common Material:       CLAY         Mat2:       12         Mat2:       12         Mat2:       28         Mat3 Desc:       SAND         Formation Top Depth:       69.0         Formation End Depth:       79.0         Formation End Depth:       79.0         Formation End Depth       649005550         Method Construction ID:       964905550         Method Construction Code:       6         Method Construction:       6	Formation End	d Depth:					
Materials Interval         Formation ID:       932050401         Layer:       6         Color:       2         General Color:       GREY         Mat1:       05         Most Common Material:       CLAY         Mat2:       12         Mat3:       28         Mat3:       28         Mat3:       28         Formation Top Depth:       69.0         Formation End Depth:       79.0         Formation End Depth:       79.0         Formation End Depth UOM:       tt         Method Construction & Well       Vertice         Use       964905550         Method Construction Code:       6         Method Construction:       Boring	Formation End	d Depth UOM:	ft				
Layer:6Color:2General Color:GREYMat1:05Most Common Material:CLAYMat2:12Mat2 Desc:STONESMat3:28Mat3 Desc:SANDFormation Top Depth:69.0Formation End Depth79.0Formation End Depth UOM:ftMethod Construction ID:964905550Method Construction Code:6Method Construction:Boring							
Layer:6Color:2General Color:GREYMat1:05Most Common Material:CLAYMat2:12Mat2 Desc:STONESMat3:28Mat3 Desc:SANDFormation Top Depth:69.0Formation End Depth79.0Formation End Depth UOM:ftMethod Construction ID:964905550Method Construction Code:6Method Construction:Boring	Formation ID:		932050401				
Color:2General Color:GREYMat1:05Most Common Material:CLAYMat2:12Mat2:STONESMat3:28Mat3 Desc:SANDFormation Top Depth:69.0Formation End Depth:79.0Formation End Depth UOM:ftMethod Construction & Well Use964905550Method Construction Code:6Method Construction:Boring							
Mat1:       05         Most Common Material:       CLAY         Mat2:       12         Mat2 Desc:       STONES         Mat3:       28         Mat3 Desc:       SAND         Formation Top Depth:       69.0         Formation End Depth:       79.0         Formation End Depth UOM:       ft         Method of Construction & Well       Use         Method Construction ID:       964905550         Method Construction Code:       6         Method Construction:       Boring							
Wost Common Material:CLAYMat2:12Mat2 Desc:STONESMat3:28Mat3 Desc:SANDFormation Top Depth:69.0Formation End Depth:79.0Formation End Depth UOM:ftMethod of Construction & Well UseSampVethod Construction ID:964905550Method Construction:6		:	-				
Mat2:12Mat2 Desc:STONESMat3:28Mat3 Desc:SANDFormation Top Depth:69.0Formation End Depth:79.0Formation End Depth UOM:ftMethod of Construction & WellSameUse964905550Method Construction Code:6BoringBoring		Matarial					
Mat2 Desc:STONESMat3:28Mat3 Desc:SANDFormation Top Depth:69.0Formation End Depth:79.0Formation End Depth UOM:ftMethod of Construction & Well UseSeconstruction ID:Method Construction ID:964905550Method Construction:Boring	·	i Wateriai:					
Wat3:       28         Wat3 Desc:       SAND         Formation Top Depth:       69.0         Formation End Depth:       79.0         Formation End Depth UOM:       ft         Wethod of Construction & Well       Value         Use       964905550         Wethod Construction Code:       6         Wethod Construction:       Boring							
Formation Top Depth:       69.0         Formation End Depth:       79.0         Formation End Depth UOM:       ft         Method of Construction & Well       Vell         Use       Vethod Construction ID:       964905550         Method Construction Code:       6         Method Construction:       Boring							
Formation End Depth:       79.0         Formation End Depth UOM:       ft         Method of Construction & Well	Mat3 Desc:		SAND				
Formation End Depth UOM:       ft         Method of Construction & Well       State         Use       State         Method Construction ID:       964905550         Method Construction Code:       6         Method Construction:       Boring							
Method of Construction & Well         Use         Method Construction ID:       964905550         Method Construction Code:       6         Method Construction:       Boring							
Use         Method Construction ID:       964905550         Method Construction Code:       6         Method Construction:       Boring	Formation End	d Depth UOM:	π				
Method Construction Code:     6       Method Construction:     Boring		nstruction & Well					
Method Construction: Boring							
			Doning				
58 erisinfo.com   Environmental Risk Information Services Order No: 2307130			vironmental Dials late	rmation Samilar		Order No: 2307130	040

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe Informa	<u>tion</u>				
Pipe ID: Casing No: Comment: Alt Name:		10868848 1			

# Construction Record - Casing

Casing ID:	930528467
Layer:	3
Material:	2
Open Hole or Material:	GALVANIZED
Depth From:	
Depth To:	79.0
Casing Diameter:	21.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

### **Construction Record - Casing**

Casing ID: Layer:	930528466 2
Material:	2
Open Hole or Material:	GALVANIZED
Depth From:	
Depth To:	69.0
Casing Diameter:	32.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

### Construction Record - Casing

Casing ID: Layer: Material:	930528465 1 3
Open Hole or Material: Depth From:	CONCRETE
Depth To:	66.0
Casing Diameter:	30.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Results of Well Yield Testing

Pumping Test Method Desc: Pump Test ID: Pump Set At:	BAILER 994905550
Static Level:	13.0
Final Level After Pumping:	65.0
Recommended Pump Depth:	65.0
Pumping Rate:	8.0
Flowing Rate:	
Recommended Pump Rate:	4.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	2
Water State After Test:	CLOUDY
Pumping Test Method:	2
Pumping Duration HR:	99
Pumping Duration MIN:	59
Flowing:	No

59

# Draw Down & Recovery

Pump Test Detail ID:	934527114
Test Type:	Draw Down
Test Duration:	30
Test Level:	19.0
Test Level UOM:	ft

# Draw Down & Recovery

Pump Test Detail ID:	934781226
Test Type:	Draw Down
Test Duration:	45
Test Level:	21.0
Test Level UOM:	ft

# Draw Down & Recovery

Pump Test Detail ID:	935046211
Test Type:	Draw Down
Test Duration:	60
Test Level:	24.0
Test Level UOM:	ft

### Draw Down & Recovery

Pump Test Detail ID:	934261374
Test Type:	Draw Down
Test Duration:	15
Test Level:	16.0
Test Level UOM:	ft

# Water Details

Water ID:	933793580
Layer:	2
Kind Code:	1
Kind:	FRESH
Water Found Depth:	74.0
Water Found Depth UOM:	ft

# Water Details

Water ID:	933793579
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	63.0
Water Found Depth UOM:	ft

# <u>Links</u>

Bore Hole ID:	10320278	Tag No:	
Depth M:	24.0792	Contractor:	3637
Year Completed:	1978	Latitude:	43.7186982489715
Well Completed Dt:	07/25/1978	Longitude:	-79.8496339762782
Audit No:		Y:	43.71869824704429
Path:	490\4905550.pdf	X:	-79.84963382573584

Map Key	Numbe Record			Elev/Diff (m)	Site		DB
<u>16</u>	1 of 1	S/225.2	:	257.9/-1.11	1760 Mayfield Rd Caledon ON L7C0Y8		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional In	: /ed: te Name: g Size:	20151020112 C Standard Report 27-OCT-15 20-OCT-15			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.85293 43.711073	
<u>17</u>	1 of 1	ESE/22	8.1 2	257.6 / -1.36	1890 Mayfield Rd Caledon ON L7C0Y8		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional I	: /ed: te Name: g Size:	20151019001 C Standard Report 23-OCT-15 19-OCT-15			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.850552 43.71316	

# Unplottable Summary

# Total: 18 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
AGR	LAFARGE CANADA INC.	Lot Pt Lot 18 & 19, Con 2 WHS	CALEDON ON	
СА		Mayfield Road	Caledon ON	
EBR	Lafarge Canada Inc.,	Part of Lot 18 and 19, Concession 2 W.H.S. (former Township of Caledon) Province of Ontario	ON	
ECA	Mayfield Road Portfolio Inc.	Mayfield Rd	Caledon ON	M3K 1N4
PTTW	Forgehill Equities Inc.	Lots 18, 19 & 20, Concession 3WHS Caledon	ON	
PTTW	Forgehill Equities Inc.	Lots 17, 18, 19, and 20, Concession 3 WHS, Town of Caledon, Region of Peel. Caledon	ON	
SPL	The Regional Municipality of Peel	Chinguacousy closed landfill	Caledon ON	
WWIS		con 2	ON	
WWIS		con 2	ON	
WWIS		con 2	ON	
WWIS		con 2	ON	
WWIS		con 2	ON	
WWIS		con 2	ON	
WWIS		con 2	ON	
WWIS		con 3	ON	
WWIS		lot 19 con 2	YATTON ON	
WWIS		lot 18	ON	
WWIS		con 2	ON	

# **Unplottable Report**

#### Site: LAFARGE CANADA INC. Lot Pt Lot 18 & 19, Con 2 WHS CALEDON ON

Database: AGR

ID:	608341	Effective Date:	
Current Status:		Licenced Area (ha):	107.9
Authority Type:		Extraction Area:	
Section:		OGF ID:	
Location Name:	Lawford Pit	Max Tonnage:	
Address Line 1:		Water Status:	
Address Line 2:		District Name:	
Address City:		Location Accuracy:	
Address Pcode:		Geom Updt Datetime:	
Geographc Township:		Effective Datetime:	
District:	Aurora District	System Datetime:	
Auth Type Desc:	CLASS A LICENCE > 20000 TONNES	Refreshed Datetime:	
Operation Type:	PIT	Max Annual Tonnage:	750000
Unlimited Tonnage:	No	X:	
Status Date:		Y:	
Upper Tier Munici:	PEEL R		
Lower Tier Munici:	CALEDON		
Source Detail:			
Geometry:			

#### Site:

Source:

Mayfield Road Caledon ON

Certificate #:	3357-56AJB5
Application Year:	02
Issue Date:	1/17/02
Approval Type:	Municipal & Private water
Status:	Approved
Application Type:	New Certificate of Approval
Client Name:	The Corporation of the Regional Municipality of Peel
Client Address:	10 Peel Centre Drive, Fourth Floor
Client City:	Brampton
Client Postal Code:	L6T 4B9
Project Description:	This application is for approval to install a watermain on Mayfield Road
Contaminants:	
Emission Control:	

Database: СА

	Canada Inc., of 18 and 19, Concession 2 W.H.S. (form	er Township of Caledon) Province of Ontario ON	Database: EBR
EBR Registry No:	IB06E2071	Decision Posted:	
Ministry Ref No:	FSD AUR 08/06	Exception Posted:	
Notice Type:	Instrument Decision	Section:	
		A - 1 4	

Act 1:

Act 2:

Site Location Map:

Notice Stage: Notice Date: March 14, 2012 October 25, 2006 Proposal Date: Year: 2006 Instrument Type: (ARA s. 7 (2) (a)) - Issuance of a Class A licence to remove more than 20,000 tonnes of aggregate annually from a pit or a quarry Off Instrument Name:

Posted By: Company Name:

erisinfo.com | Environmental Risk Information Services

Lafarge Canada Inc.,

Site Address: Location Other: Proponent Name: Proponent Address: Comment Period: URL:

7880 Keele Street, 5th Floor, Concord Ontario, L4K 4G7

#### Site Location Details:

Part of Lot 18 and 19, Concession 2 W.H.S. (former Township of Caledon) Province of Ontario

	ad Portfolio Inc. Caledon ON M3K 1N4	Databa: ECA
Approval No:	5859-96UQU5	MOE District:
Approval Date:	2013-04-30	City:
Status:	Revoked and/or Replaced	Longitude:
Record Type:	ECA	Latitude:
Link Source:	IDS	Geometry X:
SWP Area Name:		Geometry Y:
Approval Type:	ECA-MUNICIPAL AND P	RIVATE SEWAGE WORKS
Project Type:	MUNICIPAL AND PRIVA	TE SEWAGE WORKS
Business Name:	Mayfield Road Portfolio I	IC.
Address:	Mayfield Rd	
Full Address:	,	
Full PDF Link:	https://www.accessenviro	nment.ene.gov.on.ca/instruments/5271-96TLGJ-14.pdf
PDF Site Location:	,	

#### <u>Site:</u> Forgehill Equities Inc. Lots 18, 19 & 20, Concession 3WHS Caledon ON

EBR Registry No:	IA01E0396	Decision Posted:
Ministry Ref No:	01-P-3019	Exception Posted:
Notice Type:	Instrument Decision	Section:
Notice Stage:		Act 1:
Notice Date:	April 23, 2003	Act 2:
Proposal Date:	March 22, 2001	Site Location Map:
Year:	2001	-
Instrument Type:	(OWRA s. 34) - Permit to Take Wate	r
Off Instrument Name:		
Posted By:		
Company Name:	Forgehill Equities Inc.	
Site Address:		
Location Other:		
Proponent Name:		
Proponent Address:	Osprey Valley Golf Course, 125 Trac	lers Blvd., East , 1, Mississauga Ontario, L4Z 2E5
Comment Period:		
URL:		

Site Location Details:

Lots 18, 19 & 20, Concession 3WHS Caledon

<u>Site:</u> Forgehill E Lots 17, 18	•	o of Caledon, Region of Peel. Caledon ON	Database: PTTW
EBR Registry No:	IA05E1611	Decision Posted:	
Ministry Ref No:	3816-6BKN7J	Exception Posted:	
Notice Type:	Instrument Decision	Section:	
Notice Stage:		Act 1:	
Notice Date:	April 18, 2006	Act 2:	
Proposal Date:	October 17, 2005	Site Location Map:	

#### 64

Order No: 23071300429

Database: PTTW 2005

Instrument Type: (OWRA s. 34) - Permit to Take Water Off Instrument Name: Posted By: Company Name: Forgehill Equities Inc. Site Address: Location Other: Proponent Name: Osprey Valley Golf Course, 125 Traders Blvd., East , 1, Mississauga Ontario, L4Z 2E5 Proponent Address: **Comment Period:** URL:

#### Site Location Details:

Year:

Lots 17, 18, 19, and 20, Concession 3 WHS, Town of Caledon, Region of Peel. Caledon

<u>Site:</u>		lunicipality of Peel closed landfill Caledon ON			Database: SPL
Ref No. Site No Inciden	:	3330-73GMJR	Contaminant Qty: Nature of Damage: Discharger Report:	205 L	
Year: Inciden	nt Di. ht Cause: ht Event:	Other Discharges	Material Group: Health/Env Conseq: Agency Involved:	Waste	
Enviroi Nature	of Impact: esponse:	Confirmed Soil Contamination; Surface Water Poll Planned Field Response	Site Lot:		
Dt MOE MOE R	E Arvl on Scn: eported Dt: ument Closed:	5/23/2007 7/3/2007	Site Map Datum: Northing: Easting:	NA NA	
Munici	pality No: Facility Address		Luoting.		
Call Re Contan	port Location Ge ninant Code: ninant Name:	eodata: 46 LANDFILL LEACHATE (N.O.	.S.)		
Contan	ninant Limit 1: n Limit Freq 1: ninant UN No 1:				
Receiv	ing Medium: ing Environment. it Reason:	Land & Water : Other - Reason not otherwise	e defined		
Site Re	t Summary: gion: ınicipality:	Region of Peel - Iandfill leach Caledon	nate to storm ditch		
Proper	Preceding Spill ty 2nd Watershed ty Tertiary Watershed	d:			
Source Site Co Site Ge Site Dis	ction Class: Type: ounty/District: o Ref Meth: strict Office:	Sewage Municipal			
Neares Site Na Site Ad		Chinguacousy closed landfill			
Client I	Name:	The Regional Municipality of	Peel		

# Site:

con 2 ON

4907112 Well ID: **Construction Date:** 

Flowing (Y/N): Flow Rate:

Use 1st: Use 2nd:	Domestic	Data Entry Status: Data Src:	1
Final Well Status:	Water Supply	Date Received:	06/27/1989
Water Type: Casing Material:		Selected Flag: Abandonment Rec:	TRUE
Audit No:	55832	Contractor:	2576
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	PEEL
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	02
Well Depth:		Concession Name:	HS W
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality: Site Info:	CALEDON TOWN (CALEDON TWP)		

# Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed:	10321673 06/05/1989	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	17 9 unknown UTM
Remarks: Loc Method Desc: Elevrc Desc: Location Source Date: Improvement Location	Not Applicable i.e. no UTM	Location Method:	na

### Overburden and Bedrock Materials Interval

Supplier Comment:

Improvement Location Method: Source Revision Comment:

Formation ID:	932056836
Layer:	5
Color:	3
General Color:	BLUE
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	17
Mat2 Desc:	SHALE
Mat3:	74
Mat3 Desc:	LAYERED
Formation Top Depth:	89.0
Formation End Depth:	102.0
Formation End Depth UOM:	ft

Formation ID:	932056839
Layer:	8
Color:	3
General Color:	BLUE
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	

Mat3:	
Mat3 Desc:	
Formation Top Depth:	120.0
Formation End Depth:	142.0
Formation End Depth UOM:	ft

# Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc:	932056835 4 2 GREY 15 LIMESTONE
Mat3: Mat3 Desc: Formation Top Depth:	55.0
Formation End Depth: Formation End Depth UOM:	89.0 ft

# Overburden and Bedrock Materials Interval

Formation ID:	932056840
Layer:	9
Color:	6
General Color:	BROWN
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	17
Mat2 Desc:	SHALE
Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	142.0 148.0 ft

# Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	932056834 3 2 GREY 11 GRAVEL 28 SAND
<i>Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	24.0 55.0 ft

32056833 ROWN
3
5

Most Common Material:	SAND
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	12
Mat3 Desc:	STONES
Formation Top Depth:	5.0
Formation End Depth:	24.0
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	932056832 1 6 BROWN 28 SAND 05 CLAY
<i>Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	0.0 5.0 ft

#### Overburden and Bedrock Materials Interval

Formation ID:	932056841
Layer:	10
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	148.0
Formation End Depth:	160.0
Formation End Depth UOM:	ft

#### <u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	932056837 6 3 BLUE 17 SHALE 85 SOFT
Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	102.0 110.0 ft

Formation ID:	932056838
Layer:	7

Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth:	7 RED 17 SHALE 110.0
Formation End Depth: Formation End Depth UOM:	120.0 ft
Method of Construction & Well Use	
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	964907112 4 Rotary (Air)
Pipe Information	
Pipe ID: Casing No: Comment: Alt Name:	10870243 1
Construction Record - Casing	
Casing ID: Layer: Material: Open Hole or Material: Depth From:	930530755 2 4 OPEN HOLE
Depth To: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	160.0 6.0 inch ft
Construction Record - Casing	
Casing ID: Layer: Material: Open Hole or Material: Depth From:	930530754 1 STEEL
Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	56.0 6.0 inch ft
Results of Well Yield Testing	
Pumping Test Method Desc: Pump Test ID: Pump Set At:	PUMP 994907112
Static Level: Final Level After Pumping:	38.0
Recommended Pump Depth: Pumping Rate: Flowing Rate:	120.0 12.0
Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code:	10.0 ft GPM 1

Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	No

# Draw Down & Recovery

Pump Test Detail ID:	934784608
Test Type:	Recovery
Test Duration:	45
Test Level:	80.0
Test Level UOM:	ft

# Water Details

Water ID:	933795166
Layer:	3
Kind Code:	5
Kind:	Not stated
Water Found Depth:	130.0
Water Found Depth UOM:	ft

# Water Details

Water ID:	933795164
Layer:	1
Kind Code:	5
Kind:	Not stated
Water Found Depth:	50.0
Water Found Depth UOM:	ft

# Water Details

Water ID:	933795165
Layer:	2
Kind Code:	5
Kind:	Not stated
Water Found Depth:	85.0
Water Found Depth UOM:	ft

# Water Details

Water ID:	933795167
Layer:	4
Kind Code:	5
Kind:	Not stated
Water Found Depth:	155.0
Water Found Depth UOM:	ft

con 2 ON

# <u>Site:</u>

Well ID: Construction Date:	4907354	Flowing (Y/N): Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:		Data Src:	1
Final Well Status:	Water Supply	Date Received:	08/10/1990
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	77155	Contractor:	4919
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	PEEL

70

Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: CALEDON TOWN (CHINGUACOUSY)

02 HS W

**Bore Hole Information** 

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed:	10321913 04/28/1990	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	17 9 unknown UTM
Remarks:	0 11 201 1000	Location Method:	na
Loc Method Desc: Elevrc Desc:	Not Applicable i.e. no UTM		

Overburden and Bedrock Materials Interval

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Formation ID: Layer:	932058079 1
Color:	6
General Color:	BROWN
Mat1:	02
Most Common Material:	TOPSOIL
Mat2:	73
Mat2 Desc:	HARD
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	1.0
Formation End Depth UOM:	ft

#### <u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID:	932058080
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	28
Mat2 Desc:	SAND
Mat3:	79
Mat3 Desc:	PACKED
Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	

#### <u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth:	932058081 3 2 GREY 05 CLAY 73 HARD 20.0
Formation End Depth: Formation End Depth UOM:	60.0 ft
Method of Construction & Well Use	
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	964907354 6 Boring
Pipe Information	
Pipe ID: Casing No: Comment: Alt Name:	10870483 1
Construction Record - Casing	
Casing ID: Layer: Material: Open Hole or Material:	930531126 1 2 GALVANIZED
Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	60.0 30.0 inch ft
Results of Well Yield Testing	
Pumping Test Method Desc: Pump Test ID: Pump Set At:	BAILER 994907354
Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate:	20.0 40.0 55.0 10.0
Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Bumping Toot Mothod:	3.0 ft GPM 1 CLEAR

# Draw Down & Recovery

Pumping Test Method: Pumping Duration HR:

Pumping Duration MIN: Flowing:

Pump Test Detail ID:

935050704

2 1

0 No

Test Type:	Recovery
Test Duration:	60
Test Level:	32.0
Test Level UOM:	ft

#### Draw Down & Recovery

Pump Test Detail ID:	934531121
Test Type:	Recovery
Test Duration:	30
Test Level:	36.0
Test Level UOM:	ft

# Draw Down & Recovery

Pump Test Detail ID:	934785197
Test Type:	Recovery
Test Duration:	45
Test Level:	34.0
Test Level UOM:	ft

### Draw Down & Recovery

Pump Test Detail ID:	934257008
Test Type:	Recovery
Test Duration:	15
Test Level:	38.0
Test Level UOM:	ft

# Water Details

Water ID:	933795450
Layer:	1
Kind Code:	5
Kind:	Not stated
Water Found Depth:	20.0
Water Found Depth UOM:	ft

# <u>Site:</u>

con 2 ON

Well ID: Construction Date: Use 1st: Use 2nd:	4909305 Not Used	Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:	1
Final Well Status: Water Type: Casing Material:	Observation Wells	Date Received: Selected Flag: Abandonment Rec:	01/19/2004 TRUE
Audit No: Tag: Constructn Method:	261889	Contractor: Form Version: Owner:	1737 2
Elevation (m): Elevatn Reliabilty: Depth to Bedrock:		County: Lot: Concession:	PEEL 02
Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:		Concession. Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	HS E
<i>Municipality: Site Info:</i>	CALEDON TOWN (CALEDON TWP)		

### Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Loc Method Desc: Elevrc Desc: Location Source Date: Improvement Location S Improvement Location M Source Revision Comme Supplier Comment:	Nethod:	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method	17 9 unknown UTM <i>d:</i> na
<u>Overburden and Bedroc</u> <u>Materials Interval</u>	<u>k</u>		
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth U	932948534 4 6 BROWN 34 TILL 05 CLAY 73 HARD 110.0 135.0 <b>DM:</b> ft		
<u>Overburden and Bedroc</u> <u>Materials Interval</u>	<u>k</u>		
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth:	932948533 3 6 BROWN 31 COARSE GRAVEL 97.0		
Formation Top Depth. Formation End Depth: Formation End Depth U	110.0		
<u>Overburden and Bedroc</u> <u>Materials Interval</u>	<u>k</u>		
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth:	932948531 1 6 BROWN 28 SAND 31 COARSE GRAVEL 0.0 81.0		
erisinfo co	m   Environmental Risk Info	ormation Services	Order No: 2307

# Formation End Depth UOM:

### ft

### Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	932948532 2 6 BROWN 05 CLAY 73 HARD
Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	81.0 97.0 ft

#### <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

933246717
2
20.0
50.0
ft

#### <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	933246716
Layer:	1
Plug From:	0.0
Plug To:	20.0
Plug Depth UOM:	ft

#### <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	933246718
Layer:	3
Plug From:	50.0
Plug To:	88.0
Plug Depth UOM:	ft

#### Method of Construction & Well Use

Method Construction ID:	964909305
Method Construction Code:	5
Method Construction:	Air Percussion
Other Method Construction:	

# Pipe Information

Pipe ID:	11103038
Casing No:	1
Comment:	
Alt Name:	

# Construction Record - Casing

Casing ID: Layer:	930834939 1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	
Depth To:	68.0
Casing Diameter:	2.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Construction Record - Screen

con 2 ON

Screen ID:	933407277
Layer:	1
Slot:	010
Screen Top Depth:	68.0
Screen End Depth:	88.0
Screen Material:	
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.0

# Site:

Database: WWIS

Well ID: Construction Date:	4909306	Flowing (Y/N): Flow Rate:	
Use 1st: Use 2nd:	Not Used	Data Entry Status: Data Src:	1
Final Well Status: Water Type:	Observation Wells	Date Received: Selected Flag:	01/19/2004 TRUE
Casing Material:	004000	Abandonment Rec:	
Audit No: Tag:	261888	Contractor: Form Version:	1737 2
Constructn Method: Elevation (m):		Owner: County:	PEEL
Elevatn Reliabilty: Depth to Bedrock:		Lot: Concession:	02
Well Depth: Overburden/Bedrock:		Concession Name: Easting NAD83:	HS E
Pump Rate: Static Water Level:		Northing NAD83: Zone:	
Clear/Cloudy: Municipality: Site Info:	CALEDON TOWN (CALEDON TWP)	UTM Reliability:	

# Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Loc Method Desc: Elevrc Desc:	11099324 09/11/2003 Not Applicable i.e. no UTM	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 9 unknown UTM na
Location Source Date: Improvement Location Improvement Location Source Revision Comm	Method:		

# Overburden and Bedrock

Supplier Comment:

#### Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	932948537 3 6 BROWN 08 FINE SAND 06 SILT
Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	77.0 96.0 ft

#### Overburden and Bedrock Materials Interval

Formation ID:	932948538
Layer:	4
Color:	6
General Color:	BROWN
Mat1: Most Common Material: Mat2:	31 COARSE GRAVEL
Mat2 Desc: Mat3: Mat3 Desc:	
Formation Top Depth:	96.0
Formation End Depth:	104.0
Formation End Depth UOM:	ft

#### <u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID:	932948535
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	0.0
Formation End Depth:	65.0
Formation End Depth:	65.0
Formation End Depth UOM:	ft

Formation ID:	932948536
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	34
Most Common Material:	TILL
Mat2:	73
Mat2 Desc:	HARD
Mat3:	
Mat3 Desc:	
Formation Top Depth:	65.0
Formation End Depth:	77.0
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	932948539 5 7 RED 17 SHALE 85 SOFT
Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	104.0 107.0 ft

#### <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	933246719
Laver:	1
Plug From:	0.0
Plug To:	20.0
Plug Depth UOM:	ft

# <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID: Layer:	933246720 2
Plug From:	20.0
Plug To:	40.0
Plug Depth UOM:	ft

### <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID: Layer:	933246721 3
Plug From:	40.0
Plug To:	68.0
Plug Depth UOM:	ft

#### Method of Construction & Well Use

Method Construction ID:	964909306
Method Construction Code:	5
Method Construction:	Air Percussion
Other Method Construction:	

# Pipe Information

Pipe ID: Casing No:	11103039 1
Comment:	I
Alt Name:	

### Construction Record - Casing

Casing I
----------

930834940

Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	
Depth To:	58.0
Casing Diameter:	2.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Construction Record - Screen

Screen ID:	933407278
Layer:	1
Slot:	010
Screen Top Depth:	58.0
Screen End Depth:	68.0
Screen Material: Screen Depth UOM: Screen Diameter UOM: Screen Diameter:	ft inch 2.0

# Water Details

Site:

Water ID:	934044596
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	68.0
Water Found Depth UOM:	ft

con 2 ON			
Well ID:	4909307	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Not Used	Data Entry Status:	
Use 2nd:		Data Src:	1
Final Well Status:	Observation Wells	Date Received:	01/19/2004
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	261887	Contractor:	1737
Tag:		Form Version:	2
Constructn Method:		Owner:	
Elevation (m):		County:	PEEL
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	02
Well Depth:		Concession Name:	HS E
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	CALEDON TOWN (CALEDON TWP)		
Site Info:			

# Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status:	11099325	Elevation: Elevrc: Zone:	17
Code OB:		East83:	
Code OB Desc:		North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	09/09/2003	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Loc Method Desc:	Not Applicable i.e. no UTM		

Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

#### Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc:	932948542 3 2 GREY 34 TILL 73 HARD
Mat3:	HARD
Mat3 Desc:	86.0
Formation Top Depth: Formation End Depth: Formation End Depth UOM:	90.0 ft

#### Overburden and Bedrock Materials Interval

Formation ID:	932948540
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	31
Mat2 Desc:	COARSE GRAVEL
<i>Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	0.0 44.0 ft

#### <u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc:	932948541 2 BROWN 31 COARSE GRAVEL
Formation Top Depth:	44.0
Formation End Depth:	86.0
Formation End Depth UOM:	ft

#### <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

933246722
1
0.0
20.0

### Plug Depth UOM:

ft

# <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID: Laver:	933246723 2
Plug From:	20.0
Plug To:	30.0
Plug Depth UOM:	ft

#### <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	933246724
Layer:	3
Plug From:	30.0
Plug To:	38.0
Plug Depth UOM:	ft

#### Method of Construction & Well Use

Method Construction ID:	964909307
Method Construction Code:	5
Method Construction:	Air Percussion
Other Method Construction:	

# Pipe Information

Pipe ID:	11103040
Casing No:	1
Comment:	
Alt Name:	

# Construction Record - Casing

Casing ID: Layer: Material:	930834941 1 5
Open Hole or Material: Depth From:	PLASTIC
Depth To:	46.0
Casing Diameter:	2.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Construction Record - Screen

Screen ID:	933407279
Layer:	1
Slot:	010
Screen Top Depth: Screen End Depth: Screen Material:	46.0 56.0
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.0

# Water Details

Water ID:	
Layer:	

934044597

1

FRESH 56.0

# Site:

# Database: WWIS

Well ID:	4909308	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Not Used	Data Entry Status:	
Use 2nd:		Data Src:	1
Final Well Status:	Abandoned-Other	Date Received:	01/19/2004
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	261886	Contractor:	1737
Tag:		Form Version:	2
Constructn Method:		Owner:	
Elevation (m):		County:	PEEL
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	02
Well Depth:		Concession Name:	HS E
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	CALEDON TOWN (CALEDON TWP)	••••••••••••••••••••••••••••••••••••••	
Site Info:			

# Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Loc Method Desc: Elevrc Desc: Location Source Date: Improvement Location S Improvement Location N Source Revision Comme Supplier Comment:	lethod:	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 9 unknown UTM na
<u>Method of Construction</u> <u>Use</u>	<u>&amp; Well</u>		
Method Construction ID. Method Construction Co Method Construction: Other Method Construct	bde: 5 Air Percussion		
Pipe Information			
Pipe ID: Casing No: Comment: Alt Name:	11103041 1		

#### Site:

con 2 ON

Well ID:	4909310	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Not Used	Data Entry Status:	
Use 2nd:		Data Src:	1
Final Well Status:	Observation Wells	Date Received:	01/19/2004
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	261890	Contractor:	1737
Tag:		Form Version:	2
Constructn Method:		Owner:	
Elevation (m):		County:	PEEL
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	02
Well Depth:		Concession Name:	HS E
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	CALEDON TOWN (CALEDON TWP)		
Site Info:			

# Bore Hole Information

Bore Hole ID:	11099328	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	
Code OB Desc:		North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	09/15/2003	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Loc Method Desc:	Not Applicable i.e. no UTM		
Elevrc Desc:			

Overburden and Bedrock Materials Interval

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Formation ID:	932948546
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	08
Mat2 Desc:	FINE SAND
<i>Mat3:</i> <i>Mat3 Desc:</i> <i>Formation Top Depth:</i> <i>Formation End Depth:</i> <i>Formation End Depth UOM:</i>	0.0 34.0 ft

Formation ID:	932948547
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	06

Most Common Material:	SILT
Mat2:	05
Mat2 Desc:	CLAY
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	34.0
Formation End Depth:	55.0
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

Formation ID:	932948549
Layer:	4
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	30
Mat2 Desc:	MEDIUM GRAVEL
Mat3:	
Mat3 Desc:	
Formation Top Depth:	69.0
Formation End Depth:	111.0
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

Formation ID:	932948550
Layer:	5
Color:	6
General Color:	BROWN
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	06
Mat2 Desc:	SILT
Mat3:	
Mat3 Desc:	
Formation Top Depth:	111.0
Formation End Depth:	135.0
Formation End Depth UOM:	ft

#### <u>Overburden and Bedrock</u> <u>Materials Interval</u>

932948548
3
6
BROWN
31
COARSE GRAVEL
55.0
69.0
ft

# <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

 Plug ID:
 933246730

 Layer:
 3

Plug From:	92.0
Plug To:	135.0
Plug Depth UOM:	ft

# <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	933246728
Layer:	1
Plug From:	75.0
Plug To:	80.0
Plug Depth UOM:	ft

### <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	933246729
Layer:	2
Plug From:	80.0
Plug To:	92.0
Plug Depth UOM:	ft

### Method of Construction & Well Use

Method Construction ID:	964909310
Method Construction Code:	5
Method Construction:	Air Percussion
Other Method Construction:	

# Pipe Information

Pipe ID:	11103043
Casing No:	1
Comment:	
Alt Name:	

# Construction Record - Casing

Casing ID: Layer: Material: Open Hole or Material:	930834943 1 5 PLASTIC
Depth From:	
Depth To:	92.0
Casing Diameter:	2.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# **Construction Record - Screen**

Screen ID:	933407281
Layer:	1
Slot:	010
Screen Top Depth:	92.0
Screen End Depth:	112.0
Screen Material:	
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.0

### Water Details

Jepin 00

#### Site: con 3 ON

Database: WWIS

Well ID: Construction Date: Use 1st: Use 2nd:	4909341	Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:	1
Final Well Status:	Observation Wells	Date Received:	03/29/2004
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	54278	Contractor:	1129
Tag:		Form Version:	2
Constructn Method:		Owner:	
Elevation (m):		County:	PEEL
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	03
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality: Site Info:	CALEDON TOWN (CALEDON EAST)		

### Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Loc Method Desc: Elevrc Desc: Location Source Date: Improvement Location S Improvement Location S Source Revision Comm Supplier Comment: <u>Overburden and Bedroot</u> <u>Materials Interval</u>	Method: ent:	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 9 unknown UTM na
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc:	932948622 1 02 TOPSOIL		

Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	1.0
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

Formation ID:	932948624
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	91
Mat2 Desc:	WATER-BEARING
Mat3:	
Mat3 Desc:	
Formation Top Depth:	8.0
Formation End Depth:	20.0
Formation End Depth UOM:	ft
Overburden and Bedrock Materials Interval	
Formation ID:	932948625
Layer:	4
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	91
Mat2 Desc:	WATER-BEARING
Mat3:	
Mat3 Desc:	
Formation Top Depth:	20.0
Formation End Depth:	29.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc:	932948626 5 2 GREY 06 SILT
Formation Top Depth:	29.0
Formation End Depth:	67.0
Formation End Depth UOM:	ft

Formation ID:	932948623
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc:	SAND 77 LOOSE

Formation Top Depth:	1.0
Formation End Depth:	8.0
Formation End Depth UOM:	ft

# Annular Space/Abandonment Sealing Record

Plug ID:	933246761
Layer:	2
Plug From:	2.0
Plug To:	53.0
Plug Depth UOM:	ft

### <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	933246762
Layer:	3
Plug From:	65.0
Plug To:	67.0
Plug Depth UOM:	ft

# Annular Space/Abandonment Sealing Record

Plug ID:	933246760
Layer:	1
Plug From:	0.0
Plug To:	2.0
Plug Depth UOM:	ft

#### Method of Construction & Well Use

Method Construction ID:	964909341
Method Construction Code: Method Construction:	7 Diamond
Other Method Construction:	Diamonu

# Pipe Information

Pipe ID:	11103058
Casing No:	1
Comment:	
Alt Name:	

### Construction Record - Casing

Casing ID: Layer: Material: Open Hole or Material: Depth From:	930834957 1 5 PLASTIC
Depth To:	55.0
Casing Diameter:	2.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Construction Record - Screen

Screen ID:	933407293
Layer:	1
Slot:	010

Screen Top Depth:	55.0
Screen End Depth:	65.0
Screen Material:	
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.0

#### Water Details

Water ID:	934044609
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	12.0
Water Found Depth UOM:	ft

#### Site:

#### lot 19 con 2 YATTON ON

Well ID: 6714987 F **Construction Date:** F D Use 1st: Domestic Use 2nd: D Water Supply Final Well Status: D Water Type: S Casing Material: A Audit No: Z01216 С Tag: A010862 F Constructn Method: С Elevation (m): С Elevatn Reliabilty: L Depth to Bedrock: С Well Depth: С . Overburden/Bedrock: Ε Pump Rate: ٨ Static Water Level: Ζ Clear/Cloudy: U Municipality: PEEL TOWNSHIP 6527 PLAN 844, LOT 6 Site Info:

#### **Bore Hole Information**

Bore Hole ID: 11179624 E El DP2BR: Za Spatial Status: Code OB: Ea Code OB Desc: N Open Hole: 0 Cluster Kind: U 07/01/2004 U JTM Date Completed: Remarks: L Loc Method Desc: Not Applicable i.e. no UTM

Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

#### Overburden and Bedrock Materials Interval

Formation ID:	932990304
Layer:	2
Color:	6
General Color:	BROWN

89

Flowing (Y/N):	
Flow Rate:	
Data Entry Status:	
Data Src:	1
Date Received:	08/25/2004
Selected Flag:	TRUE
Abandonment Rec:	
Contractor:	2644
Form Version:	3
Owner:	
County:	WELLINGTON
Lot:	019
Concession:	02
Concession Name:	CON
Easting NAD83:	
Northing NAD83:	
Zone:	
UTM Reliability:	

levation:	
levrc:	
'one:	
ast83:	
lorth83:	
Drg CS:	
ITMRC:	9
ITMRC Desc:	unknown U
ocation Method:	na

Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat2 Desc. Mat3:	
Mats. Mats Desc:	
	4.0
Formation Top Depth:	4.0
Formation End Depth:	45.0
Formation End Depth UOM:	ft
Overburden and Bedrock	
Materials Interval	
Formation ID:	932990306
Layer:	4
Color:	6
General Color:	BROWN
Mat1:	30
Most Common Material:	MEDIUM GRAVEL
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	76.0
Formation End Depth:	89.0
Formation End Depth UOM:	ft
Formation End Depth OOM.	π
Overburden and Bedrock	
Materials Interval	
materials interval	
Formation ID:	932990303
	1
Layer:	-
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	4.0
Formation End Depth UOM:	ft
-	
Overburden and Bedrock	
<u>Materials Interval</u>	
Formation ID:	932990305
Layer:	3
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	14
Mat2 Desc:	HARDPAN
Mata:	
Mats. Mats Desc:	
Formation Top Depth:	45.0
	45.0 76.0
Formation End Depth:	76.0 ft
Formation End Depth UOM:	п
Annular Space/Abandonment	

#### Annular Space/Abandonment Sealing Record

Plug ID:

90

933262661

Layer:	1
Plug From:	0.0
Plug To:	80.0
Plug Depth UOM:	ft

#### Method of Construction & Well Use

Method Construction ID:	966714987
Method Construction Code:	2
Method Construction: Other Method Construction:	Rotary (Convent.)

#### Pipe Information

Pipe ID:	11188143
Casing No:	1
Comment:	
Alt Name:	

#### Construction Record - Casing

Casing ID:	930852815
Layer:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	2.0
Depth To:	85.0
Casing Diameter:	6.25
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

#### **Construction Record - Screen**

Screen ID: Layer:	933410995 1
Slot:	30
Screen Top Depth:	85.0
Screen End Depth:	89.0
Screen Material:	
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	6.625

#### Results of Well Yield Testing

Pumping Test Method Desc: Pump Test ID: Pump Set At:	BAILER 11194547 70.0
Static Level:	40.0
Final Level After Pumping:	70.0
Recommended Pump Depth:	70.0
Pumping Rate:	50.0
Flowing Rate:	
Recommended Pump Rate:	25.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	2
Pumping Duration HR:	2
Pumping Duration MIN:	30
Flowing:	

#### Draw Down & Recovery

Pump Test Detail ID:	11198820
Test Type:	Recovery
Test Duration:	1
Test Level:	42.0
Test Level UOM:	ft

#### Draw Down & Recovery

Pump Test Detail ID:	11198823
Test Type:	Draw Down
Test Duration:	60
Test Level:	70.0
Test Level UOM:	ft

#### Draw Down & Recovery

Pump Test Detail ID:	11198819
Test Type:	Draw Down
Test Duration:	1
Test Level:	70.0
Test Level UOM:	ft

#### Draw Down & Recovery

Pump Test Detail ID:	11198822
Test Type:	Recovery
Test Duration:	3
Test Level:	40.0
Test Level UOM:	ft

#### Draw Down & Recovery

Pump Test Detail ID:	11198821
Test Type:	Recovery
Test Duration:	2
Test Level:	41.0
Test Level UOM:	ft

#### Water Details

Water ID:	934057137
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	85.0
Water Found Depth UOM:	ft

#### Hole Diameter

Hole ID:	11313986
Diameter:	8.75
Depth From:	0.0
Depth To:	89.0
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

6714474

#### Site:

lot 18 ON

Well ID: Construction Date: Flowing (Y/N): Flow Rate:



Use 1st:	Domestic	Data Entry Status:	
Use 2nd:		Data Src:	1
Final Well Status:	Water Supply	Date Received:	06/20/2003
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	257922	Contractor:	2663
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	WELLINGTON
Elevatn Reliabilty:		Lot:	018
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	CON
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	PEEL TOWNSHIP	-	
Site Info:			

#### Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB:	10542319	Elevation: Elevrc: Zone: East83:	17
Code OB Desc: Open Hole: Cluster Kind:		North83: Org CS: UTMRC:	9
Date Completed: Remarks:	06/10/2003	UTMRC Desc: Location Method:	unknown UTM na
Loc Method Desc: Elevrc Desc: Location Source Date:	Not Applicable i.e. no UTM		

#### Overburden and Bedrock Materials Interval

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	932922166 1 8 BLACK 02 TOPSOIL
<i>Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	0.0 2.0 ft

# Overburden and Bedrock Materials Interval

Formation ID:	932922169
Layer:	4
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	05
Mat2 Desc:	CLAY

Mat3: Mat3 Desc:	
Formation Top Depth:	145.0
Formation End Depth:	183.0
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

Formation ID:	932922170
Layer:	5
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	
Mat3 Desc:	
Formation Top Depth:	183.0
Formation End Depth:	190.0
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

Formation ID: Layer:	932922171 6
Color:	
General Color: Mat1:	11
Most Common Material:	GRAVEL
Mat2:	
Mat2 Desc: Mat3:	
Mat3 Desc:	
Formation Top Depth:	190.0
Formation End Depth:	195.0
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth:	932922168 3 6 BROWN 05 CLAY 12 STONES 14 HARDPAN 68.0 145.0
Formation End Depth:	145.0
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

932922167 2 5
BROWN 05

Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	CLAY 14 HARDPAN 2.0 68.0 ft
<u>Annular Space/Abandonment</u> <u>Sealing Record</u>	
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	933240232 1 0.0 20.0 ft
<u>Method of Construction &amp; Well</u> <u>Use</u>	
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	966714474 4 Rotary (Air)
Pipe Information	
Pipe ID: Casing No: Comment: Alt Name:	11090889 1
Construction Record - Casing	
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	930779174 1 STEEL 195.0 6.0 inch ft
Results of Well Yield Testing	
Pumping Test Method Desc: Pump Test ID: Pump Set At: Static Level:	PUMP 996714474 50.0

Pumping Rate:	16.0
Flowing Rate:	
Recommended Pump Rate:	16.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	No

#### Draw Down & Recovery

Pump Test Detail ID:	934614215
Test Type:	Draw Down
Test Duration:	30
Test Level:	54.0
Test Level UOM:	ft

#### Draw Down & Recovery

Pump Test Detail ID:	934875227
Test Type:	Draw Down
Test Duration:	45
Test Level:	54.0
Test Level UOM:	ft

#### Draw Down & Recovery

Pump Test Detail ID:	935136286
Test Type:	Draw Down
Test Duration:	60
Test Level:	54.0
Test Level UOM:	ft

#### Draw Down & Recovery

Pump Test Detail ID:	934350768
Test Type:	Draw Down
Test Duration:	15
Test Level:	54.0
Test Level UOM:	ft

#### Water Details

Water ID:	934036121
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	195.0
Water Found Depth UOM:	ft
Water Found Depth:	195.0

4909343

54276

#### Site:

Well ID:

Use 1st:

Use 2nd:

Water Type:

Audit No:

Tag:

con 2 ON

**Construction Date:** 

Final Well Status:

Casing Material:

Elevation (m):

Well Depth:

Pump Rate:

Clear/Cloudy:

Municipality: Site Info:

Constructn Method:

Elevatn Reliabilty:

Depth to Bedrock:

Static Water Level:

Overburden/Bedrock:

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 03/29/2004 **Observation Wells** Date Received: TRUE Selected Flag: Abandonment Rec: Contractor: 1129 Form Version: 2 Owner: PEEL County: Lot: Concession: 02 Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: CALEDON TOWN (CALEDON EAST)

Database:

#### Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Loc Method Desc: Elevrc Desc: Location Source Date: Improvement Location S Improvement Location I Source Revision Common Supplier Comment:	Nethod:	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 9 unknown UTM na
Overburden and Bedroc Materials Interval	<u>:k</u>		
Formation ID: Layer: Color: General Color:	932948639 1		
Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth:	02 TOPSOIL 0.0		
Formation For Depth. Formation End Depth: Formation End Depth U	1.0		
<u>Overburden and Bedroc</u> <u>Materials Interval</u>	<u>-k</u>		
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3 Mat3 Desc: Formation Top Depth: Formation End Depth U	91 WATER-BEARING 26.0 37.0		
<u>Overburden and Bedroc</u> <u>Materials Interval</u>	<u>:k</u>		
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc:	932948642 4 6 BROWN 08 FINE SAND 91 WATER-BEARING		

Mat3:	
Mat3 Desc:	
Formation Top Depth:	37.0
Formation End Depth:	60.0
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	932948640 2 6 BROWN 08 FINE SAND 91 WATER-BEARING
Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	1.0 26.0 ft

#### Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation Top Depth:	932948643 5 2 GREY 06 SILT 60.0
Formation End Depth: Formation End Depth UOM:	81.0 ft
•	

#### Annular Space/Abandonment Sealing Record

Plug ID:	933246765
Layer:	1
Plug From:	0.0
Plug To:	2.0
Plug Depth UOM:	ft

#### <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	933246766
Layer:	2
Plug From:	2.0
Plug To:	66.0
Plug Depth UOM:	ft

#### Method of Construction & Well Use

Method Construction ID:964909343Method Construction Code:7Method Construction:DiamondOther Method Construction:Diamond

#### Pipe Information

Pipe ID:	11103060
Casing No:	1
Comment:	
Alt Name:	

#### Construction Record - Casing

Casing ID: Layer: Material: Open Hole or Material: Depth From:	930834959 1 5 PLASTIC
Depth To:	71.0
Casing Diameter:	2.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

#### **Construction Record - Screen**

Screen ID: Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material:	933407295 1 010 71.0 81.0
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.0

#### Water Details

Water ID:	934044611
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	14.0
Water Found Depth UOM:	ft

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. Note: Databases denoted with "\*" indicates that the database will no longer be updated. See the individual database description for more information.

#### Abandoned Aggregate Inventory:

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\* Government Publication Date: Sept 2002\*

Aggregate Inventory: The Ontario Ministry of Northern Development, Mines, Natural Resources and Forestry (ONDMNRF) maintains this database of pits and quarries. The

database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage. Government Publication Date: Up to Oct 2022 Abandoned Mine Information System: Provincial AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation. Government Publication Date: 1800-Mar 2022

Anderson's Waste Disposal Sites: Private ANDR The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

#### Aboveground Storage Tanks:

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated. Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type. Government Publication Date: 1999-Feb 28, 2022

Borehole: BORE A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW. Government Publication Date: 1875-Jul 2018

Provincial

Provincial

AAGR

AGR

Provincial

AST

AUWR

Private

Provincial

#### Certificates of Approval:

#### Dry Cleaning Facilities:

### Commercial Fuel Oil Tanks:

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information. Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or

Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA).

Government Publication Date: Feb 28, 2022

Compressed Natural Gas Stations:

#### Chemical Manufacturers and Distributors:

Government Publication Date: 1985-Oct 30, 2011\*

Government Publication Date: Jan 2004-Dec 2021

Please refer to those individual databases for any information after Oct.31, 2011.

tetrachloroethylene to the environment from dry cleaning facilities.

distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.). Government Publication Date: 1999-Jan 31, 2020

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

#### Chemical Register:

#### Government Publication Date: 1999-Feb 28, 2023

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance. Government Publication Date: Dec 2012 - May 2023

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\* Government Publication Date: Apr 1987 and Nov 1988\*

#### This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law. Government Publication Date: 1989-Apr 2023

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - May 31, 2023

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial

CA

CDRY

CFOT

CHEM

#### List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's

Federal

Provincial

CHM

Private

Provincial

Private

Provincial

CPU

Private

CNG

COAL

CONV

Provincial

Certificates of Property Use:

101

**Compliance and Convictions:** 

erisinfo.com | Environmental Risk Information Services

Drill Hole Database:

#### **Delisted Fuel Tanks:**

Environmental Registry:

#### Environmental Activity and Sector Registry:

Government Publication Date: Feb 28, 2022

company map; or from submitted a "Report of Work". Government Publication Date: 1886 - Oct 2022

regulatory agency under Access to Public Information.

#### operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database. Government Publication Date: Oct 2011- May 31, 2023

#### The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases. Government Publication Date: 1994 - May 31, 2023

activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- May 31, 2023

#### Environmental Effects Monitoring:

ERIS Historical Searches:

102

Environmental Compliance Approval:

fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data. Government Publication Date: 1992-2007\*

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Mar 31, 2023

#### Environmental Issues Inventory System:

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed. Government Publication Date: 1992-2001\*

Provincial

Provincial DTNK List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the

Provincial

Provincial

Provincial

Federal The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of

Private

Federal

DRI

EASR On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain

**FCA** 

EEM

EHS

FIIS

FBR

#### Environmental Penalty Annual Report: This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change.

Government Publication Date: Apr 30, 2022

## List of Expired Fuels Safety Facilities:

Government Publication Date: Jan 1, 2011 - Dec 31, 2022

covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

#### in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are

reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

not verified for accuracy or completeness. Government Publication Date: Feb 28, 2022

Federal Convictions: FCON Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty. Government Publication Date: 1988-Jun 2007\*

under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are

These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities

Federal Contaminated Sites on Federal Land: FCS The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Mar 2023

#### Fisheries & Oceans Fuel Tanks:

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

## Federal Identification Registry for Storage Tank Systems (FIRSTS):

erisinfo.com | Environmental Risk Information Services

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

#### Fuel Storage Tank:

103

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Provincial

Provincial

Provincial

Federal

Federal

Federal

Provincial

EPAR

EXP

FOFT

FRST

FST

#### Order No: 23071300429

#### Fuel Storage Tank - Historic:

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010\*

#### Ontario Regulation 347 Waste Generators Summary:

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

#### Government Publication Date: 1986-Oct 31, 2022

Government Publication Date: 2013-Dec 2019

#### Greenhouse Gas Emissions from Large Facilities:

### **TSSA Historic Incidents:**

dioxide equivalents (kt CO2 eq).

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here. Government Publication Date: 2006-June 2009\*

#### Indian & Northern Affairs Fuel Tanks:

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation. Government Publication Date: 1950-Aug 2003\*

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Fuel Oil Spills and Leaks:

#### Landfill Inventory Management Ontario:

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status. Government Publication Date: Mar 21, 2022

Canadian Mine Locations: MINE This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009\*

104

Provincial

Provincial

Federal

Provincial

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon

HINC

Federal

Provincial

Provincial

Private

**FSTH** 

GEN

GHG

IAFT

INC

LIMO

#### Mineral Occurrences:

#### In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2023

#### National Analysis of Trends in Emergencies System (NATES):

#### significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released. Government Publication Date: 1974-1994\*

Non-Compliance Reports: NCPL The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of

Government Publication Date: Dec 31, 2021

#### National Defense & Canadian Forces Fuel Tanks:

DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database. Government Publication Date: Up to May 2001\*

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on

#### National Defense & Canadian Forces Spills:

#### under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered. Government Publication Date: Mar 1999-Oct 2022

#### The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007\*

#### National Energy Board Pipeline Incidents:

#### jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction. Government Publication Date: 2008-Jun 30, 2021

National Defence & Canadian Forces Waste Disposal Sites:

#### National Energy Board Wells:

105

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal

Government Publication Date: 1920-Feb 2003\*

Provincial

#### **MNR**

NATE

NDFT

NDWD

NFBI

NEBP

Federal

Provincial

Federal

Federal

Federal

NDSP

Federal

Federal

#### National Environmental Emergencies System (NEES):

#### In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003\*

National PCB Inventory:

#### Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008\*

#### National Pollutant Release Inventory:

#### Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. Government Publication Date: 1993-May 2017

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All

Government Publication Date: 1988-May 31, 2023

#### Ontario Oil and Gas Wells:

Oil and Gas Wells:

#### geology/stratigraphy table information, plus all water table information is also provide for each well record. Government Publication Date: 1800-Aug 2021

Inventory of PCB Storage Sites: OPCB The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

#### Orders:

106

#### remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures. Government Publication Date: 1994 - May 31, 2023

Canadian Pulp and Paper: Private This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

#### Parks Canada Fuel Storage Tanks:

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator. Government Publication Date: 1920-Jan 2005

Federal

Federal

Private

Provincial

Federal

OGWF

NFFS

NPCB

**NPRI** 

OOGW

Provincial

Provincial

Federal

PCFT

ORD

PAP

107

Record of Site Condition:

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-May 2023

#### Retail Fuel Storage Tanks:

or propane storage tanks. Government Publication Date: 1999-Feb 28, 2023

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

**Ontario Spills:** SPL List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus

Government Publication Date: 1988-Oct 2021

Pesticide Register: The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- May 31, 2023

#### **Pipeline Incidents:**

Permit to Take Water:

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness. Government Publication Date: Feb 28, 2021

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996\*

Private and Retail Fuel Storage Tanks:

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water. Government Publication Date: 1994 - May 31, 2023

Ontario Regulation 347 Waste Receivers Summary: REC Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data. Government Publication Date: 1986-1990, 1992-2021

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

Private RST This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and /

#### Scott's Manufacturing Directory:

#### Government Publication Date: 1992-Mar 2011\*

pandemic as an explanation for delays in releasing data pursuant to requests.

PES

PINC

PRT

**PTTW** 

RSC

SCT

#### Provincial

Provincial

Provincial

Provincial

Provincial

Private

Provincial

#### Order No: 23071300429

## Variances for Abandonment of Underground Storage Tanks:

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

#### Waste Disposal Sites - MOE CA Inventory:

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- May 31, 2023

#### Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990\*

#### Water Well Information System:

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Mar 31 2023

#### Wastewater Discharger Registration Database:

#### (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

Government Publication Date: 1990-Dec 31, 2020

#### TANK The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits

Government Publication Date: 1915-1953\*

Transport Canada Fuel Storage Tanks:

Anderson's Storage Tanks:

#### List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type. Government Publication Date: 1970 - Apr 2020

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known

erisinfo.com | Environmental Risk Information Services

SRDS

TCFT

VAR

#### Private

Federal

Provincial

Provincial

WDS

**WDSH** 

**WWIS** 

Provincial

Provincial



## Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report**: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

*Elevation:* The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

*Executive Summary:* This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

109



# **Appendix D**

Ministry of the Environment, Conservation and Parks Ministère de l'Environnement, de la Protection de la nature et des Parcs

Bureau de l'accès à l'information et de la protection de la vie privée

12<sup>th</sup> Floor 40 St. Clair Avenue West Toronto ON M4V 1M2 Tel: (416) 314-4075

Access and Privacy Office

12° étage 40, avenue St. Clair ouest Toronto ON M4V 1M2 Tél. : (416) 314-4075



July 28, 2023

Megan Bender DS Consultants Ltd 6221 Highway 7, Unit 16 Vaughan, Ontario L4H 0K8 megan.bender@dsconsultants.ca

Dear Megan Bender:

### RE: MECP FOI A-2023-04338, Your Reference 23-266-100 – Decision Letter

This letter is in response to your request made pursuant to the Freedom of Information and Protection of Privacy Act (the Act) relating to 12156 Chinguacousy Road, Caledon.

After a thorough search through the files of the ministry's Halton Peel District Office, Environmental Assessment and Permissions Division (EAPD), Environmental Monitoring and Reporting Branch (EMRB), Environmental Investigations and Enforcement Branch (EIEB), and Safe Drinking Water Branch (SDW) no records were located responsive to your request. **This file is now closed.** 

You may request a review of my decision within 30 days from the date of this letter by contacting the Information and Privacy Commissioner/Ontario at http://www.ipc.on.ca. Please note there may be a fee associated with submitting the appeal.

If you have any questions, please contact Jessica Sousa Silva at jessica.sousasilva@ontario.ca.

Yours truly,

ORIGINAL SIGNED BY

Josephine DeSouza Manager (A), Access and Privacy Office

### **Megan Bender**

From:	Public Information Services <publicinformationservices@tssa.org></publicinformationservices@tssa.org>
Sent:	Monday, July 17, 2023 10:38 AM
То:	Megan Bender
Subject:	RE: TSSA Request - Chinguacousy Rd, Caledon

This email was sent from outside your organisation. This often happens in phishing attempts. Please only interact with this email if you know its source and that the content is safe.

#### NO RECORD FOUND IN CURRENT DATABASE

Hello,

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA's current database.

 We confirm that there are no records in our current database of any fuel storage tanks at the subject address(es).

<u>This is not a confirmation that there are no records in the archives</u>. For a further search in our archives, please submit an application for release of public information (PI Form) through TSSA's new Service Prepayment Portal. The associated fee must be paid via credit card (Visa or MasterCard) through a secure site.

Please follow the steps below to access the new application(s) and Service Prepayment Portal:

- 1. Click <u>Release of Public Information TSSA</u> TSSA and click "need a copy of a document";
- 2. Select the appropriate application, download it and complete it in full; and
- 3. Proceed to page 3 of the application and click the link TSSA Service Prepayment Portal under payment options (the link will take you the secure site to pay for the release via credit card).

Accessing the Service Prepayment Portal:

- 1. Select new or existing customer (\*if you are an existing customer, you will need your account # & postal code to access your account);
- Select the program area: AD (Amusement Devices), BPV (Boilers and Pressure Vessels), ED (Elevating Devices), FS (Fuels Services), OE (Operating Engineers) or SKI (Ski Lifts) and click continue;
- 3. Enter the application form number (obtained from bottom left corner of application form) and click continue;
  - a. When selecting the application form number from the drop-down menu, please make sure you select the application that begins with "PI" (i.e. PI-FS, PI-BPV etc.);
- 4. Complete the primary contact information section;
- 5. Complete the fees section;
- 6. Upload your completed application; and
- 7. Upload supporting documents (if required) and click continue.

Once all steps have been successfully completed, you will receive your receipt via email.

Questions? Please contact TSSA's Public Information Release team at publicinformationservices@tssa.org.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind Regards,



#### Kimberly Gage | Public Information Agent

Legal 345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel: +1 416-734-3348 | Fax: +1 416-734-3568 | E-Mail: <u>kgage@tssa.org</u> www.tssa.org





Winner of 2022 5-Star Safety Cultures Award

From: Megan Bender <MBender@dsconsultants.ca>
Sent: Monday, July 17, 2023 9:18 AM
To: Public Information Services <publicinformationservices@tssa.org>
Subject: TSSA Request - Chinguacousy Rd, Caledon

**[CAUTION]:** This email originated outside the organisation. Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good morning,

Can you please perform a search for the following addresses:

- Chinguacousy Road: 12156,12192, 19140, 12116, 12197, 12157, 12175

Thank you,



Megan Bender, BES, EPt Environmental/Geotechnical Technician DS Consultants Ltd. 125 McGovern Drive., Unit 4 Cambridge, Ontario, N3H 4R7 Cell: (519) 588-9513 www.dsconsultants.ca

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.



Date: July 24, 2023 Person Interviewed: Dave McClure Contact Information: 416-258-4539 Site Location:

Relation to the Property: \_\_\_\_\_\_ Tenant Farmer

All questions pertain only to the Phase One Property. Where applicable please provide details such as dates, locations and sources.

- 1. What is the property owner information (name and address of owner)? Current and Previous
- 2. When did the Current Owner acquire the Property?
- 3. What is the Legal Description of the Property (incl. PIN). Please Provide Legal Survey if possible
- 4. What is the property currently used for?

Rural Residential & Agricultural

5. What was the property formerly used for?

Rural Residential & Agricultural

6. <u>Has the property ever utilised fuel oil?</u> Is there any above ground or underground storage tanks located at the property?

No

7. Does any vehicle maintenance/service occur on the property?

No



8. Are Pesticides/Herbicides applied on the Property? List current and/or past pesticides/herbicides used?

Yes Round Up, Classic herbicide, Option (corn), Pixxaro (barley), Barricade MCPA (wheat)

9. Have any hazardous materials currently or historically been stored on the phase one property? (e.g. chemicals, drums, totes etc.)

No

- 10. Is the property currently serviced for water or waste water? Please provide locations of any water wells or septic systems.
- 11. Are there any underground utilities present on the phase one property? If yes please indicate what utilities are present and the location.
- 12. Have any chemical spills occurred on the property?

No

13. Have any fires occurred on the property?

No

14. Is there any fill material present on the property?


No


15. Are you aware of incidents that have occurred on the property or adjoining properties that may affect the environmental quality of the property?


No




# **Appendix E**









J:\-GIS\2023 PROJECTS\23-266-100 - 12156 Chinguacousy, Caledon, ON\1-QGIS\Phase One\Appendix E\Drawing 4 - Appendix E - Aerial Photography - 1974.qgs Sep-05 09:41





J:\-GIS\2023 PROJECTS\23-266-100 - 12156 Chinguacousy, Caledon, ON\1-QGIS\Phase One\Appendix E\Drawing 5 - Appendix E - Aerial Photography - 1980.qgs Sep-05 09:43




J:\-GIS\2023 PROJECTS\23-266-100 - 12156 Chinguacousy, Caledon, ON\1-QGIS\Phase One\Appendix E\Drawing 6 - Appendix E - Aerial Photography - 1989.qgs Sep-05 09:44







J:\-GIS\2023 PROJECTS\23-266-100 - 12156 Chinguacousy, Caledon, ON\1-QGIS\Phase One\Appendix E\Drawing 9 - Appendix E - Aerial Photography - 2009.qgs Sep-05 09:49



J:\-GIS\2023 PROJECTS\23-266-100 - 12156 Chinguacousy, Caledon, ON\1-QGIS\Phase One\Appendix E\Drawing 10 - Appendix E - Aerial Photography - 2022.qgs Sep-05 09:50





# Appendix F





Picture 1: View of the house on Site, facing southeast.



Picture 3: View of the house on Site, facing west.



Picture 2: View of the house on Site, facing south.



Picture 4: View of the house on Site, facing south.



Picture 5: View of the interior of the house, facing south.




Picture 6: View of the basement of the house.






Picture 7: View of the furnace room in the basement.



Picture 9: View of the sump pump in the basement.



Picture 8: View of the water system in the basement.



Picture 10: View of the garage in the house.



Picture 11: View of the south face of the house with the A/C unit, facing west.



Picture 12: View of the backyard of the house, facing south.





Picture 13: View of the yard and field to the east of the Site.



Picture 15: View of the well, south of the house.



Picture 14: View of the septic system to the southeast of the house.



Picture 16: View of the laneway to the house, facing northeast.



Picture 17: View of the barn on the southeast portion of the Property, facing southeast.



Picture 18: View of the barn, facing northeast.





Picture 19: View of the concrete pad, and former barn area.



Picture 21: View of the interior of the barn, facing north.



Picture 20: View of the interior of the barn, facing south.



Picture 22: View of the agricultural fields on Site and west neighbouring property.



Picture 23: View of the agricultural fields to the northeast.



Picture 24: View of the east neighbouring residential property.





Picture 25: View of the west neighbouring farm, facing southwest.



Picture 26: View of the north neighbouring residential houses.



Picture 27: View of the southeast neighbouring agricultural fields.



# Appendix G

6221 Highway 7, Unit 16, Vaughan, Ontario, L4H 0K8 www.dsconsultants.ca

# "Table of current and past uses of the phase one property" (Refer to clause 16(2)(b), Schedule D, O.Reg. 153/04)

### 12156 Chinguacousy Road, Caledon, ON

Year	Name of owner	Description of property use	Property use	Other observations from aerial photographs, fire insurance plans, etc.
1860	John McLean	Assumed agricultural or other	Agricultural	The 1860 Peel County Atlas indicates John McLean as the property owner.
1880	Alphen Clarridge	Assumed agricultural or other	Agricultural or other use	The 1880 Peel County Atlas indicates Alphen Carridge as the property owner. The Site contains an orchard on the north portion.
1880- Present	Unknown	Agricultural and Residential	Agricultural or other use	The Aerial Photos for 1946, 1974, 1980, 1989, 1993, 2001, 2009, and 2022 show the agricultural fields and a residential house on Site with a barn constructed between 2001 and 2009.

Notes:

1 - for each owner, specify one of the following types of property use (as defined in O.Reg. 153/04) that applies:

Agriculture or other use Commercial use Community use Industrial use Institutional use Parkland use Residential use

2 - when submitting a record of site condition for filing, a copy of this table must be attached

\*\*Cette publication hautement spécialisée n'est disponible qu'en anglais en vertu du règlement 671/92, qui en exempte l'application de la Loi sur les services en français. Pour obtenir de l'aide en francais, veuillez communiquer avec le ministère de l'Environnement et de l'Action en matière de changement climatique au 1-800-461-6290