SECTION 7 COMMERCIAL ZONES

7.1 GENERAL PROHIBITION

No *person* shall, within any **Commercial Zone**, use any land, or erect, *alter*, enlarge, use or maintain any *building* or *structure* for any *use* other than as permitted in **Table 7.1** of Subsection 7.2 and in accordance with the standards contained in **Table 7.2** of Subsection 7.3, the General Provisions contained in Section 4 and the Parking, Loading & Delivery Standards contained in Section 5.

7.2 PERMITTED USES

Uses permitted in a **Commercial Zone** are noted by the symbol ' \checkmark ' in the column applicable to that *Zone* and corresponding with the row for a specific permitted *use* in **Table 7.1**. A number(s) following the symbol ' \checkmark ', *zone* heading or identified permitted *use*, indicates that one or more conditions apply to the *use* noted or, in some cases, to the entire *Zone*. Conditions are listed below the Permitted Use Table, **Table 7.1**.

The **Commercial Zones** established by this By-law are as follows:

CC Core Commercial

CCV Village Core Commercial

C General Commercial

CN Neighbourhood Commercial

CV Village Commercial

CH Highway Commercial

CHB Bolton Highway Commercial CHV Village Highway Commercial

CT Tourist Camp Commercial

TABLE 7.1

	ZONE								
USE	CC	CCV (12)	С	CN	CV	СН	CHV	СНВ	СТ
Animal Hospital	✓		✓		✓	✓	✓	✓	
Art Gallery	✓	✓			✓				
Artist Studio &	✓	✓			✓				
Gallery									
Bakery		✓							
Boarding House	✓								
Building, Apartment		✓							
Business Office	✓	✓	✓	✓	✓			✓	
Clinic	✓	✓	✓	✓	✓	✓	✓		

Convenience Store	√ (4)	√ (4)	.//4\	.//4\	√(4)			1	1
	V (4)	V (4)	√ (4)	√(4)	V (4)	√	✓	✓	
Drive-Through			1			(13)	(13)	(13)	
Service Facility Dry Cleaning or	✓	✓	(13)	√	√	(13)	(13)	(13)	
	_	•	•	•					
Laundry Outlet Dwelling, Accessory			1		√	√	✓		1
Dweiling, Accessory					(9)	(10)	(10)		•
					(11)	(11)	(11)		
Dwelling, Common		✓			(11)	(11)	(11)		
Element Townhouse									
Dwelling, Freehold		✓							
Townhouse									
Dwelling,		✓							
Townhouse									
Dwelling Unit		√							†
Dwelling Unit,	✓				✓	✓	√(7)		√(7)
Accessory	(7)				(7)	(7)	(')		(.)
7.00000.	(8)				(9)	(10)			
Factory Outlet	(0)				(0)	(10)		✓	
Farmers' Market		✓			✓	✓	✓	✓	
Financial Institution	✓	✓	✓	✓	✓	✓	✓	✓	
Fitness Centre	✓	✓	✓	✓	✓	✓	✓	√	
Funeral Home	✓		✓		✓				
Grocery Store		✓	✓						
			(5)						
Hotel	✓	✓	(5) ✓			✓	✓	✓	
Industrial Use								✓	
Laundromat	✓	✓	✓	✓	✓				
Merchandise Service	✓	✓	✓		✓			✓	
Shop									
Motel	✓		✓			✓	✓	✓	
Motor Vehicle Gas					✓	✓	✓	✓	
Bar									
Motor Vehicle Rental					✓	✓	✓	✓	
Establishment									
Motor Vehicle Repair					✓	✓	✓	✓	
Facility									<u> </u>
Motor Vehicle Sales					√	✓	✓	√	
Establishment									
Motor Vehicle					✓	✓	✓	✓	
Service Centre									
Motor Vehicle Used					✓	✓	\checkmark	✓	
Sales Establishment									
Open Storage Area,						✓	\checkmark	✓	
Accessory								(14)	

Outside Display or Sales Area, Accessory								✓	
Parking Area, Commercial	✓	✓	✓	✓	✓	✓	✓	✓	
Parking Area, Municipal	✓	✓							
Personal Service Shop	✓	√	1	√	✓				
Place of Assembly	✓	✓	✓		✓	✓	✓	✓	
Place of Entertainment	✓	√	√		√ (1)	✓	√ (1)	✓	
Private Club	✓	✓	✓	✓	✓	✓	✓	✓	
Research Establishment								✓	
Restaurant	✓	✓	✓	✓	✓	✓	✓	✓	
Retail Store	✓	✓	√	✓	√ (6)	√ (6)	√ (6)		
Retail Store, Accessory								√ (2)	
Sales, Service and Repair Shop	✓	✓	✓	✓	✓				
Tourist Camp									✓
Training Facility	✓	✓	✓		✓			✓	
Video Outlet/Rental	✓	✓	✓	✓	✓				
Store	(3)		(3)	(3)	(3)				
Warehouse								✓	
Warehouse, Public Self-Storage								✓	
Warehouse, Wholesale								✓	

Footnotes For Table 7.1

- (1) Excluding a cinema or theatre.
- (2) An accessory retail store shall not exceed 93 m² net floor area.
- (3) A video outlet/rental store shall not exceed 185 m² net floor area.
- (4) Convenience store not to exceed a maximum 160 m² net floor area.
- (5) Grocery store not to exceed a maximum 1100 m² net floor area.
- (6) A retail store shall not exceed 925 m² net floor area per building.
- (7) Unit size not to exceed 15% of commercial net floor area.

- (8) **CC Zone** permits a *boarding house* as well as 3 *accessory dwelling units* per commercial establishment.
- (9) CV Zone permits both 1 accessory dwelling and 1 accessory dwelling unit per establishment.
- (10) CH Zone and CHV Zone permit a maximum of 1 accessory dwelling or 1 accessory dwelling unit per establishment.
- (11) Accessory dwelling size shall be governed by the applicable lot coverage and yard requirements.
- (12) CCV Zone The following provisions shall apply to any building abutting Kennedy Road or Dougall Avenue:
 - i. Only commercial uses shall be permitted on the first storey;
 - ii. Only dwelling units, business offices and hotel uses shall be permitted on storeys above the first storey;
 - iii. Entrances and lobbies used to service those uses listed in (ii) above shall be permitted on the first storey.
- (13) Subject to compliance with Section 4.9, *drive-through service facilities* shall only be permitted in the Settlement Areas of Bolton and Mayfield West, and in Tullamore, Victoria, Sandhill, and Caledon Village only in existing commercial zones along Hurontario Street (Highway 10) and Charleston Sideroad (Regional Road 24).
- (14) Open Storage Area, Accessory shall not be permitted with an Industrial Use

7.3 ZONE STANDARDS

No *person* shall, within any Commercial *Zone*, use any *lot* or erect, *alter*, use any *building* or *structure* except in accordance with the following *zone* provisions as set out in **Table 7.2**. A number(s) following the *zone* standard, *zone* heading or description of the standard, indicates an additional *Zone* requirement. These additional standards are listed at the end of **Table 7.2**.

TABLE 7.2

	ZONES								
STANDARD	CC	CCV	С	CN	CV	СН	CHV	CHB	СТ
Lot Area (Minima):	275 m ²	(12) N/A	0.8ha	2,000 m ²	2,000 m ²			(1)	8,000 m ²
Motor Vehicle Service Centre						2,000 m ²	2,000 m ²	2,000 m ²	
Motel						2,750 m ²	2,750 m ²		

				Τ		1	1		
Hotel or Motel								2,750 m ²	
Other uses on						2,040	2,040	2,040	
unserviced lot						m ²	m ²	m ²	
Other uses on						1,390	1,390	1,390	
partially serviced						m ²	m ²	m ²	
lot								1.5.5	
Other uses on fully						460 m ²	460 m ²	460 m ²	
serviced lot									
Lot Frontages	Nil	9m	30m	30m	30m				45m
(Minima)									
Motor Vehicle						40m	40m	40m	
Service Centre,									
Hotel or Motel									
Other uses on						9m	9m	9m	
fully serviced lot									
Other <i>uses</i> on any						30m	30m	30m	
other <i>lot</i>									
Building Area	75%	N/A	25%	30%	25%	30%	30%	30%	25%
(Maximum)									
Building Setback									9m
(Minimum)									(8)
Front Yard		(9)							
Minimum	Nil	0.3m	15m	9m	9m	18m	18m	18m	
Maximum		2m							
Exterior Side Yard		(11)							
Minimum	Nil	0.3m	15m	9m	9m	18m	18m	18m	
Maximum		2m		0	0			10	
Rear Yard	6m	6m							
(Minima)	OIII	0111							
From a <i>rear lot</i>			19.5			10.5m	10.5m	10.5m	
line abutting a			m			10.0111	10.0111	10.0111	
Residential zone			111						
or a <i>lot</i> containing									
a Residential <i>use</i>									
From a <i>rear lot</i>				9m	10.5m				
line abutting a				3111	10.3111				
Residential <i>zone</i>									
From any other			15m	6m	7.5m	7.5m	7.5m	7.5m	
rear lot line			13111	OIII	1110.1	1.5111	1.5111	IIIC. I	
Interior Side		(44)							
		(11)							
Yard (Minima)	1 E 100	2 100		0.55	1 F 100				
From an <i>interior</i>	1.5m	3m		9m	4.5m				
side lot line						<u> </u>			

				1		ı	T	T	
abutting a									
Residential zone									
From an <i>interior</i>			12m			10.5m	10.5m	10.5m	
side lot line									
abutting a									
Residential zone									
or a <i>lot</i> containing									
a Residential <i>use</i>									
From any other	Nil	Nil	7.5m	6m	3m	7.5m	7.5m	7.5m	
interior side lot									
line									
Motor Vehicle									
Gas Bar Setback									
(Minima)									
From any lot line					4.5m	6m	6m	6m	
					(6)	(6)	(6)	(6)	
From any <i>sight</i>					3m	3m	3m	3m	
triangle					(6)	(6)	(6)	(6)	
Building Height									
Minimum									
Maximum	10.5m		10.5	10.5m	10.5m	10.5m	10.5m	10.5m	10.5m
			m						
Main Building		7.5m							
(Minimum)									
Main Building		15m							
(Maximum)									
Landscaping	Nil	Nil	10%		20%	20%	20%	20%	30%
Area (Minimum)									
Gross Floor Area									
(Maxima)									
Retail Store	465 m ²				925 m ²	925 m ²	925 m ²		
Retail Store,								93 m ²	
Accessory									
Planting Strip		1.5m	4.5m	3m	3m	3m	3m	6m	6m
Widths (Minima):									
Along an <i>interior</i>	1.5m								
side lot line									
Along a <i>rear lot</i>	3m								
line									
Planting Strip	(1)	(10)	(2)	(1)	(1)	(3)	(3)	(3)	(4)
Location									
Play Facility Area						1			4%
(Minimum)									
									6m (5)

Driveway		1.5m	4.5m						6m
Setbacks									
(Minima)									
From a <i>lot line</i>	1.5m			1.5m	4.5m	4.5m			
abutting a									
Residential Zone									
From a <i>lot line</i>							4.5m	6m	
abutting a									
Residential zone									
or a <i>lot</i> containing									
a Residential Use									
From any other <i>lot</i>	Nil			Nil	1.5m	1.5m	1.5m	1.5m	
line									
Parking Space									
Setback (Minima)									
From any street	1.5m	3m	1.5m	3m	1.5m	1.5m	1.5m	6m	
line									
From any <i>lot line</i>	4.5m	3m		4.5m	4.5m				
abutting a									
Residential zone									
From any <i>lot line</i>			4.5m			4.5m	4.5m		
abutting a									
Residential zone									
or a <i>lot</i> containing									
a Residential <i>use</i>									
From any other <i>lot</i>		1.5m						1.5m	
line									
From any <i>lot line</i>									6m

Footnotes for Table 7.2

- (1) CC Zone, CN Zone, CV Zone A planting strip shall be required along any portion of a rear lot line and any portion of an interior side lot line which abuts a Residential Zone.
- (2) C Zone A planting strip shall be required along any of a rear lot line and any portion of an interior side lot line which abut a Residential Zone or which abuts a lot containing a Residential use.
- (3) CH Zone, CHV Zone, CHB Zone A planting strip shall be required along any front lot line and any exterior lot line and along any portion of a rear lot line and any portion of an interior side lot line which abut a Residential Zone or which abut a lot containing a Residential use.
- (4) CT Zone A planting strip shall be required along every lot line except that no planting strip shall be required for a length of 15m along a front lot line between a tourist camp management office and a street.

- (5) CT Zone No part of any play facility shall be located closer to any lot line than 6m
- (6) Motor Vehicle Gas Bar setback Where a motor vehicle gas bar includes a canopy or roof structure, the required setback shall be measured to the nearest part of the canopy or roof structure.
- (7) CHB Zone The following performance standards shall apply to a Factory Outlet, Industrial Use, Merchandise Service Shop, and a Warehouse:

(i)	Lot Area (minimum):	925m ²
(ii)	Lot Frontage (minimum):	30m
(iii)	Building Area (maximum):	50%
(iv)	Yard, Front (minimum):	
	- from <i>lot line</i> abutting Residential <i>zone</i>	20m
	- from any other front lot line	18m
(v)	Yard, Rear (minimum):	
	- from <i>lot line</i> abutting Residential <i>zone</i>	15m
	- from <i>lot line</i> abutting provincial highway	18m
	- from any other <i>rear lot line</i>	7.5m
/\ .i\	Vard Interior Cide (minimum)	

(vi) Yard, Interior Side (minimum):

- from *side lot line* abutting a Residential *zone* or *lot* containing Residential *use*

or *lot* containing Residential *use* 15m - any other *side lot line* 7.5m

(vii) Floor Area, Net

- Factory Outlet 20% of net floor area of permitted

industrial use to which it is

accessory

(8) **CT** *Zone* – *Building* Separations (minima):

Between tourist vehicles 6m

(i) Between tourist vehicle and 9m

Management office

(ii) Between tourist vehicle and 12m

Recreation building

(iii) Between *main building* and 2m

Detached accessory building

(iv) Between detached accessory buildings 1m

- (9) CCV Zone Within the CCV Zone, with the exception of driveways and pedestrian walkways, lands abutting Kennedy Road or Dougall Avenue shall be developed with a continuous building face.
- (10) CCV Zone A planting strip shall be required along each street line adjacent to a parking area.
- (11) CCV *Zone* The minimum setback for any type of first *storey* residential *use* shall be 3m.

- (12) CCV Zone Within the CCV Zone the following special standards shall apply:
 - (i) For Holding Provisions see CCV-H15 in Subsection 13.3;
 - (ii) For the purpose of this *zone*, each of the two parcels of land located on the north and south sides of Dougall Ave. west of Kennedy Road shall each be deemed to be one *lot*, regardless of the number of *buildings* constructed thereon and regardless of any subdivision thereof by any means. Further the *lot line* abutting Dougall Ave. shall be considered to be the *front lot line*.
 - (iii) Notwithstanding any other provision of this By-law, no *building* or *structure* or part thereof and no chimney, pilaster or similar ornamental *structure* or part thereof and no *patio* or *porch* or part thereof and no machinery or equipment or part thereof and no fence, sidewalk or walkway or part thereof shall be located in any part of a *yard* that is subject to a registered easement;
 - (iv) Notwithstanding Section 5.4.2 and 5.4.4 only one *delivery space* shall be required on the *lot* described in Section 12(ii) above.
 - (v) The minimum off street parking requirement for any commercial *use* shall be 1 parking space per 34 m² of gross floor area or portion thereof.
 - (vi) The minimum off street parking requirement for any *apartment building* shall be 1.25 *parking spaces* per *dwelling unit* plus the requirement for any commercial *use* as noted in (v) above.
 - (vii) For the purpose of this *zone*, Section 4.38 with respect to *Sight Triangles* shall not apply.
 - (viii) In addition to the requirements of Section 4.5, air conditioners or heat pumps shall not be located in the *front yard* or *exterior side yard*.
 - (ix) For the purpose of this *zone*, *Building Height* shall be calculated using the vertical distance measured from the average elevation of the established grade at the front of such *building* to the median level between eaves and ridge on a gable, gambrel or hip roof.
 - (x) For the purpose of this *zone*, Established Grade, with reference to a *building*, shall be calculated using the average elevation of the finished surface of the ground where it meets the exterior of the front of such *building*.